

NEW PERFORMANCE HORIZONS

# UNIX WORLD

YOUR GUIDE TO THE FUTURE OF MULTIUSER COMPUTING

APRIL 1985

\$3 IN USA

UK £2.20

A TECH VALLEY PUBLICATION



## TAKING THE PLEXUS CHALLENGE

Putting Unix,  
Xenix Systems  
To Work

UTS: Amdahl's  
(And AT&T's)  
Mainframe  
Unix System

## THE UNIX SYSTEM IN THE FORTUNE 1000

RECEIVED

13 MAY 1985

COMPUTER SCIENCE



UNIFY  
CORPORATION

UNIFY  
CORPORATION

RELATIONAL  
DATA BASE  
MANAGEMENT  
SYSTEM  
REFERENCE  
MANUAL

# RELATIONAL DATA BASE MANAGEMENT SYSTEM

[sysmenu]

UNIFY SYSTEM  
17 SEP 1984 - 10:01  
System Menu

1. Schema Maintenance
  2. Schema Listing
  3. Create Data Base
  4. SFDRM Menu
  5. ENTER Screen Registration
  6. SQL - Query/DML Language
  7. SQL Screen Registration
  8. Listing Processor
  9. Data Base Test Driver
  10. MEMUM Screen Menu
  11. MEMUM Report Menu
  12. Reconfigure Data Base
  13. Write Data Base Backup
  14. Read Data Base Backup
  15. Data Base Maintenance Menu
- SELECTION: █

[student]  
[1] INQUIRE

UNIFY SYSTEM  
25 Aug 1985 - 10:45  
Student Registration Form

Invoice Number: 450

Last Name: Gordon First Name: Richard

Company: Silicon Design Labs  
5550 Industrial Way  
Basking Ridge NJ 07090  
(201) 555-5400

Student's phone number (if different): (201) 555-5421

Class code (sgmvy): CPO885 Subject: C Programming  
Class fee: 995.00 Class date: 9/1/85  
Deposit date: 8/15/85 Deposit amount (\$): 100.00  
Payment date: 8/25/85 Payment amount (\$): 895.00

[student]  
[1] INQUIRE

UNIFY SYSTEM  
25 Aug 1985 - 10:45  
Student Registration Form

Current: 1

REPORT	TO:	SCREEN	PRINT	FILE	FILENAME
1. Student Registration Listing	[x]	[ ]	[x]	[ ]	-listing
2. Student Billing	[ ]	[ ]	[ ]	[ ]	
3. Billing Summary	[ ]	[ ]	[ ]	[ ]	

REPORT #: 1

\*UNIX is a trademark of AT&T Bell Laboratories.

UNIFY is a trademark of Unify Corporation.

Copyright © 1984, Unify Corporation, Lake Oswego, OR 97034

# UNIFY. THE MIGHTY EASY DBMS.

RECEIVED

13 MAY 1985

COMPUTER SCIENCE

UNIFY isn't only the fastest and most powerful of all UNIX\*-based data base management systems—it's also one of the simplest to use. Which is why some 75 percent of those who see our manuals and buy a DBMS, buy UNIFY.

UNIFY guides the nonprogrammer through data base development with minimal steps, comprehensive menus, on-line HELP, elementary Query By Forms capability, and clear documentation.

UNIFY expedites applications development for users of all skill levels with features like PAINT, for effortless forms design; SQL, the powerful, English-like query language; and a menu-handler that lets you quickly compile screens, queries and reports into menus customized to each user.

And for the skilled programmer, UNIFY offers the most extensive host language interface, for limitless flexibility when you need it.

All of which makes it mighty easy to see why UNIFY has been selected by more computer manufacturers than any other UNIX-based DBMS.

**Judge for yourself.** Send for our demo kit—disks, tutorial and reference manuals, all for only \$150—that shows you how to build virtually any application. Contact UNIFY, 4000 Kruse Way Place, Lake Oswego, OR 97034, 503/635-6265.

Please circle Ad No. 63 on inquiry card.



**UNIFY®**  
**THE PREFERRED DBMS.**

Gould... Innovation and Quality in UNIX-based Systems

# The Firebreathers from Gould blast the competition into oblivion.

## With blazing performance.

Great leaps in raw performance are rare in the computer world. Usually, changes occur in increments of half-a-MIP or so. Now real Firebreathers roar into the arena, quadrupling the best the competition has to offer.

## With scorching speed.

These creatures don't run a little faster. Running real production code supplied by VAX™ users, our PowerNode™ 9000 benchmarks at 4.5 times faster than the VAX 11/780... at a comparable price! Even our second-in-line

PowerNode 6000 runs 1.5 times faster. But with all this power and speed, the PN6000 has a dainty footprint... 60% less than the VAX 11/780.

## With sizzling simplicity.

Even the hottest firebreather won't fly if it's hard to run. Ours are UNIX\*-based, so ease of use and compatibility become part of the power. Plus we offer the "Compatibility Suite", application software packages which are consistent across our entire Gould PowerSeries™ product line... the widest range of UNIX-based systems in the world.

## More than a myth.

We know these claims sound outrageous. Make us prove them. Give us your benchmarks and production code. We'll show you

numbers that surpass all expectations. Call 305-797-5459 for a test flight on the Firebreathers. Main-frame performance disguised as a supermini. The scorching performance you expect from Gould.

## Gould Inc.,

**Computer Systems Division**  
Distributed Systems Operation  
6901 West Sunrise Boulevard  
Ft. Lauderdale, FL 33313

\* UNIX is a trademark of AT&T Bell Laboratories

™ PowerNode and PowerSeries are trademarks of Gould Inc.

™ VAX is a trademark of Digital Equipment Corp.



**GOULD**

Electronics



## UNIX BUSINESS SOLUTIONS

### THEME

# 28

## THE UNIX SYSTEM IN THE FORTUNE 1000

by Vanessa Schnatmeier

The Unix system on mainframes? You bet! A gathering herd of Unix system vendors is challenging IBM on its own turf. Learn why your next mainframe will run the Unix system.



# 38

## NO WAY AROUND BIG BLUE: COMMUNICATIONS FOR THE LARGE ORGANIZATION

by Tom Clark and Vic Forgetta

Survival gear for Unix system-based computers in the *Fortune* 1000 includes an alphabet

soup of communications options—SNA, DCA, DIA, DISOSS. . . . You get the picture, but do you get the meaning? Our authors spell it all out.




# 50

## CITIBANK: THE UNIX SYSTEM 'THAT NEVER SLEEPS'

by Jean Bozman

What's cheaper than a bevy of screaming superminis, able to display 200 (!) menus with blinding speed, *and* works while others sleep? If you guessed the Unix system supermicros at Citibank, you'd be right.

### FEATURES




# 58

## NEW PERFORMANCE HORIZONS THROUGH HARDWARE SOLUTIONS

by William J. Casey and Robert J. Adolph

Don't give up if a software update hasn't solved your Unix system's performance woes. The real problem might be your hardware. Here are the whys, wherefores, and solutions you need to put the bang back in your Unix system computer.



**“R WORD is an excellent program. It is one of the easiest, yet full-featured, word processors I have ever used.”**

**B**ob Woodard of the University of Iowa continues in his letter to us about R WORD, “It beats the heck out of the word processing package available with our machine. R WORD is definitely the favorite of the people who have tried it.”

We've received many letters like Bob Woodard's, praising the R Family of Office Automation Software. Now, we'd like **you** to meet R Family — three programs which are powerful, easy-to-use, well-documented, cost-effective, and supportable. And they're designed for single-users, multi-users, and multi-computer users.

#### **R Office Manager** Suggested List \$295

R Office Manager is the most powerful organizational and managerial package available. It consolidates and streamlines the basic office functions of today's complex corporate environment. R Office Manager coordinates phone messages, calendars, calculations, things-to-do lists, messages, names and addresses, and more.

#### **R WORD II** Suggested List \$895

R WORD II is designed for a production word processing environment which requires full-featured word processing, yet R WORD II offers amazing simplicity of use. Features include Help Menus, Cursor Controls, Editing Functions, Formatting, Three-Level File Structure, Printing Features, Mail Merge, Default Set Up, and Utility Functions.

The program also offers Global Search and Replace, Directories, Spelling Checker, Table Math, Headers and Footers, Automatic Table of Contents, Automatic Paragraph Numbering, Document Assembly, and much more.

#### **R WORD III** Suggested List \$1295

R WORD III offers all the features of R WORD II and R Office Manager, plus complete data base, file management, and report generation features which allow you to integrate any information found in other programs on your computer.

#### **1-(800) 527-7610**

Call us toll-free for more information about R Family. We are currently ported to and shipping R Family programs on the Tandy Model 16, NCR Tower + XP, Apple Lisa, Pixel, Plexus, and Altos 68000. Additional UNIX and XENIX ports are occurring weekly. We are also shipping for all MS-DOS and PC-DOS operating systems. Manufacture, distributor, dealer, national account, and porting inquiries are invited.

When you select word processing, office management, and office automation software, consider the benefits of R Family. This one set of programs can satisfy single-user, multi-user, and multi-computer requirements. R Family offers you consistency, versatility, and supportability, as well as the benefits of transportability and connectivity.

**The R Family - single and multi-user office automation software:**  
**DOS • UNIX • XENIX**  
**COS • DX10 • DNOS**



## 68

### BENCHMARKS TO DO BUSINESS BY: PUTTING UNIX, XENIX SYSTEMS TO WORK

by Neal Nelson

Traditional benchmarks have left business users out in the cold. That is, until our author set out to find the right benchmarks to measure price/performance for the business person.

## REVIEWS

## 76

### UTS: AMDAHL'S (AND AT&T's) MAINFRAME UNIX SYSTEM

by Bruce Hunter

If you can't beat Big Blue, join 'em. That's precisely

what Amdahl and AT&T are doing with UTS, a mainframe product. *Includes a first look at UTS/V, a System V port for IBM 370-compatible mainframes.*



## 84

### THE PLEXUS CHALLENGE: THE P/35 REVIEWED

by Bruce Mackinlay

This month our crazed reviewer takes the Plexus benchmarking challenge—something akin to the Pepsi challenge for colas—and wins himself a watch. . . . Well, maybe, then again, maybe not.

## JOURNALS

## 104

### THE SHELL GAME: THE C VERSUS THE BOURNE SHELL, PART 2

by Bill Tuthill

Despite their differences, the C and Bourne shells are alike in more ways than you might think. This concluding installment of a two-part series by a popular Unix system authority tells all.

## 109

### C TUTORIAL: squeeze PROGRAM BUG REPORT AND CONTEST WINNER

by Dr. Rebecca A. Thomas

Dr. Thomas returns this month with the first installment of an all new C Tutorial series and names the long-awaited winner of our *squeeze* program bug report contest. The envelope please!

## TRENDS

- FROM THE PUBLISHER'S DESK 6
- EDITOR'S CONSOLE 8
- mail 12
- INSIDE EDGE 17
- NEW PRODUCTS 92
- NEWS FROM AT&T 118
- sync 128

## TRAINING

- WIZARD'S GRABBAG 113
- /usr/ LIBRARY 120
- UNIX SYSTEM  
STARTER KIT 122
- CALENDAR 125

## /etc

- ADVERTISERS' INDEX 112
- MARKETPLACE 126
- CAREER  
OPPORTUNITIES 126

UNIX/WORLD (ISSN 0739-5922) is published monthly by Tech Valley Publishing, with offices at 444 Castro Street, 12th Floor, Mountain View, CA 94041, telephone 415/964-0900. Third-class permit #1, Sparta, IL 62286. RETURN POSTAGE GUARANTEED. Postmaster, send Form 3579 to UNIX/WORLD, 10 S. Morris St., Dover, NJ 07801.

Subscriptions cost \$18 for one year within the U.S.A. and its possessions. For Canadian subscriptions, add \$6 for each year. For foreign subscriptions, add \$20 each year for surface mail. Remit in U.S. funds drawn on a U.S. bank only. *Subscription questions and problems:* Contact UNIX/WORLD Subscription Department, P.O. Box 305, Dover, NJ 07801. Printed in United States of America. Requests for reprints or bulk orders should be addressed to the Merchandising Manager.

Address all editorial correspondence to the editor at UNIX/WORLD, 444 Castro St., 12th Floor, Mountain View, CA 94041. Unsolicited manuscripts can be returned only if accompanied by a self-addressed, stamped envelope. UNIX/WORLD is not responsible for lost or damaged manuscripts, photos, or artwork.

Entire contents copyright © by Tech Valley Publishing, unless otherwise noted. All rights reserved.

UNIX™ is a trademark of AT&T Bell Laboratories. WE and UNIX System III are trademarks of Western Electric. UNIX/WORLD is not affiliated with AT&T Bell Laboratories or Western Electric. DEC, VAX, PDP, VMS, Ultrix-32, and DEC Rainbow are trademarks of Digital Equipment Corp. IBM, PC, PC/AT, PC/DX, and PC-DOS are trademarks of International Business Machines Corp. XENIX, MS-DOS, and Multiplan are trademarks of Microsoft Corp. CP/M, CP/M-86, GEM, and CP/M-68K are trademarks of Digital Research Inc. Ethernet is a trademark of Xerox Corp. M68000 is a trademark of Motorola Inc. HP and HP-UX are trademarks of Hewlett-Packard Co. UNOS is a trademark of Charles River Data Systems. VENIX is a trademark of Venturcom Inc. Idris is a trademark of Whitesmiths Ltd. Coherent is a trademark of Mark Williams Co.

Statements of fact and opinion are made on the responsibility of the authors alone and do not imply an opinion on the part of Tech Valley Publishing or the editorial staff of UNIX/WORLD.

**H**ealing the rifts in the computer industry is a task worthy of some ancient hero. Ironically, just when we have hardware solutions for the single user to the multinational corporation, we are at each other's throats again. PC users are pitted against DP management; computer wizards speak incantations that occasional users can no longer decipher; the MIS Director and the Chief Financial Officer are out sharpening knives for use on each other's budgets.

How can we balance the power user's need for brute force on spreadsheet engines and graphics applications with the corporation's need for data security, shared (reliable) information, and low costs per workstation? How can any company afford the horrendous costs, monetary and human (training), of software "hits" that top the charts for only a few months? (Imagine if you had to retrain your accounting staff every 18 months, rather than deal with procedures that have remained stable for the last 300 to 400 years.) And what could possibly play more havoc with depreciation and amortization schedules than a state of permanent revolution in computer technology that requires trashing millions of dollars of "antiquated" equipment every 18 months?

The Unix system is like oil on troubled waters. Snuck into corporate offices as the Trojan horse that solves a single problem (typically software development), the Unix system has survived and conquered. By offering an operating environment that functions on everything from a PC to a Cray II, the needs of the power and occasional user are met in a single environment. And the Unix system offers shared resources and information today while LANS remain IBM's Star Wars bargaining chip to maintain control on a market it barely understands. And as a side benefit, the Unix system offers a single training environment that allows users to move from task to task focusing on the work to be performed, not learning a new technical syntax to accomplish skills they've had most of their professional lives.



*John M. Knapp*  
President & Publisher

Naturally, even if we solve the purely human concerns that plague our industry (and the Unix system will play a large part), future problems remain. Some problems, in fact, impact the nature of 20th Century society: for instance, the rift between the analog and digital information flows that feed our culture. But then again, isn't it interesting that the phone company's Unix system is already there? □

## UNIX/WORLD

### STAFF

#### Publisher

John M. Knapp

#### Editor-in-Chief

Philip J. Gill

#### Editor Emeritus

Dr. Rebecca Thomas

#### Art/Design Consultant

Robert G. Bryant

#### Copy Editor

Andrew Ould

#### Production Editor

Monica E. Berg

#### Editors-at-Large

Bruce Mackinlay

Lauren Weinstein

#### Associate Editor, Inside Edge

Omri Serlin

#### Associate Editor, Features

Vanessa Schnatmeier

#### Production Manager

Gerald A. McEwan

#### Production Artist

James McEwan

#### Staff Photographer

Ralph Cooksey-Talbott

#### Cover Art

Paul Fairchild/Judson Allen

### CONTRIBUTING EDITORS

**Dr. Brian Boyle**, Novon Research Corp.: Market Research; **Thomas R. Billadeau**, The Gartner Group: Office Automation; **Gene Dronek**, Aim Technology: System Optimization/Benchmarking; **Dr. Bill King**, UC Davis: Writer's Workbench; **Bob Marsh**, Plexus Computers: Supermicros; **P.J. Plaeger**, Whitesmiths: Work-alikes; **Omri Serlin**, ITOM International: Market Analysis; **Deborah K. Scherrer**, Mt. Xinu: Software Tools; **Lauren Weinstein**, Vortex Technology: Networking/Communications.

### MARKETING

#### Marketing Director

Cathy Souza

#### Circulation Manager

Heidi Spiegelman

#### Circulation Consultants

Brandt/Klingel Associates

#### Circulation Assistant

Beth Doolin

#### Advertising Assistant

Jeanne Ketchum

#### Merchandising Manager

Cheryl Hogan

#### Merchandising Coordinator

Paul Fertal


### ADVERTISING SALES

**New England, New York, New Jersey, Pennsylvania, and Eastern Canada:** Charles E. Lynch, Nancy Wood, Merrie Lynch, 61 Adams St., Braintree, MA 02184, 617/848-9306. **Midwest:** Jeff Edman, Biff Fairclough, The Pattis Group, 4761 W. Touhy Ave., Lincolnwood, IL 60466, 312/478-4000. **Denver:** R.H. "Bud" Foster, 14 Inverness Dr. East, Bldg. A, #232, Englewood, CO 80112, 303/790-8181. **Dallas:** Pam Watkins, 5801 Marvin D. Love Freeway, Suite 303, Dallas, TX 75237, 214/941-4461. **Los Angeles:** Gordon T. Sutton, Carole Ann Philips, 524 W. Commonwealth, Suite G, Fullerton, CA 92632, 714/525-6686. **Miami:** Ray Rickles, Ray Rickles and Company, 3783 Pinetree Dr., Miami Beach, FL 33140, 305/532-7301. **Atlanta:** Scott Rickles, Ray Rickles and Company, 699 Carriage Dr., N.E., Atlanta, GA 30328, 404/252-4567. **San Francisco:** Morton McDonald, Ginger McDonald, Ian McDonald, 265 Baybridge Office Plaza, 5801 Christie Ave., Emeryville, CA 94608, 415/653-2122; 415/967-6400. **Oregon:** Frank M. Eaton, 510 S. First, P.O. Box 696, Hillsboro, OR 97123, 503/640-2011.

# "Now I program with Power Windows"

Alan R. Feuer  
Vice President, Research and Development  
Catalytix Corporation

Author: The C Puzzle Book



## CCA EMACS...The Most Powerful Editor Environment Available for Unix and VAX/VMS

*"Programming with CCA EMACS, I can look at two or more files at once in different windows and then move text between them."*

Alan Feuer is just one of many demanding programmers who have discovered that CCA EMACS™ makes program editing and system development much easier and faster. And "power windows" are only part of the reason Alan Feuer uses CCA EMACS...

Unprecedented power, speed, functionality, extensibility, pliability, and consistency across systems and on any terminal are others. CCA EMACS includes close to 400 built-in commands which let you do any job with only a few keystrokes, even the kinds of things that are difficult or impossible with other editors. And with our full Common Lisp-based extension language, Elisp™, you can customize CCA EMACS to meet all your specific program needs.

CCA EMACS has two extensive recovery facilities to protect against system failures. Supported by a full online documentation package, including tutorial, the system can be used by beginners and experts alike.

This complete kit of editing tools runs under Berkeley Unix™ (4.1BSD and 4.2BSD), Bell Unix (Systems III and V), Xenix™, and VAX/VMS™. Binary prices range from \$380 to \$850 for Unix to \$1900 for VMS.

### CCA Uniworks, Inc.

Productivity Tools for Programmers

20 William Street, Wellesley MA 02181

For more information or to place an order  
call our customer representatives at

## 800-222-0214

in MA (617) 235-2600  
or mail this request form today.

Please send me information on:

- |   |   |
|---|---|
| <input type="checkbox"/> CCA EMACS            | <input type="checkbox"/> The Safe C Development Tools                             |
| <input type="checkbox"/> AI Development Tools | <input type="checkbox"/> Your complete line of state-of-the-art programming tools |

☐ Please send license forms

Name

Title

Company

Address

City, State, Zip

Phone (  )

**CCA UNIWORKS, INC.**

20 William Street Wellesley, MA 02181

 A Crowntek Company

Unix, VAX and VMS and Xenix are trademarks of Bell Laboratories, Digital Equipment Corporation, and Microsoft Corporation, respectively. Safe C is a trademark of Catalytix Corporation. CCA EMACS and Elisp are trademarks of CCA Uniworks, Inc. UW285



Watch out IBM! The Unix system is coming into use at many *Fortune* 1000 companies, like it or not. I don't think that just a few short years ago even

the greediest supermicro entrepreneur would have thought the Unix system would be of interest to mainstream, commercial computing departments. But today this is indeed the case, and it extends far beyond the engineering and R&D departments.

In fact, some members of the Amdahl group that markets UTS, Amdahl's System III and System V ports (which are both the subject of this month's lead review, by the way) for IBM 370-type mainframes, report having been quite busy the last year fielding questions about the Unix system from some of the same prestigious *Fortune* 1000 companies that buy their IBM-compatible mainframes.

And this year they should see even more of the same, as Amdahl and AT&T Information Systems join forces to push Unix System V (primarily, Amdahl's forthcoming UTS 5.2) into Big Blue mainframe shops across the country.

Well, Blue, for your part, you have acknowledged the interest in the Unix system among your bread-and-butter clients, the *Fortune* 1000, with last summer's introduction of VM/IX. You've also come out with PC/IX, really a development system for PC-DOS applications, and with Xenix 3.0 on the PC/AT. However,

we can't give you an A for effort, at least not yet.

The corporate MIS director at an Exxon or General Electric has the same reasons for being interested in the Unix system as does the head partner in the small law office down the street—vendor independence, protection of your investment in software and databases, and software portability.

This last item, portability, is probably the most critical to *Fortune* 1000 firms. The Unix system holds out the promise of substantive micro-to-mainframe links far beyond what is currently available from today's communications methods.

As bands of isolated PCs in the outer offices of great corporations clamor ever louder for access to departmental, divisional, and even corporate databases, the old ways of tying together all that incompatible gear fall down. Users will need applications that run substantially unchanged on different machines, distributed databases, virtual file systems, etc., etc. Sound familiar?

The other issues are important as well, especially when put in context. The small law office down the street may have invested a few thousand dollars in software, not a substantial sum in the great way of things, yet substantial enough to matter to that firm. Imagine the investment an order of magnitude greater for a *Fortune* 1000 company; its software investments amount to tens of millions and perhaps hundreds of millions of dollars.

One should also consider one of IBM's more costly family traditions. That is, once every couple of years


the computer vendor forces upon its installed base a major operating system upgrade, usually to a highly incompatible new version. IBM's MVS-to-MVS/XA push is just one of the latest, and most questionable, examples. These conversions usually involve a substantial investment in manpower and dollars to complete.

You begin to get the picture. In some cases it becomes a struggle for survival, pitting the corporate MIS manager against his IBM salesman.

Now don't get me wrong. IBM is not the only computer vendor that does this. Today, however, as we ask ourselves whether IBM is the defender of our worldwide technological leadership or a ruthless, marauding pirate looking for the next market niche to plunder, it is important to remember that the Unix system holds forth the biggest threat yet to IBM's thirst for hegemony over the computer industry.

Perhaps this is why IBM has not yet supported with all its strength a Unix system on any of its processors. Many say that IBM will endorse any and all brands of the Unix system, but that it will never push any brand of the Unix system simply for this reason. I'd like to remind those same people, however, that the Unix system has never been a product that needed official backing to succeed. Despite some of the best efforts of this industry's largest companies, the Unix system today is alive, thriving, and, more to the point of this discussion, beginning to live in corporate America. □

Philip J. Gill  
Editor-in-Chief



# High Performance Machines.

Now, from the same people who brought you the industry-leading price/performance champion 3300-Series supermicro comes a totally new dimension in high performance machines—the Contel-Codata 3400-Series. We've designed the 3400-Series specifically for the OEM marketplace and proudly bring you more versatility, dependability, and expandability than any other manufacturer. It's the Codata Difference and another major improvement in OEM microcomputers.

Whether your application is scientific or desktop, whether you need a graphics engine or a free-standing floor model, the Codata 3400-Series gives you the industry's broadest range of capabilities.

3400-Series features include 8-megabyte RAM addressability, expanded mass storage with 12, 47, 84, 168 or 320-megabytes of high-speed Winchester

efficiency, 9-track 800/1600 BPI magnetic tape, hardware floating point accelerator for Fortran/Pascal, Ethernet LAN, and, of course, the M68000 running the Contel-Codata autoconfiguring UNIX™ operating system. All 3400-Series systems are based on Multibus™ architecture giving you nearly unlimited versatility of applications.

Let Contel-Codata put you on the fast track! Test drive the 3400-Series supermicros TODAY. For details contact us at: CODATA SYSTEMS CORPORATION, 285 N. Wolfe Road, Sunnyvale, CA 94086, 408/735-1744, 1-800-521-6543. Telex 172869 CODATA SUVL. In Europe, CONTEL-CODATA, 250 Avenue Louise, Box 101, 1050 Brussels, Belgium. Telex 65942 CADO-B. MULTIBUS is a trademark of Intel Corp. UNIX is a trademark of AT&T Labs

**CONTEL CODATA**

C O D A T A   S Y S T E M S   C O R P O R A T I O N



# Almost priceless.

Hewlett-Packard presents  
the first 32-bit UNIX™ system  
under \$5,000.

Introducing the Integral Personal Computer.

It's the newest member of the HP 9000 family of HP-UX workstations. And it delivers the kind of power and flexibility the name implies.

With a 16/32-bit MC68000. A graphics co-processor. And 800KB of standard memory, expandable to 5.8MB.

Its UNIX kernel (HP-UX/RO) is built into ROM. Which means the Integral PC can run most applications *without* an expensive hard disc. Which means more

people can afford to run your UNIX software than ever before. But not only can they afford to run it. They can learn to use it in

minutes. Because the Integral PC is one UNIX system that's easy to use. Its see-and-select user interface, built-in window manager and optional mouse mean even novices can tap the power of your software. No one has to learn a bunch of cryptic commands or go through a lot of expensive training. There's even an entry-level, self-paced tutor disc with every machine.

What's more, the Integral PC goes where you need it. The complete system—including our revolutionary ThinkJet printer—packs into a single 25-pound package that takes up less than a cubic foot.

So get started porting your software now. HP-UX is an enhanced version of UNIX System III, including Berkeley 4.2 BSD features.

For the name of the authorized HP dealer or HP sales office nearest you, call toll-free 1-800-FOR-HPHC.

The value of your investment in UNIX software just went up. Because the price of a complete UNIX system just came down.

The Integral Personal Computer. Just \$4,995\*



**HEWLETT  
PACKARD**

*This space is yours. Tell us what we're doing right—or wrong. Raise issues and ideas that other readers may respond to. Propose projects. Reject market trends. Take a stand.*

## SORRY FOR THE CONFUSION

Dear Editor:

I contacted Omri Serlin when I read his "Inside Edge" column in Vol. 1, No. 5 because I felt that he was quite negative and that he confused the reader by implying that the Power 6/32, "Introduced in May," is "an upgrade of the 5/20." The article goes on to say that the main difference is the number of boards in the M68000-based units.

This, of course, is not the case because the Power 6/32 is not an M68000-based machine.

Sincerely,

Paula J. Mellon  
Marketing Support Manager  
Commercial Products Group  
Computer Consoles Inc.  
Irvine, Calif.

*Editor's Reply: You are quite correct in stating that the Power 6/32 is not based on an M68000 chip. In his original manuscript, Mr. Serlin stated that the 6/32 was based on a "new, 5-board 'Tahoe' processor, said to be optimized for C programs and the Unix operating system" and that it uses a "2901 bit-sliced ALU." We incorrectly edited Mr. Serlin's copy. However, it is also valid to see the 6/32 as a performance upgrade to the Power 5 family, if not an actual hardware upgrade. — Philip J. Gill*

## ALIVE AND WELL

Dear Editor:

We would appreciate your help in correcting an error that was published in UNIX/WORLD (Vol. 1, No. 5, p. 94). In an article entitled "The Interleaf Publishing System," the author, Bruce Mackinlay, writes that "Xerox removed Star from the market. . . ." This statement is simply not true.

The Xerox Star system is being manufactured and shipped at record rates, and Star systems are the featured performers in more than 1000 Ethernet customer networks around the world.

As you know, the Star system pioneered most of the industry's popular user-friendly interfaces, such as the "mouse" pointing device, multiple windows on display screens, icons, and bit-mapped displays. It also is the only system on the market that allows users to create documents and freely intermix text in any combination of more than 20 of the world's major languages.

The Xerox Star system is very much alive and well, thank you. And we'd like the readers of UNIX/WORLD to know that.

Best Regards,

Don Ramsay  
Manager of Public Relations  
Western Operations  
Xerox Corp.

## 4.2BSD v. SYSTEM V

Dear Editor:


I am writing to correct some misinformation that appeared in an article entitled "4.2BSD Versus System V" (Vol. 1, No. 6).

The paragraphs describing network offerings (pp. 56-57) state: "3Bnet (sic), announced at NCC in July as 'Ethernet-compatible,' links AT&T PC users who need to share files or exchange data to a central AT&T computer that acts as a file server." Later, the author says it "allows the user to switch between terminal emulation on the central Unix machine and the native PC operating system, DOS." The article closes by stating ". . . it's a far cry from remotely logging into a networked 4.2-based machine and transferring files at the speed of light."

First, 3BNET (a trademark of AT&T) does not connect PCs to servers. While it is definitely Ethernet compatible, 3BNET is used to network 3B processors in a high-speed network. The product offering Ms. Wallace is referring to is PC Interface. It is available in both Ethernet and RS-232 versions.

PC Interface does much more than terminal emulation. In fact, the Terminal Emulator itself is a separate product offering that happens to take advantage of the PC Interface environment. The

# UNIX MULTIPROCESSOR PERFORMANCE AND EXPANDABILITY IN ONE BOX



## NOW

ELXSI System 6400 has a true native port of UNIX System V, not an emulation. With a unique combination of Berkeley enhancements. Virtual memory. Super fast I/O. Ethernet with TCP/IP. Plus the largest physical memory in the business. ELXSI System 6400 will run either UNIX or our proprietary, message-based EMBOS operating system. Or both, concurrently.

ELXSI System 6400: The first true multiprocessor UNIX system. Up to 5 CPU's operating at 20 MIPS in a single cabinet, through the ELXSI Gigabus—our 320 mByte/second, 64-bit wide system bus that can accommodate further expansion up to 10 CPU's and 40 MIPS of computing power. More power for more system users, expandable as your needs grow, with the highest power to footprint ratio in the business.

ELXSI System 6400. No one can match our performance or our expandability, deliverable now. Contact ELXSI today for complete information. Sales offices in most major cities.

## ELXSI

ELXSI, 2334 Lundy Place, San Jose, California 95131.  
408/942-1111, Telex 172-320.

UNIX is a trademark of Bell Laboratories. Ethernet is a trademark of Xerox Corporation. Gigabus and EMBOS are trademarks of ELXSI.

**THE ELXSI  
GUARANTEE:**  
Find a computer system that can  
match our performance and our  
potential for expansion, and we'll  
raise our price to match theirs.

DOS directories it uses reside on the DOS machine (not on the 3B).

Programs running in the DOS environment do utilize files resident on the 3B. They access them as though they were a local hard disk on the PC. Files may be copied from the DOS machine to the 3B, or vice versa, at 10 Mbytes/second (Ethernet rates). This may not quite be the "speed of light" that the author says is available on a 4.2-based machine, but most experts will agree that this is fast enough for most user applications.

In addition, remote log-in is a capability of the RS-232 version of PC Interface, which allows the same data-transfer capabilities at RS-232 speeds.

Sincerely,

Douglas Host  
PC Interface Product Manager  
AT&T Information Systems

## MORE ON ULTRIX-32

Dear Editor:

I am writing to correct a couple of errors in your magazine relating to Digital Equipment Corp.'s Unix system products. I am not writing as a representative of DEC or in any official capacity.

In UNIX/WORLD Vol. 1, No. 5, there appeared a review of Ultrix-32. On page 70 was a figure depicting the utility commands found under Ultrix-32. The diagram is in error in that some of the utilities flagged as missing are indeed there under Ultrix-32—but they have been moved to different directories. (In general, things that are normally "system manager-type" utilities have been moved to /etc, and a couple of utilities that seem to logically fit under games have been moved to that directory.)

To be specific, the following utilities are, in fact, part of Ultrix-32: /etc/fsck, /etc/restore, /etc/ac, /etc/chown, /etc/clri, /etc/dcheck, /etc/dump, /etc/icheck, /etc/ncheck, /etc/pstat, /etc/quot, /etc/sa, /usr/games/factor, and /usr/games/banner.

In addition, it was not really clear from your diagrams that the complete Berkeley utility set is available under Ultrix-32, which it is.

Thank you for allowing me to clarify these things.

Sincerely,

Frederick M. Avolio  
DEC—Ultrix Support  
{seismo,decvax}!grendel!avolio

**Let us prove how Cromemco systems  
can increase your satisfaction  
with UNIX System V.**

**Call, or visit, one of our  
Official System Centers today:**

### USA

#### In Arizona:

**Artemis Computer**  
602/957-0469  
**Systems Solutions, Inc.**  
602/224-0026  
**Professional Data  
Systems, Inc.**  
602/265-6656

#### In California:

**Quintec**  
818/889-4819  
**American Computer &  
Communications**  
415/348-1956  
**MCM Enterprises**  
415/327-8080  
**American Computers &  
Engineers**  
213/477-6751  
**Kierulff Electronics**  
213/725-0325  
**Accountability Systems**  
714/639-4570  
**Excollbur**  
916/972-9252  
**Kierulff Electronics**  
714/278-2112  
**Kierulff Electronics**  
408/971-2600  
**Cromemco, Inc.**  
818/346-6690

#### In Connecticut:

**Dotocraft, Inc.**  
203/673-6952

#### In Florida:

**Automated Computer  
Systems**  
305/594-3819  
**Computer Centre**  
813/484-1028  
**Royal Data, Inc.**  
305/267-1960

#### In Georgia:

**Cromemco, Inc.**  
404/391-9433  
**Systems Atlanta**  
404/928-0240  
**Kierulff Electronics**  
404/447-5252  
**Southern Exchange, Inc.**  
404/921-2662

#### In Illinois:

**Commercial Data Systems**  
309/797-9401  
**Computerland**  
312/967-1714  
**Southern Exchange, Inc.**  
404/921-2662

#### In Indiana:

**Alpine Computer  
Center, Inc.**  
815/229-0200  
**Cromemco, Inc.**  
312/934-0650  
**Alternate Computer  
Services**  
312/893-1992

#### In Indiana:

**Memory Bank, Inc.**  
312/891-1064  
219/931-0203  
**Herbertown Sales**  
317/877-4900  
**Microcomputer  
Specialists, Inc.**  
219/762-8541

#### In Kansas:

**Tradewind Systems**  
316/624-8111

#### In Louisiana:

**Muse Data Technologies**  
504/293-0320  
**Standard Systems, Inc.**  
318/625-8613

#### In Maryland:

**Dynamic Data Processing**  
301/657-1211

#### In Massachusetts:

**Kierulff Electronics**  
617/667-8331  
**Cromemco, Inc.**  
617/938-7010

#### In Michigan:

**United Microsystems  
Corporation**  
313/668-6806

### Japson Group, Inc.

616/698-8700  
**Automated Business  
Consultants**  
313/478-0557

#### In New Jersey:

**Kierulff Electronics**  
201/575-6750

#### In New Mexico:

**South West Computer  
Stores, Inc.**  
505/292-6568

#### In New York:

**Custom Computer  
Specialists**  
516/231-1155  
**C.C.S., Inc.**  
212/986-7520  
**Trexis, Inc.**  
914/268-5161

#### In Ohio:

**Lucas Office Equipment &  
Service, Inc.**  
513/433-8484  
**Odyssey Systems, Inc.**  
216/526-9933  
**(ISIS) Innovative Systems/  
Integrated Software**  
419/531-0220

#### In Pennsylvania:

**Modular System Design**  
412/521-6700



### Marketline Systems

215/355-5400

#### In Texas:

**Kierulff Electronics**  
214/343-2400  
**Gunn Enterprises**  
713/781-6911  
**Procomp**  
713/266-3648  
**Computer Crossroads  
of America**  
214/231-6108

#### In Virginia:

**SMS Data Products**  
703/827-0640  
**Business Communications  
Systems**  
703/344-5563  
**VCA Corporation**  
703/281-4666

#### In Washington:

**Kierulff Electronics**  
206/575-4420

#### In West Virginia:

**Systems Support**  
304/766-7762  
**In Wisconsin:**  
**Computer World**  
414/733-9547  
**Boy Tech of Wisconsin, Inc.**  
414/846-3038  
**Computer World**  
414/499-9983

#### INTERNATIONAL

#### In Austria:

**Ing Stohe GmbH**  
222/575-6950

#### In Australia:

**Minicomp Software &  
Education**  
61-2/857-6800

### INTERNATIONAL cont.

#### In Australia cont.:

**Micro Data PTY LTD.**  
61-9/328-1179  
**Insystems P/L**  
61-3/690-2899

#### In Canada:

**Cro-Corp Computer  
Solutions**  
403/286-8459  
**D.E. Systems**  
613/729-5164  
**Future Electronics**  
610/421-3251

#### In Costa Rica:

**Control Electronico**  
506/24-44-44

#### In Denmark:

**Merkur Data Services A/S**  
45-2/63-01-55

#### In England:

**Joragote Ltd.**  
44-1/671-6321

#### In France:

**Penoranda Informatique**  
56-979618

#### In Greece:

**Algorithm Ltd.**  
370-1/933-0551/5858

#### In Hong Kong:

**Vondo Computer &  
Equipment Co.**  
852-3/348702-5

#### In Israel:

**Information Systems Ltd.**  
03-775111

#### In Italy:

**CO. N.I.A.**  
39-51/375001

#### In Japan:

**Asahi Glass**  
81-3/218-5848

#### In Mexico:

**Micromex, S.A. de C.V.**  
905/687-8886/8913  
905/536-5503

#### In Mid-East:

**Multi Media Video, Inc.**  
CA USA  
408/727-1733  
**National Computer System**  
Pakistan  
5156644

#### In The Netherlands:

**Computer System  
Marketing Center**  
Saudi Arabia  
966/2-651-7707  
966/2-653-0580

#### In Norway:

**Rocomp B.V.**  
31-40/524055

#### In Scotland:

**Micro Systems A/S**  
47-2/41-69-76

#### In Sweden:

**Micro Centre Complete**  
Micro  
44-31/556-7354

#### In Switzerland:

**Dotrolsering Konsult AB**  
46-8/753-3090

#### In West Germany:

**Cromemco GmbH**  
49-6196/481606  
**Digitronic Computer-  
systeme GmbH**  
4103/88672/73

#### In West Germany:

**Cosy-X Computer  
Systeme GmbH**  
2173/52071/72

#### In West Germany:

**Comico Deutschland**  
49-2151/795577  
**CE Computer GmbH**  
02151-22121

#### In West Germany:

**Anitex Computer  
Systems GmbH**  
08142-13091

**Cromemco®**

# CROMEMCO COMPUTERS: DESIGNED TO MAKE UNIX SYSTEM V EVEN BETTER...

UNIX System V, the new standard in multi-user microcomputer operating systems, gives you high performance features along with the portability and flexibility of a standard.

Cromemco computers can make UNIX System V even better. Because our systems are designed with UNIX in mind. First of all, we offer UNIX System V with Berkeley enhancements. Then, our hardware uses advanced features like 64K of on-board cache memory and our high speed STDC controller to speed up disk operations—very important with UNIX.

## **More capability and expandability**

We have a high-speed, 68000-based CPU that runs at 10 MHz, coupled with a memory manager that uses demand-paging and scatter loading to work *with* UNIX, not for it.

We provide room for expanding RAM to 16 megabytes—with error detection and correction—for running even the most sophisticated and advanced microcomputer programs. And the power to accommodate up to 16 users—all with plenty of memory.

But we give you even more.

## **A complete solution**

We give you a choice in systems: the System 100 series, expandable up to 4 megabytes of RAM, and the System 300 series, expandable to 16 megabytes. A high speed 50 megabyte hard disk drive is standard on the systems. And you can expand the hard disk capacity up to 1200 megabytes using standard SMD drives. You can add floating point processing. High resolution graphics. Video digitizing and imaging. Communications through

standard protocols. Mainframe interface.

And software support is here to meet your needs. We offer major programming languages, database management systems, communications software, including SNA architecture, X.25 protocol, and Ethernet; even a program to interface to an IBM PC if you need to. And, of course, access to the broad range of standard UNIX applications programs that is growing dramatically every day.

## **Easy to use.**

We also make our systems easier to use, because we install the operating system before we ship your computer. No complicated installation procedures. And the Berkeley enhancements give you the standard UNIX System V operating system, but with the added convenience of these widely acclaimed improvements.

Cromemco's System 100 and System 300 computers: designed to be the highest performance UNIX systems available anywhere.

Just call or visit one of our UNIX System V Official System Centers to see for yourself. They'll also give you a copy of our new publication, "What you should know before you buy a UNIX system." Or contact us directly.

We'll be glad to show you how to get a better UNIX system.

Corporate Headquarters: Cromemco, Inc.,  
280 Bernardo Avenue, P.O. Box 7400, Mountain  
View, CA 94039. (415) 969-4710. In Europe:

Cromemco  
GmbH, 6236  
Eschborn 1,  
Frankfurter Str.  
33-35, P.O. 5267,  
Frankfurt Main,  
Germany.





# EMERALD ONE™

## SOFTWARE WITH COURAGE, BRAINS AND HEART

### WHAT IS EMERALD ONE?

The most complete integrated office system available today, EMERALD ONE combines the most essential office tasks through six fully compatible and seamless sets of tools. EMERALD ONE runs on a broad range of mainframe, mini, super-micro and personal computers which use the UNIX™ operating system—the emerging standard for the office.

### THE TOOLS OF EMERALD ONE

EMERALD ONE integrates your office tasks through:

1. *COMMUNICATIONS*, including Telephone Messaging and Electronic Mail systems,
2. *INFORMATION HANDLING* with EMERALD ONE's powerful Relational Database system,
3. *DECISION SUPPORT* features such as Business Graphics and the Electronic Spreadsheet,
4. *DOCUMENT PREPARATION* with Word Processing and a Cabinet, Document and File Folder system,
5. *TIME MANAGEMENT* tools such as the Personal Diary system and Meeting Scheduler and
6. *SYSTEM ADMINISTRATION* functions that allow a non-technical user to customize EMERALD ONE for the individual, work group and organization with ease.

### SOFTWARE FOR THE WORK GROUP

EMERALD ONE goes far beyond stand-alone personal computer software by linking individuals and their work groups. With EMERALD ONE, users work as a communicating group, not as isolated individuals. Whether it be a document, spreadsheet or personal diary entry, everything created with EMERALD ONE can be exchanged easily between individuals, work groups and beyond.

### EMERALD CITY, THE PEOPLE BEHIND EMERALD ONE

EMERALD ONE is the result of an intensive, multi-year research commitment by Emerald City and its sister company Trigon Systems Group, one of the most respected consulting companies in office integration.

Attractively priced for distribution by hardware manufacturers, system integrators and OEM's, EMERALD ONE is fully supported by an extensive marketing program designed to assist distributors in penetrating the integrated office market. Emerald City offers the reality of a complete business solution, not just technology.

Emerald City, the company with courage, brains and heart.

**EMERALD**  
C · I · T · Y

Emerald City Inc.  
20 Richmond Street East, Suite 700  
Toronto, Canada M5C 2R9  
(416) 863-9923



UNIX is a trademark of Bell Labs  
EMERALD ONE is a trademark of  
Emerald City

## SPERRY LAUNCHES BOLD UNIX SYSTEM THRUST WITH NCR, ARETE, CCI GEAR

BY OMRI SERLIN



In an attempt to break out of the BUNCH mold, Sperry Corp.'s Information Systems Group (née Univac) has set forth a comprehensive and bold

new corporate strategy. The plan is predicated on using the Unix system on processors supplied to Sperry by NCR, Arete, and Computer Consoles. In addition to offering these new Unix system engines under the Sperry label, the Blue Bell, Pa.-based mainframer will also support Unix system variations on its Mitsubishi-supplied desktop PC and on its large-scale 1100-series machines, creating the first compatible computer line, ranging all the way from micros to mainframes.

Will Sperry be successful in its new direction? Past experience is not encouraging. In the 1950s Sperry was an early leader in both digital computers and typewriters; the term "Univac" was then often used synonymously with "computer," much as "Remington" was often a generic term for "typewriter." By the early 1960s, through a combination of short-sighted management and other factors, Sperry lost its unique leadership positions in

both computers and typewriters to IBM.

In the mid-sixties Sperry introduced its 1108, a 36-bit, large-scale mainframe that has had substantial acceptance in scientific and engineering applications. The 1100 series of mainframes that followed is still Sperry's bread-and-butter line in computers. (The corporation is actually a conglomerate, including farm machinery, military gear, and other businesses, none of which has been especially successful recently.)

On a number of occasions Sperry has attempted to expand its horizon beyond its 1100 series of 36-bit mainframes. A number of mid-size machines were based on the old RCA line, whose installed base Sperry acquired in 1971, while others were attempts to bridge the 360-like RCA architecture with the 1100 line.

The BC-7, introduced in 1977, was a small-business computer Sperry designed and made. Through the acquisition of mini-maker Varian Data Machines, also in 1977, Sperry hoped to become a factor in that market in its heyday. None of these moves, however, resulted in any notable successes.

In October 1982 Sperry attempted to penetrate the office market with Sperrylink, an integrated system combining word and data processing, personal computing, and electronic mail/voice, based on 1100-series proprietary software and expensive, bulky, internally built terminals.

### THE TRILOGY INVESTMENT

Less than a year later, in June 1983, Sperry made a \$40 million investment in Trilogy, hoping to apply the

wafer-scale-integration (WSI) technology under development at Trilogy to Sperry's next generation of mainframes. But that thrust fizzled when Trilogy ran into trouble and canceled its WSI effort.

About the only bright spot in this otherwise bleak picture is Mapper, an applications generator based on a relational DBMS running on the 1100 series. Mapper, like a number of similar products from IBM and others, allows non-expert users to construct simple business applications in a nonprocedural language.

Meanwhile, Sperry's mainframe business has come under severe pressure from both directions in the last few years: from above, by IBM's new aggressiveness; and from below, by the new breed of superminis from DEC and Data General. Sperry's market share has been eroding; the company's computer business revenues peaked in fiscal year 1982 at \$2.8 billion and have stayed essentially flat over the next two fiscal years (ending March 31), constituting about 57 percent of total fiscal year 1984 revenues.

Pretax income from computer operations, which declined sharply in fiscal years 1982 and 1983, rebounded slightly in fiscal year 1984 to \$161 million; but it remains a puny 5.7 percent of revenues, well under the \$286 million level of fiscal year 1981. Results for the fiscal half ended September 30 show a 17 percent increase in revenues for the Information Systems Group (ISG); however, without a Domestic International Sales Corp. (DISC) tax reversal contribution, income from operations was weak, due partly to write-downs related to the Trilogy investment.

Having concluded that it needs outside help, Sperry seems to have pulled out all the stops. It has in-

vested in Sequoia, a maker of fault-tolerant transaction systems, and in Encore, whose Hydra subsidiary planned to unveil an MMP design in January. It has also concluded an agreement with TI to market TI's AI-oriented, LISP-running Explorer (née "Nu Machine"); and with Intellicorp for marketing KEE (Knowledge Engineering Environment), a LISP-based, \$30,000 software tool for constructing "expert systems."

Sperry also said it has established a six-member Technology Advisory Board. The group is chaired by AI expert Ed Feigenbaum (Stanford) and includes noted computer architect Gordon Bell (ex-DEC, and now with Encore) and graphics expert Robert Sproull (Carnegie-Mellon).

## BRAVE NEW DIRECTIONS

Sperry is now extending this kind of thinking into the sub-mainframe general-purpose multiuser machines. In describing the move to a press conference at Comdex, Jim Aldrich, vice president of product strategy and market development, suggested that Sperry was undergoing a major change. The "old" Sperry was engineering driven, mainframe oriented, and intent on building all its products in-house.

The "new" Sperry has new management (among them, the formation of the Micro Products Division under Frank Holst earlier this year); a new strategy (the Unix system); and a new product line (the 5000 series from NCR and Arete, the 7000 from CCI). The new Sperry is going to act principally as a system integrator and marketer for products made by others. It brings to the party a worldwide ISG sales force of 1700, supported by a large field-support organization.

MODEL	PERFORMANCE	ESTIMATED PRICE RANGE
5000/20	0.7	\$15,000-\$25,000
5000/40	0.96	\$18,000-\$50,000
5000/60 1 CPU	0.96	\$62,000-
5000/60 2 CPU	1.7	\$100,000
5000/80 1 CPU	0.96	\$70,000-
5000/80 4 CPU	3.2	\$150,000
7000/40	7.7	\$160,000-\$300,000

FIGURE 1: SHOWS HOW SPERRY CHARACTERIZES ITS NEW LINE, USING THE AIM BENCHMARKS AND THE DEC VAX 11/780 AS 1.0.

By offering Unix system variants on a line of products ranging from \$15,000 to \$250,000 and beyond (see Figure 1), Sperry will be the first company to realize the Unix system's potential in portability and scope, according to Dewaine L. Osman, vice president and general manager of the Americas sales division.

Neal M. Waddington, director of microsystems and commodities marketing, fleshed out the details as follows:

*One:* Xenix 3.0 on the Sperry (Mitsubishi) PC, to be augmented in midyear with Xenix 5.0, a System V-based version;

*Two:* A Unix System V-compatible operating system (OS) on the Sperry 5000 Models 20 and 40 (they equal the NCR miniTower and Tower XP, respectively);

*Three:* A Unix System V-compatible OS on the Sperry 5000 Models 60 and 80 (they equal the Arete models 1100 and 1200, respectively);

*Four:* Berkeley's 4.2 Unix system on the Sperry 7000 Model 40 (this equals CCI's Power 6/32), to be replaced with a System V-based OS by midyear;

*Five:* SX1100, a System V, Release 1-compatible environment, running as an application under the

1100 mainframe OS. Multiple such "Unix"es can run concurrently and have the ability to access Mapper and other 1100 software as well.

## WILL IT WORK?

Sperry is facing some formidable obstacles in implementing this new "buy outside, standardize on Unix" strategy. Not the least of these is a conservative tradition, exemplified by the dull, conventional, and repetitive presentations Sperry officials gave when the firm announced its new thrust at the Fall 1984 Comdex show. Not surprisingly, the resulting press coverage has been scant. Sperry's PR people should attend an Apple product introduction to learn how to generate excitement at such events.

In the past, Sperry has been notably unsuccessful in trying to implement new product strategies. There is reason to question whether its engineering-driven, mainframe-oriented culture can be changed quickly. How quickly its field force will become effective in executing the new strategy is also an important question at this point.

Sperry is banking on the Unix system to become a standard that end-users will demand. While some evidence of such demand is begin-


*Continued on page 24*

**YOU CAN'T  
PREDICT  
THE FUTURE.**

**BUT  
YOU CAN BE  
PREPARED  
FOR IT.**

# WITH INFORMIX AND File-it!

**THE FIRST DATABASE SOFTWARE FAMILY  
FOR UNIX AND MS-DOS.**



Now OEMs and systems integrators can sleep better at night. Because one company has taken the worry out of buying the right software.

RDS.

The company that produces a family of database software designed to take on the future.

### **Incompatibility is a thing of the past.**

INFORMIX<sup>®</sup> and File-it!<sup>™</sup> are compatible with UNIX<sup>™</sup>, MS<sup>™</sup>-DOS, PC-DOS<sup>™</sup>, and PC/IX systems (over 60 micros and minis\* at last count).

INFORMIX is a true relational database system designed to take full advantage of the power of UNIX. It includes the most widely used report writer on the market.

Then there's File-it! The first easy-to-use UNIX file manager. Together, they have the flexibility to accommodate novices and experts alike.

INFORMIX and File-it! are fully integrated. Users can upgrade from File-it! to INFORMIX or access data from one program or the other without re-entering data, retraining employees or reprogramming.

Applications can also be moved from MS-DOS to UNIX and vice versa without having to rewrite the application.

### **Simplify program development.**

RDS offers C-ISAM<sup>™</sup>, the de facto standard ISAM for UNIX. It's a library of C subroutines with a B<sup>+</sup>-Tree based access method that stores, retrieves and modifies data from indexed files. It's embedded in INFORMIX and File-it! Or is available as a standalone product.

### **Software good enough for AT&T.**

AT&T, inventor of UNIX, has co-labeled INFORMIX, File-it! and C-ISAM to run on their full AT&T 3B Computer line (from micros to minis).

Hewlett-Packard, Altos, Zilog, Siemens, Cromemco, Perkin-Elmer, Sydis and General Automation have selected RDS as well.

In fact, INFORMIX has an installed base of over 6,000 copies. And RDS has sold over 35,000 licenses for all their products to date.

But before you make up your mind, check the facts one more time.

There's only one database software family that's UNIX-, PC-DOS-, MS-DOS- and PC/IX-based. It runs on more than 60 systems. And it's ideal for both novice and expert.

Now it doesn't matter where the future's headed. You're already there.

\*RDS products are available for the following systems:

Altos 586, 986, 8600, 68000	Hewlett Packard 150, 9000
Apollo DN300	Series 200, 9000 Series 500
AT&T 3B2, 3B5, 3B20,	IBM PC, PC-AT, PC-XT
AT&T Personal Computer	Intel System 86/380, 286/310
BBN C machine (all models)	Masscomp NC 500
Bunker Ramo Aladdin 20	Momentum Hawk 32
Charles River Data Systems	NCR Tower
Universe 68	Onyx C8002, C8002A
Convergent Technologies	Pacific Micro Systems PM200
Miniframe and Megaframe	Perkin-Elmer 32 Series, 7350
Corvus Systems Uniplex	Pixel 100/AP, 80 Supermicro
Cromemco System 1	Plexus P/25, P/35, P/40, P/60
DEC 11/23, 11/34, 11/44,	Pyramid Technology 90X
11/60, 11/70, VAX 11/730,	Radio Shack Model 16
11/750, 11/780	SCI Systems IN/ix
Dual Systems System 83	Silicon Graphics IRIS 1400
Fortune 32:16	Visual Technology 2000
Forward Technology 320	Wicat Systems
General Automation Zebra	Zilog System 8000
(all models)	(all models)

Demos of INFORMIX and File-it! are available. Demonstration software and complete manuals included.



**RELATIONAL  
DATABASE  
SYSTEMS, INC.**

2471 East Bayshore Road, Suite 600, Palo Alto, California 94303  
(415) 424-1300 TELEX 467687

INFORMIX is a registered trademark of Relational Database Systems, Inc. RDS, File-it! and C-ISAM are trademarks of Relational Database Systems, Inc. UNIX is a trademark of AT&T Bell Laboratories. MS is a trademark of Microsoft and PC-DOS is a trademark of International Business Machines.

**Please circle Ad No. 79 on inquiry card.**

# The Power of Expression The Expression of Power

Now, more than ever, expression of ideas through the printed word is a cultural imperative. Just getting through a day means dealing with massive amounts of information. And we each have a duality of roles — we consume information, we produce it.

As consumers of information, we must make choices. We choose material that appears more interesting, that is credible and clearly presented, that expresses a dimension of power through its appearance.

As producers of written information, we have the burden of creating that dimension. We have the responsibility to insure that our expressed thoughts become conveyed ideas.


Typesetting offers the solution. With the ability to choose typestyles and sizes, control spacing and position, you can give your message the added impact it needs to cut through the mass of material competing for your readers' attention. Contracts, correspondence, memos, reports, forms, documentation, training materials, everything you produce can carry the extra dimension of power that gets it read and remembered.

Laser xerography provides the means of typesetting in-house, effectively, immediately. VLS, through our *CompWare*\* product line, provides the means of using laser xerography.

Call now for more information on *DX-2700*\*, software support for the Xerox 2700\* laser printer; our *DWB*\* release for AT&T's 3B\* processors; *VAX/UNIX*\* BSD Laser Printer support; and other *CompWare* products.

We'll show you how to express the power in your corporate publishing.

\*DWB and 3B are trademarks of AT&T Technologies; DX-2700 and CompWare are trademarks of VLS, Inc.; Xerox 2700 is a trademark of the Xerox Corporation; UNIX is a trademark of AT&T Bell Labs; VAX is a trademark of Digital Equipment Corporation.



VLS INC. 44000 OLD WARM SPRINGS BLVD.

FREMONT, CA 94538 (415) 490-3555

Please circle Ad No. 110 on inquiry card.

# UNIX & C<sup>TM</sup>

## HANDS-ON SEMINARS

A Complete Curriculum for: End Users • Management • Applications Staff • Technical Support

COURSES	LONDON	NEW YORK	BOSTON	WASHINGTON, D.C.	SAN FRANCISCO	CHICAGO	DALLAS	LOS ANGELES	TUITION	SEQUENCE TUITION†
UNIX Overview	Apr 9 June 11 Aug 6 Oct 8 Dec 3	Jan 15 May 28 Oct 1	Mar 19 July 30 Dec 17	Jan 15 Mar 19 May 28 July 30 Oct 1 Dec 17	Feb 19 June 18 Oct 15	Mar 12 Aug 20	Feb 19 June 18 Oct 15	Mar 12 Aug 20	\$225	\$860
UNIX Fundamentals for Non-Programmers*	Apr 10-12 June 12-14 Aug 7-9 Oct 9-11 Dec 4-6	Jan 16-18 May 29-31 Oct 2-4	Mar 20-22 July 31- Aug 2 Dec 18-20	Jan 16-18 Mar 20-22 May 29-31 July 31- Aug 2 Oct 2-4 Dec 18-20	Feb 20-22 June 19-21 Oct 16-18	Mar 13-15 Aug 21-23	Feb 20-22 June 19-21 Oct 16-18	Mar 13-15 Aug 21-23	\$735	
UNIX Fundamentals for Programmers*	Apr 15-17 June 17-19 Aug 12-14 Oct 14-16 Dec 9-11	Jan 21-23 June 3-5 Oct 7-9	Mar 25-27 Aug 5-7	Jan 21-23 Mar 25-27 June 3-5 Aug 5-7 Oct 7-9	Feb 25-27 June 24-26 Oct 28-30	Mar 18-20 Aug 26-28	Jan 14-16 Feb 25-27 June 24-26 Oct 28-30	Mar 18-20 Aug 26-28	\$735	\$1125
Shell as a Command Language*	Apr 18-19 June 20-21 Aug 15-16 Oct 17-18 Dec 12-13	Jan 24-25 June 6-7 Oct 10-11	Mar 28-29 Aug 8-9	Jan 24-25 Mar 28-29 June 6-7 Aug 8-9 Oct 10-11	Feb 28- Mar 1 June 27-28 Oct 31- Nov 1	Mar 21-22 Aug 29-30	Jan 17-18 Feb 28- Mar 1 June 27-28 Oct 31- Nov 1	Mar 21-22 Aug 29-30	\$490	
'C' Language Programming*	Apr 22-26 June 24-28 Aug 19-23 Oct 21-25 Dec 16-20	Jan 28- Feb 1 June 10-14 Oct 21-25	Apr 15-19 Aug 12-16	Jan 28- Feb 1 Apr 15-19 June 10-14 Aug 12-16 Oct 21-25	Mar 4-8 July 8-12 Nov 11-15	Apr 29- May 3 Sep 9-13	Jan 21-25 Mar 4-8 July 8-12 Nov 11-15	Apr 29- May 3 Sep 9-13	\$1225	\$1125
Shell Programming*	Apr 29-30 July 1-2 Sept 2-3 Oct 28-29	Feb 4-5 June 17-18 Oct 28-29	Apr 22-23 Aug 19-20	Feb 4-5 Apr 22-23 June 17-18 Aug 19-20 Oct 28-29	Mar 11-12 July 15-16 Nov 18-19	May 6-7 Sep 16-17	Jan 28-29 Mar 11-12 July 15-16 Nov 18-19	May 6-7 Sep 16-17	\$490	
Using Advanced UNIX Commands*	May 1-3 July 3-5 Sept 4-6 Oct 30-Nov 1	Feb 6-8 June 19-21 Oct 30- Nov 1	Apr 24-26 Aug 21-23	Feb 6-8 Apr 24-26 June 19-21 Aug 21-23 Oct 30-Nov 1	Mar 13-15 July 17-19 Nov 20-22	May 8-10 Sep 18-20	Jan 30- Feb 1 Mar 13-15 July 17-19 Nov 20-22	May 8-10 Sep 18-20	\$735	\$1375
UNIX Internals	May 7-10 July 8-12 Sept 4-6 Oct 30-Nov 1	Feb 11-15 June 24-28 Nov 11-15	Apr 29- May 3 Aug 26-30	Feb 11-15 Apr 29-May 3 June 24-28 Aug 26-30 Nov 11-15	Mar 18-22 July 22-26 Dec 2-6	May 13-17 Sep 23-27	Feb 4-8 Mar 18-22 July 22-26 Dec 2-6	May 13-17 Sep 23-27	\$1375	
UNIX Administration*	May 15-17 July 15-17 Sept 18-20 Nov 11-13	Feb 19-21 July 9-11 Nov 19-21	May 7-9 Sep 10-12	Feb 19-21 May 7-9 July 9-11 Sep 10-12 Nov 19-21	Mar 26-28 July 30- Aug 1 Dec 10-12	May 21-23 Oct 1-3	Feb 12-14 Mar 26-28 July 30- Aug 1 Dec 10-12	May 21-23 Oct 1-3	\$735	\$1125
Advanced 'C' Programming Workshop*	May 20-21 July 22-23 Sept 23-24 Nov 18-19	Feb 25-26 July 15-16 Dec 2-3	May 13-14 Sep 16-17	Feb 25-26 May 13-14 July 15-16 Sep 16-17 Dec 2-3	Apr 15-16 Aug 5-6 Dec 16-17	Jan 14-15 June 3-4 Oct 7-8	Apr 15-16 Aug 5-6 Dec 16-17	Jan 14-15 June 3-4 Oct 7-8	\$490	
Advanced 'C' Programming Under UNIX*	May 22-24 July 24-26 Sept 25-27 Nov 20-22	Feb 27- Mar 1 July 17-19 Dec 4-6	May 15-17 Sep 18-20	Feb 27-Mar 1 May 15-17 July 17-19 Sep 18-20 Dec 4-6	Apr 17-19 Aug 7-9 Dec 18-20	Jan 16-18 June 5-7 Oct 9-11	Apr 17-19 Aug 7-9 Dec 18-20	Jan 16-18 June 5-7 Oct 9-11	\$735	\$1225
Berkeley Fundamentals and 'csh' Shell*	June 3-7 July 29-Aug 2 Sept 30-Oct 4 Nov 25-29	Mar 4-8 July 22-26 Dec 9-13	May 20-24 Sep 23-27	Mar 4-8 May 20-24 July 22-26 Sep 23-27 Dec 9-13	Apr 22-26 Aug 12-16	Jan 28- Feb 1 June 10-14 Oct 21-25	Apr 22-26 Aug 12-16	Jan 28- Feb 1 June 10-14 Oct 21-25	\$1225	

\*Including hands-on training workshops

<sup>TM</sup>UNIX is a trademark of Bell Laboratories

†Savings for consecutive seminar dates

CALL FOR DETAILS ON: ON-SITE SEMINARS • VIDEO-BASED TRAINING • INTERACTIVE VIDEODISC TRAINING  
To reserve your seminar space now or for additional information, call: (800) 323-UNIX or in Illinois (312) 987-4082

### MANY UNIX-BASED SYSTEMS—ONE UNIX TRAINING COMPANY

Three factors make the Computer Technology Group the experts in UNIX and 'C' language training:

- Experience, through training thousands of students worldwide in live seminars, with thousands more using our video training at their locations.
- Extensive Curricula Supporting All UNIX Versions, creating a client base of manufacturers, software developers and end users.
- Quality of Instruction, with instructors and course developers who are experts in teaching UNIX and 'C', as well as in designing and implementing a variety of UNIX-based systems.

## COMPUTER TECHNOLOGY GROUP

Telemedia, Inc.

310 S. Michigan Ave., Chicago, IL 60604

Please circle Ad No. 115 on inquiry card.

ning to surface, there is no assurance that the Unix system will fulfill this promise. Some of the leading Unix system independent software vendors (ISVs) and virtually all the Unix system engine suppliers have so far been deeply disappointed with the Unix system's market penetration. One school of thought even suggests that the Unix system wave has already peaked and is on its way down.

While Sperry is promoting the compatibility advantages of the Unix system, it faces the hard reality that the Unix system itself isn't standardized. As a result, Sperry's new "compatible" line offers no less than *four* not fully compatible Unix system versions (Xenix, System V, 4.2BSD, and SX1100). Even if all goes well, not until midyear at the earliest will there be a common, System V base across the line.

How will Sperry cope with supporting five distinctly different new hardware boxes, not counting the PC? The 5000 Models 20, 40, 60, and 80 are all M68000 based, but each is differently packaged; and the 4000/40 uses an ad hoc TTL architecture and still another packaging. The required sparing, training, and support functions appear overwhelming, even for a corporation the size of Sperry. So far, Sperry has merely given its salespeople a two-day course, while about 100 field analysts underwent a more extensive, two-week course, which they are supposed to repeat at their individual branches. Clearly, much more remains to be done before Sperry becomes a credible force in the Unix system arena.

A more difficult question is inherent in the Unix system strategy. Eventually, if the Unix system is established as a standard, the compatibility feature of the Unix system,

as well as the Quadratron office software (already offered by some 17 vendors), will extend not just across the Sperry line, but outside it as well. This will make it easy for Sperry customers to "jump ship" at the sight of the next, "hotter" box from a competitor. Loyalty is a rare commodity in a commodity market. Sperry evidently hopes to "keep 'em down on the farm" with such proprietary offerings as Mapper. Integrating this with the Unix system will take time. Meanwhile, Sperry could respond by OEMing the "hotter" box.

On the other hand, what has Sperry got to lose? The original equipment manufacturer (OEM) contracts it signed with NCR, Arete, and CCI can always be renegotiated as the realities of the marketplace dictate. If the Unix system thrust fails, Sperry can retreat to its mainframe niche, being only slightly poorer than if it hadn't tried the Unix system ploy at all.

Really at risk are Sperry's new partners, especially Arete and Computer Consoles. They will have to strive mightily to build up their respective production capacities to satisfy Sperry's demand, which virtually excludes their ability to court and win any other business. Should Sperry's projections prove overconfident, these small companies may end up with enormous overhead and lots of product, but no other takers.

### AT&T-IS TO UNVEIL UNIX SYSTEM RUNNING DESKTOP

As we were going to press, word reached us that AT&T Information Systems is already receiving the Safari 4 computers from Convergent Technologies. Delivery ramp-up was set to begin in December, with about

400 units, to be followed by 1000 in January, 2000 in February, and doubling every month later. AT&T will call the product the PC 7300.

Set initially for introduction at Comdex (where prototypes were said to have been secretly shown to press and analysts under nondisclosure terms), the introduction was delayed because of the recent reorganization, AT&T suggested. The more likely reason: applications software delays and shortage of production quantities. To avoid charges of "vaporware," AT&T wants to be able to demonstrate the software and have the machine on dealers' shelves at announcement time.

The 7300 is based on the M68010 microprocessor unit (MPU). It features a minimum of 512K bytes RAM (expandable to 2 Mbytes) and will run Unix System V, Release 2, with Berkeley demand paging and a record-locking scheme. The bit-mapped screen will support up to about 720-by-500 resolution. Along with a Wang-like word processor, it will also feature a Mac-like software ergonomic interface that is touch-screen based. With one 500K-byte floppy, one 10-Mbyte hard disk, a built-in modem, and an integrated voice line (for a conventional phone), its price is expected to be between \$4000 and \$5000.

Some ISVs are already developing software for the machine, but AT&T is evidently waiting for some packages to reach the demonstration stage before unveiling the machine. Apparently, the 7300 will not support any IBM or MS-DOS compatibility features.

### SHORT NOTES

**Apple** chairman Steve Jobs confirmed at an analysts' meeting that Apple will drop the Lisa 7/7 soft-

*Continued on page 26*

# MCBA introduces shrink-to-fit software.

With nine years in minicomputer software, 15,000 installations worldwide and an established reputation in the mini world, MCBA is proudly shrinking its software line.

Down to micro size.

We've taken the impressive power of minicomputer software and made it available for micros. Right now.

Alter the fit? Absolutely.

Alter the functionality, modularity and capability? Not one bit... so to speak.

This new line of serious micro-computer software is by far the most comprehensive, well-tested and sophisticated in the industry today. By whose standards? Thousands of MCBA users who rank it the best in the business.

MCBA's library of 16 integrated manufacturing, distribution and accounting packages can be installed in whatever combination



and sequence a user needs for his or her business.

It grows with businesses. No matter what size they are now. Or want to be later.

And MCBA software now runs in RM/COS<sup>®</sup>, PC-DOS, UNIX<sup>™</sup> and UNIX look-alike environments.

In other words, we've tailor-made our newest software to fit micros — as comfortably as it fits user needs.

So whether you're a dealer or a user, find out about it.

Call **1-800-MCBA NOW** (toll free outside of California). In California, call **(818) 957-2900**.

MCBA's shrink-to-fit software.

For growing businesses.

## MCBA<sup>®</sup>

### Minicomputer Software for Micros.

2441 Honolulu Avenue, Montrose, California 91020  
Also for DEC, Wang, HP, TI, and Perkin-Elmer minis.

MCBA is a registered trademark of MCBA, Inc. UNIX is a trademark of AT&T. RM/COS is a registered trademark of Ryan-McFarland Corp.

ware and that it will not develop any more Lisa software. Instead, Lisa will use Mac software and will be positioned as "Mac compatible" (as predicted in this column last year). However, Jobs categorically denied that Apple plans to kill the Lisa hardware, which had its best month ever last September.

**Hydra** (Natick, Mass.), the Encore Computer Corp. subsidiary, should have unveiled its MMP system by the time you read this, perhaps at the UniForum show in Dallas. The system is constructed from four basic modules: a processor board carrying two National 32016 MPUS, each rated at 0.75 million instructions per second (MIPS); a memory board using 256K-bit chips; a system controller board; and a peripheral controller.

The basic enclosure has 20 slots and can accommodate up to 32 Mbytes and 10 I/O ports. It also uses a proprietary, high-speed bus. The company thinks it will have a three-fold price/performance edge over the DEC VAX 8600 (née Venus). The system is capable of networking up to 12 basic systems locally. Its operating system will be Berkeley 4.2 with some System V features.

**NCR's** Microelectronics Division (Colorado Springs, Colo.) is attempting to increase the lukewarm acceptance of its 32-bit MPU chip set (MPU, address translator, and extended arithmetic chips). To that end, NCR is now offering the chip set on a standard Multibus I board. The board, including 16K-byte fast RAM for external microcode control, is priced at \$4995.

**Convergent Technologies** named Paul C. Ely Jr. president and CEO. Ely previously led Hewlett-Packard's computer group but was shuffled to a minor job in a mid-1984 reorganization. CT's founder, Allen

Michels, remains chairman; president Ben Wegbreight will become executive vice president and will continue to run the Data Systems Division, which makes the MegaFrame and MiniFrame systems.

**Hewlett-Packard** unveiled a Unix system-running transportable computer priced at \$4995. Developed by the Corvallis, Ore.-based Portable Computer Division, the computer features an M68000 microprocessor, 800K bytes of memory, a nine-inch electroluminescent flat-panel display, and a built-in ink-jet printer. The ROM-based HP-UX operating system is based on Unix System III. Application software released so far is heavily oriented to engineering and scientific areas.

HP also introduced another HP-UX operating system, the HP 9000 Model 550. Part of a desktop, engineering-oriented series, the 550 is based on a proprietary, HP-developed 32-bit microprocessor chip set. The multiuser system can support up to three tightly coupled processors. Prices begin at \$19,425.

Despite its recent Unix system thrust, **Sperry** isn't giving up on IBM compatibility: It has an RFQ out for a 286-based machine to match the IBM PC/AT. As soon as we can, we'll let you know who won the bid. In September, if you recall, Sperry announced a deal with Corona to private-label Corona's 8088-based "lug-gable" units, which run MS-DOS.

**IBM** will market Xenix under a System V license it has in place directly with AT&T. IBM-ESD has no serious qualms about System V, after all, and it has apparently taken that license in anticipation of Microsoft's Xenix 5.0, which, our sources confirm, will be based on System V. (Present Xenix 3.x versions are based on System III). Xenix 5.0 is expected by midyear.

**RISC Watch:** The rumor mill has it that IBM has two reduced instruction set computer (RISC)-related chip developments, both dubbed ROMP. One, at the Yorktown research center, is apparently an experiment with no immediate product application, although the 32-bit microprocessor and a matching memory chip have been produced and are mounted on IBM PC expansion cards. Performance is reportedly up to a 4 MIPS peak, with 2.5 MIPS typical. Naturally, it isn't compatible with any IBM architecture (or anyone else's, for that matter).

A second, less-well-known ROMP project is reportedly underway in Austin, Texas, where most facilities are now under ESD. Both ROMPs are probably part of IBM's effort to develop an Advanced Workstation (AWS), which has been promised to a number of universities (Stanford and UCLA, among others). An "Interim" AWS, with the Sritek National 16032 board instead of the ROMP, will be delivered as a temporary solution.

**Philips Data Systems** (Eindhoven, Holland) is believed to be readying a Unix system-based supermicro. □

---

*Omri Serlin heads ITOM International Co., a research and consulting firm in Los Altos, Calif. He is the editor/publisher of Supermicro, a newsletter from which the material in this column was derived, and of the FT Systems Newsletter, a monthly covering developments in fault-tolerant systems.*

---



## Networking Software So Simple To Use, It's Child's Play.

What do you think of when someone says "network"? Hardware? Complexity? Money? At TouchStone, we think networks should be simple.

### The Connectables Software from TouchStone

The Connectables software — PCworks™, MacLine™ and UniHost™ — lets you build a network out of a collection of computers. Without special hardware, unnecessary complexity, or a lot of money.

#### UNIX + PC + Macintosh

Three great computers with different processors, different operating systems, and different data formats. The Connectables software lets you connect these systems together in whatever way you'd like to use them. Share electronic mail, exchange all types of files, run a program on another system, or use a remote com-

puter's disk or printer. The only hardware you'll need is a standard cable or telephone line and a serial data channel.

### It's So Easy.

The Connectables software will take care of all the details — dial the right numbers, ask you what you want to do, and figure out the rest. Move a spreadsheet from your PC to a UNIX™ system, or transfer a text file from the UNIX system to your

Macintosh™ for editing. Print the file later on either system, or use another computer to backup your data. With The Connectables software, things that should be easy to do, are easy to do.

### Yesterday, Today, Tomorrow?

Making computers work together shouldn't be a problem. TouchStone's PCworks, UniHost, and MacLine software packages are only the first three members of The Connectables family. TouchStone is committed to the continued development of software products that solve compatibility problems. Even the problems we won't know about until tomorrow.



THE CONNECTABLES™:  
FAMILY OF COMMUNICATION SOFTWARE PACKAGES.

**TouchStone**  
Software Corporation  
909 Electric Avenue, Suite 207, Seal Beach,  
California 90740, 213/598-7746

Please circle Ad No. 82 on inquiry card.

# THE UNIX SYSTEM IN LARGE ORGANIZATIONS

---

*The boom in mainframe Unix system shipments might not hit tomorrow, but the Unix system's chances for becoming a fixture at major commercial companies look extremely good.*

BY VANESSA SCHNATMEIER

**I**t crept out of the lab in Murray Hill, was spotted on the Verazano Narrows Bridge headed for Armonk, and is now pounding on the walls at White Plains. No one's home turf, not even IBM's, is safe, because the age-old question of whether the Unix system will ever become truly popular on mainframe computers and, by default, acceptable to mainstream commercial users, is finally being answered—in the affirmative.

Not that we'll see a boom in mainframe Unix system shipments immediately; plenty of jockeying for position is yet to come, and standardization, which will greatly aid the Unix system's cause in large companies, in the strictest sense is a way off. Nevertheless, the Unix system's chances for becoming a fixture at major commercial companies, as well as at the smaller, more technical firms, look extremely good.

One factor in its favor is that penetrating the *Fortune* 1000, mainframe-reliant community is crucial to

AT&T's overall success in the computer business. AT&T hasn't waited for *Fortune* 1000 companies to come knocking on its door but instead has moved to position its products so that they are attractive to major firms.

The three most important branches of AT&T's strategy surfaced at the recent UniForum trade show: First, an agreement with Amdahl Corp, the IBM-compatible mainframe maker, to support a System V-compatible version of Amdahl's UTS mainframe product; second, an agreement with Microsoft to work toward a version of Xenix that is compatible with System V; and third, the availability of AT&T's System V Interface Definition, along with an agreement with UniSoft to have that firm help validate derivatives of System V.

The result: AT&T has gone a long way toward delivering on the Unix system's vaunted portability promises, literally everywhere "from the pc to the Cray," as the





saying goes. This is extremely important to large companies seeking to standardize their distributed processing and departmental computing systems. And AT&T is hoping that software developers will look to the Interface Definition for their future offerings. The communications giant is working to develop that much-beloved "system solution" for which larger companies typically hunger.

The trumpeting of the Unix system as the be-all and end-all of operating systems has so far left many major companies cool and skeptical. Not the hardware or software vendors, that is, but the banks, oil companies, food conglomerates, and drug wholesalers—you get it, the *Fortune* 1000. Most of them have heard of the Unix system but haven't evaluated it yet as a basis for companywide information systems, although many firms use some brand of the Unix system in selected departments.

"But it's not commercial, it's for the scientific or technical market," they cry. "It's not a commercial mainframe solution." However, analysis from Yates Ventures, the Palo Alto, Calif.-based market research company, doesn't bear those cries out. According to the firm, the Unix system is eminently commercial: More than 90 percent of Unix system boxes ended up in commercial applications in 1984.

## A MAINFRAME SOLUTION?

The next question, then, is this: Is the Unix system a mainframe solution? Let's look at this further. Several major vendors—IBM, Amdahl, Sperry, and, via Amdahl, AT&T—now offer the Unix system on mainframes. Other vendors such as Control Data threaten to announce a mainframe Unix system port momentarily.

Sperry's strategy gives the lie to the adage "You can't teach an

old company new tricks." Once an engineering-oriented mainframe company, Sperry has changed tracks and transformed itself into a systems integrator, marketing other companies' products.

While IBM mulls over just how it wishes to push its mainframe Unix system offering, Sperry has a definite Unix system offering everywhere in its lineup, from top to bottom, PC to mainframe, to be standardized this year along System V. (See this month's "Inside Edge" for an analysis of Sperry and its Unix system strategy.)

Sperry plans to work with its existing customers first on its 1100 Series of Unix system mainframes. Eventually, said Sperry's Ron Ackerman, group manager of Unix system development, users of Sperry machines based on NCR and Arete hardware "can grow into larger mainframes for expansion."

However, Sperry announced Unix system availability for its 1100 Series mainframes in January, just before the start of UniForum. Thus, it's difficult to tell at this point how much the Sperry offering will affect the market.

Amdahl, of course, has offered a mainframe version of the Unix system for years. [See "UTS: Amdahl's (and AT&T's) Mainframe Unix System" in this month's "Review" section.] UTS on Amdahl's 580 mainframes can be found in many communications and governmental organizations, from Boeing to ITT to the armed forces. Amdahl and AT&T have long worked arm-in-arm. Donal O'Shea, manager of UTS products at Amdahl, says AT&T is one of Amdahl's biggest customers, noting that Amdahl has installed 40 "very large" native systems at AT&T.

O'Shea claims that, far from orienting itself toward the scientific and technical markets, Amdahl has just discovered those markets. "If you look at our product line—it may not be a strategic event but

to some extent an accident—we have all the ingredients now for the scientific, technical, and engi-

**Penetrating the Fortune 1000, mainframe-reliant community is crucial to AT&T's overall success in the computer business.**

neering marketplace. . . . We've traditionally focused on the commercial customers."

## LITTLE ENTHUSIASM, NO COMMITMENT

IBM's commitment to its own mainframe version of the Unix system, VM/IX, seems unclear at best. At UniForum in January, Dr. Robert Carberry, IBM's vice president of product development and technology, reviewed IBM's Unix system offerings in a strangely lackluster manner. He explained Big Blue's need to bring disparate product lines together but offered little enthusiasm and no commitment.

IBM's offerings now include VM/IX for mainframes, Xenix for the PC/AT and the S9000 machines, and PC/IX for the PC/XT; here too, note the Unix system up and down the line. This means compatibility for program interfaces, easy interchange of media, and simple migration of applications from the host to the micro, certainly ideal circumstances for the IBM aficionado.

Although IBM's intentions for the Unix system are as yet unclear, its VM/IX and PC/IX products make good on one of the Unix system's long-heralded promises—PC-to-mainframe compatibility. In fact, VM/IX and PC/IX are remarkably compatible. In fact, they are largely identical, with such minor exceptions as

# COVER THE MARKETPLACE WITH THE WIDEST SELECTION OF IBM BLUE AVAILABLE.



## ATTENTION OEMS

Let Systems Strategies help you cover the large and profitable marketplace of IBM™ mainframe communications. Our software allows your computer system to emulate IBM terminals, workstations and printers. With our family of communications software, your hardware appears "Big Blue."

## EXPERIENCE

Systems Strategies was the first to develop 3270 SNA and 3270 BiSync support running under UNIX™. Our many years of experience in, and commitment to, this highly specialized technology can save you development time and money. Let us do the work to keep up with the changing shades of blue as IBM communications evolve. You reap the benefits of our expertise.

## BROADEST PRODUCT RANGE

We have the broadest range of communications software available for UNIX and non-UNIX environments, allowing mini and micro computer systems to communicate with mainframes or networks using SNA/SDLC or BiSync. The CCITT X.25 interface is also available. Our family of products can serve your evolving information access needs, now and in the future.

## COMPLETE EMULATION

Systems Strategies provides a perfect match to Big Blue. Our products provide full SNA/3270, BSC/3270, SNA/RJE (3770)

and BSC/RJE (2780, 3780, HASP) emulation. The integrated Applications Program Interface provides the capability for interactive transaction processing, file transfers, and fully integrated applications across mainframe and workstation boundaries. No IBM host modification is required.

## PORTABILITY

All Systems Strategies' software products are written in 'C', using internal designs and architecture which make the communications and device emulation logic independent of the hardware and operating system on which the products are to run. This unique design makes them exceptionally portable to both single and multi-processor environments.

Call or write today for more information: Systems Strategies Inc.  
225 West 34th St. New York, NY 10001. (212) 279-8400.



**Systems Strategies Inc.**

An AGS Company

**Experience...the main link in communications software**

commands to translate the physical format of non-Unix system files or to change options for control of a terminal.

An anonymous staffer at Interactive Systems Corp., the firm that wrought both of these products for IBM, said that when VM/IX went into field testing, the company sent it out with PC/IX documentation; users apparently voiced no problems other than bitter complaints about how the documentation had the wrong system name.

IBM's overall Unix system strategy remains confusing—confusing enough, in fact, to hold back the market, according to many observers. And no wonder.

One Unix system analyst said that as of last year, three IBM operations were clamoring for an IBM version of the Unix system—the Dallas group, working with Interactive Systems; the Palo Alto group, pushing for a version of Berkeley's offering; and Kingston, New York, which wanted a product that ran under IBM's Time-Sharing System (TSS).

Many expected IBM to unveil more for the Unix system at UniForum. At this writing, we continue to wait with bated breath.

The most important reason the Unix system hasn't extended its tentacles into the data-processing departments at the largest companies is almost too obvious: IBM got there first. That is, the Unix system entered the commercial market to face entrenched, hard-core IBM mainframe MVS and VM users, an uphill battle for anyone.

The bad news is that until more Unix system applications magically appear, the Big Guys won't buy. But this situation won't last. A raft of vendors announced Unix system-based applications at UniForum, although the main effects of the coming wave of applications will hit most strongly in 1986. According to Yates Ventures figures, one clear signal of

the success in the mainframe market will have occurred when Unix system application sales for existing hardware equal or top the sales to new machines. But Yates Ventures projects that this won't happen until 1987.

## THE TECHNICAL DOWNSIDE

If you examine the list of *Fortune* 500 or 1000 companies, you'll note that they often depend heavily on processing financial transactions—banks turning over money by millions per minute, oil companies handling credit card transactions. And here the Unix system falls down: It wasn't originally designed for high-volume, transaction-oriented data processing.

Philip Bernstein, vice president of Sequoia Systems, said: "Almost all such data-processing applications are involved in essential business systems that *must not fail*. Not just that the computer mustn't go down, not just the fault-tolerance issue, but the fact that if you're building an automatic teller machine for a bank or an on-line inventory control system for a warehouse operation, that application simply has to succeed. Period. And if you're working with a new Unix system vendor in doing that, you've added significant risk to your project."

Bernstein added that when his company decided to write a fault-tolerant version of the Unix system designed for financial transactions, it had to rewrite the kernel from scratch. However, he said, while one has to do significant work inside a Unix system kernel to give it appropriate performance and functionality; "one can do it without doing too much violence to the Unix system interface."

Bob Cramer, Unix system business manager for the Ingres DBMS at Relational Technology Inc., con-

curred that there are technical difficulties not only in the transaction processing area, but also in the ticklish (but necessary) area of developing software that can communicate with IBM files.

"They'll need software that does data extraction from VSAM files and IMS. They'd need communications capabilities. It sounds simple, but it's tough to do, especially when you start getting down to levels of how does one communicate efficiently over long distances, where AT&T is supposed to be strong," Cramer said.

Numerous vendors with good products badly wanted and needed by *Fortune* 1000 companies have stumbled here. All is not lost, however. (For a look at Unix system communications requirements in large companies, see "No Way Around IBM's SNA?" elsewhere in this issue.)

## HOW TO AVOID THE IBM STANDARD

No question that the IBM presence in the mainframe market must be dealt with rather than avoided. But how? Sequoia's Bernstein suggested that vendors write new, specialized applications to deal with problems the IBM machines don't or can't touch. Consider Tandem's NonStop computer family: It's not compatible with IBM in

**They laughed when they saw AT&T sit down at the System V piano, but when they heard it play. . .**

any significant way except that it can communicate with IBM machines, but it is fault tolerant.

"There's hardly a major bank in the country that doesn't use a

Tandem computer for some major application," Bernstein said. "The important thing is that your computer be able to communicate with IBM using IBM protocols, and to extract the data and move it back and forth."

Donal O'Shea thinks the best strategy for Unix system vendors is to pick up the new mainframe users, those growing into mainframes, rather than trying to pick off users already entrenched into another product. Indeed, he suggested, the Unix system may spring up where IBM hasn't reached because it's politically good within a company.

How's that, you say? The management information systems (MIS) managers at large corporations have watched their power steadily wane

as mini's crept in on little VAX feet into engineering and clerical departments. The micro wreaked even more damage. But with mainframe Unix systems, said O'Shea, "here is an opportunity for the MIS manager

## IBM's commitment to its own mainframe version of the Unix system, VM/IX, seems unclear, at best.

to step in and operate an economically priced service to the engineering departments and the manufacturing departments and all the rest. I think we'll see Unix as a pivotal point in that."

O'Shea added that if Unix system applications can run on a mainframe, it's no longer cheaper for the engineering departments to do their own data processing. "If you look at the requirements for CPU cycles in those shops using VAXen, the requirements are going up much faster than the ability of the machines like DEC's and Data General's."

Bernie Toth, Unix product manager for DEC, disagreed pointedly. The number of applications available for mini's and micro's is what's responsible for the MIS managers losing power, he said. Toth thinks the biggest difficulty in getting the Unix system into *Fortune* 1000 companies hasn't been IBM's presence, but the turtle-like nature of the mainframe market itself.

### AT&T, AMDAHL JOIN FORCES FOR FORTUNE 1000 PUSH

AT&T and Amdahl Corp. opened the lid on the first in an expected series of major joint marketing efforts recently, disclosing what could be the mainframe Unix system match made in heaven—as long as pressure from IBM doesn't make their wedding a sham.

At UniForum this year, AT&T and Amdahl announced an agreement to bring Amdahl's UTS product, a mainframe version of the Unix system that runs as a guest under IBM's Virtual Machine (VM) operating system, into line with AT&T's Unix System V. This move will put the two firms in direct challenge to IBM in its home turf, the mainframe data-processing shop.

As Michael J. DeFazio, director of software systems product management for AT&T, told UNIX/WORLD, "Our intent is to point out the mutual benefit of ensuring compatibility of UTS and System V."

Benefit there certainly is—Amdahl, always closely linked with AT&T (the telecommunications giant is one of Amdahl's largest customers) now has the backing of AT&T in getting its product out on

the market. AT&T now has System V up and down its product line; it further firmed up this complete line with a simultaneous announcement of an agreement with Microsoft to produce compatible future releases of Microsoft Xenix and Unix System V.

In other words, they laughed when they saw AT&T sit down at the System V piano, but when they heard it play. . . . AT&T is very close to making System V the standard on everything from PCs to mainframes and beyond.

Other expected announcements were held back; for instance, AT&T's plan to actually market UTS has been put off until at least this month, and the native version of UTS that sits directly on top of Amdahl's mainframe without requiring VM won't be announced until the service staff gets further training. An announcement also indicates that an OEM agreement between the two firms, under which AT&T would resell Amdahl mainframes, is in the offing.

Amdahl has never been shy about its place in the mainframe world.

Director of UTS products Donal O'Shea has said for a while now that his company holds the lead in mainframe Unix systems.

Amdahl strengthened its position even further with its announcement at UniForum of an agreement with Fujitsu Ltd. of Japan (Amdahl's major stockholder), a plan similar to that with AT&T, that calls for Fujitsu and Amdahl to jointly support the UTS System V-compatible product on mainframe computers worldwide. John C. Lewis, president of Amdahl, modestly said he expects the agreements to provide "accelerated product development and greater momentum for UTS in the marketplace."

The only thing that could hinder the harmony of these love matches is the entrance of IBM further into the mainframe Unix system market. However, if, as some analysts say, IBM's VM/IX is a smoke screen for the real mainframe Unix system product down the road, the triumph of AT&T and Amdahl could eventually ring hollow.

—V.S.

## GVC-16 COMPLETE UNIX SUPPORT ON A SINGLE MULTIBUS BOARD


With the GVC-16 all the resources needed for a complete multi-user virtual memory UNIX system are contained on a single Multibus board. Perfect as the heart of a workstation product, the GVC-16 includes:

- National Semiconductor 32016 CPU with full 32-bit internal operation.
- 512kb-2 Megabyte on board no— wait state Dual Port RAM.
- Available Floating Point Unit— 32 bit floating point multiply in less than 5  $\mu$ sec.
- Winchester Disk Interface.
- Four serial (RS-232) Ports.
- Berkeley 4.1 UNIX available.

Priced at \$1975. (OEM qty.), the GVC-16 is available from stock.

Also available:

GVC-16 system—a complete 4 user UNIX box with 1 Megabyte of memory, 40 Megabyte disk storage, 4 slot Multibus back plane and UNIX software. \$9,990 (qty. 1).



**GVC**

microcomputers

GVC Inc. 222 Third Street Cambridge, MA 02142 (617) 576-1804

UNIX is a trademark of Bell Telephone Laboratories, Inc.

Multibus is a trademark of Intel Corp.

Please circle Ad No. 99 on inquiry card.

"The high-end commercial market is the last holdout," he said. "Those users are more oriented toward the total system—the smaller technical users have more of a piece-type mentality." System solutions,

**The Unix system is  
eminently commercial:  
More than 90 percent of  
Unix system boxes ended  
up in commercial  
applications in 1984.**

so recent to the Unix system marketplace, will turn the key in the door to the major company commercial marketplace.

RTI's Cramer said the *Fortune* 1000 companies are currently trying to find an answer to their information management requirements. The system approach now being offered by IBM, Sperry, and AT&T and Amdahl will probably break the ice, he thinks.

Michael J. DeFazio, director of software systems product management for AT&T, emphasized that AT&T is working with other companies besides Amdahl to provide mainframe solutions, although he wouldn't specify any particular firms.

So if it seems to you at times as if the mainframe Unix system market has been a living example of the chicken or the egg argument, you're probably right. Which comes first, you ask, the Unix market or the Unix applications? With the entrance of major hardware and software vendors into the mainframe market, it's clear that the chicken will get out of the egg.

*Vanessa Schnatmeier, a frequent contributor to UNIX/WORLD, lives in Oakland, Calif. Her latest work for the magazine appeared in the March 1985 issue.*

# Fast...Versatile ...Powerful Tools



Integrated Productivity Tools from SouthWind Software provide today's professional with fast, versatile tools to organize, manipulate and display information with clarity and effectiveness.

TACTICIAN is an enhanced 1024 x 1024 spreadsheet which interacts with popular UNIX DBMS ie. UNIFY, INFORMIX and MICROINGRES.

GRAFSMAN's panel driven graphic editor helps create brilliant color graphics

for reports and presentations using data from TACTICIAN, DBMS, or application files.

Integrated Productivity Tools were designed with the OEM in mind to allow for quick, easy incorporation into problem solving applications. IPT is available today for a wide variety of UNIX/XENIX based systems.

Call for further information about the fast, versatile and powerful Integrated Productivity Tools family.

Integrated Productivity Tools, IPT, TACTICIAN, and GRAFSMAN are trademarks of SouthWind Software, Inc. UNIX is a trademark of AT&T Bell Laboratories. UNIFY is a trademark of the Unify Corporation. INFORMIX is a trademark of Relational Database Systems, Inc. MICROINGRES is a trademark of Relational Technologies, Inc. XENIX is a trademark of Microsoft, Inc.

**SOUTHWIND SOFTWARE, INC.**  
4520 E. 47th St. So.  
Wichita, Kansas 67210  
316-788-5537  
1-800-346-3025 EXT 234



# THE ONE &

## UNIX™ SYSTEM V. FROM AT&T. THE

**There's only one UNIX System V. The one created and supported by AT&T. The one fast becoming a universal standard.**

**It's another reason why good business decisions are based on UNIX System V.**

In more ways than one, it pays to make certain that the products you offer are based on UNIX System V. It is the stable foundation on which all of our future enhancements will be developed. It's here to stay because we pledge that our future software enhancements will be compatible with it.

Configure your systems now with products based on UNIX System V and you'll be at the forefront of its establishment as a worldwide standard. AT&T has expanded its role in markets in Europe, Japan, and the Far East to create opportunities for machine-independent, portable solutions to operating system needs. Around the world you can profit from our initiatives when you invest in UNIX System V solutions.

### **On the inside track**

If you develop products based on UNIX System V, you'll be in

on the latest advances from the custodians of the UNIX System standard. A growing number of microprocessor ports to choose from. Expanded networking capabilities. A growing number of applications packages from software vendors. And, the power of the system that spans generations of machines as well as models and sizes—from micros to mainframes.

### **Service from the source**

Along with its various technical and commercial advantages, UNIX System V offers something the other systems can't match—

SYSTEM V

ONLY

STANDARD BEARER.

the full backing of AT&T.

That includes worldwide support and training programs. Our commitment to work with computer manufacturers and resellers as well as user groups to develop standard products for the future. And for software vendors writing applications programs, a complete service and support program from AT&T.

The one and only from AT&T is UNIX System V—backed by AT&T service and support—designed to make UNIX System V the one for one and all.

For more information on UNIX System V from AT&T,

send in the coupon.

UNIX System V. From AT&T.  
From now on, consider it standard.



AT&T



Please send me "UNIX Software."

UW-0400-FF

Mail to: AT&T, Box 967, Madison Square Station  
New York, New York 10159

Name \_\_\_\_\_

Title \_\_\_\_\_

Department \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone \_\_\_\_\_

UNIX™ System Licensee ☐ Yes ☐ No  
☐ Don't Know

Please circle Ad No. 60 on inquiry card.



# NO WAY AROUND BIG BLUE'S SNA

*The success of any multiuser system depends on its ability to communicate with the IBM environment, say our authors, who examine one of the leading network architectures—IBM's SNA.*

BY TOM CLARK AND VIC FORGETTA

**T**he trend toward decentralized processing using multiuser microsystems is greatly increasing in the *Fortune* 2000 marketplace. At the same time, industry leaders such as IBM, AT&T, and DEC have endorsed the Unix system as a viable multiuser environment. However, because distributed sites typically communicate with IBM hosts at a central location, the success of any multiuser system depends on its ability to communicate with the IBM environment.

Some users and vendors say that the way to communicate with the centralized IBM host is with multiple PCs connected via a local-area network (LAN). Others say that using Unix system-based machines that support multiple users is the best approach to distributed processing.

The debate over which technology is consistently preferred is truly a moot point because both are multiuser environments and both have applications to which they are best suited. A company with installed personal computers, for example, may simply be looking for a communications scheme, such as that offered by popular LAN vendors, that

provides enhanced functionality for the company's existing PC investment. Another firm may choose a Unix system as a cost-effective introduction to a multiuser environment.

In addition, current Unix-based systems can be viewed as part of the evolution of the personal computer from a stand-alone unit to a true distributed processing tool, where it will be involved in data management in multiuser, multitasking applications. The new Unix system-based machines, as with the personal computers before them, will also become nodes on local- and wide-area networks, further increasing their interconnect and communications capabilities.

If Unix-based systems are to become effective networking tools, they must be incorporated into IBM's Systems Network Architecture (SNA). SNA is developing in directions that position it as one of the major networking architectures for both IBM and non-IBM equipment. Clearly, a Unix system/SNA connection is becoming increasingly important to corporate communications strategies. However, when selecting a Unix system/SNA communications connection (or gateway), you

should consider several important factors.

In this article we will discuss several different gateway designs, how each has approached structuring the SNA layers within the Unix system, the advantages and disadvantages of each, and what features you should look for when you select a gateway product.

## SNA'S LAYERING APPROACH

The way SNA's layers are structured within the Unix system's architecture can vary. This, in turn, affects the performance of both the communication connection and, when the gateway is in operation, of the Unix system. In order to understand the effect of this different structuring, we should first examine SNA's layering approach.

SNA is built according to a sophisticated seven-layer process that manages the relationship between IBM's data communications access methods and remote devices.

SNA's first two layers, Comms and SDLC, represent the lowest level of data flow, managing the physical hardware interface and mediating between the other SNA layers and

the communications line. The next three layers—Path Control (PC), Transmission Control (TC), and Data Flow Control (DFC)—organize data into information units and make sure that data arrives or is sent in the proper sequence to and from the other SNA layers.

SNA's top layers, the Network Addressable Unit (NAU) layer and the 3270 Presentation Services, are SNA's most intelligent layers. These layers process data further, manage the 3270 user keyboard, and translate information units into screen images for presentation to user devices.

In the development of a Unix system gateway, the SNA layers are grouped further into three functional areas: the device driver, the daemon, and the user layer. The device driver, which is the utility software that interfaces directly with the communications hardware, is implemented in the Unix system kernel. The daemon is a Unix system background process, managing data between the device driver and the uppermost user layer; it is implemented in the Unix system's application layer. The user layer manages the data flow between the daemon and devices, such as printers or terminals, and also is implemented in the Unix system's application layer.

## TWO IMPLEMENTATIONS

One approach to structuring the SNA layers within the Unix system is the application implementation, which defines the device driver as the very first SNA layer. Although the device driver is implemented in the Unix system's kernel, all other SNA layers are organized in the daemon and user layers and are implemented in the Unix system's application layer.




FIGURE 1: The application implementation defines the least amount of communications code in the kernel, leaving the maximum amount of available addressable space.




FIGURE 2: The kernel implementation improves the performance of the gateway; however, it leaves a minimal amount of available addressable space.

There are both advantages and disadvantages to this approach. Because only one layer is structured within the kernel, the kernel contains a small amount of communications code. Because many Unix system implementations use most of the available addressable space to

execute multiuser and multitasking activities, this implementation allows the use of the Unix system to its fullest capacity while the gateway is in operation.

This approach, however, does take its toll on the gateway's performance. As stated, the first two

# 4.2BSD

## FROM NOW ON, CONSIDER IT SUPPORTED.

When it comes to Unix<sup>™</sup> systems, "standard" isn't always good enough.

Experts agree that the most powerful and most technically advanced Unix system is the Berkeley version. That's why 4.2BSD from Berkeley is the operating system of choice for software development, networking, engineering, CAD/CAM and demanding scientific applications. Other Unix systems don't have the features advanced users require.

But 4BSD was developed at a university, so it has never had real-world support. User assistance, bug fixes, updates and enhancements have not been provided.

**Now that's changed.**

**MT XINU, the 4BSD specialist, supplies:**

- Fully supported 4.2BSD-based binary licenses (MORE/bsd) for VAX<sup>™</sup> computers.
- 4.2BSD source support and source updates for current 4.2BSD source licensees.

■ Enhanced 4.2BSD-based source software for new sites, with or without redistribution rights.

■ Full support for a wide variety of DEC<sup>™</sup> and non-DEC peripherals.

■ Assistance for OEM's and hardware manufacturers developing 4.2BSD-based products.

MT XINU personnel have been involved with 4BSD development from the beginning. Now we are producing 4BSD performance enhancements, advanced networking, other Unix system extensions, and support for new peripherals and architectures. As a service, we distribute 4BSD bug reports and proposed bug fixes to the community. Our years of experience can speed and improve your 4BSD implementations.

**4.2BSD. It's always been better than just "standard." Now, with MT XINU, consider it supported.**

**"We know UNIX<sup>™</sup> Backwards and Forwards"**



**739 Allston Way, Berkeley, CA 94710 ■ 415/644-0146 ■ ucbvax!mtxinu!mtxinu**

MORE/bsd and MT XINU are trademarks of Mt Xinu Inc., DEC and VAX are trademarks of Digital Equipment Corp., UNIX is a trademark of Bell Laboratories.

layers of SNA, Comms and SDLC, are responsible for the lowest level of data flow and for preparing data for the other layers. When Comms and SDLC are separated and when SDLC is structured with other SNA layers in the daemon, the entire daemon must be activated each time a data character arrives on the communications line.

If the daemon does not quickly respond, then the request is missed and must be reissued. Although the application implementation allows the Unix system maximum addressable space to conduct normal Unix

**If you purchase the Unix system solely to support several users communicating with a remote host, then the gateway's performance would be paramount.**

system processing, it does so at the expense of the gateway's performance.

The kernel implementation, on the other hand, places all seven SNA layers within the kernel. When an SNA application makes a request, it manipulates completed information units. In this approach, the daemon is entirely eliminated, and the performance of the gateway is greatly improved. Once again, though, there are disadvantages. Just as the application implementation's trade-off offered full Unix system functionality at the expense of gateway performance, the kernel implementation's trade-off is just the opposite.

Performance is improved with the kernel implementation, but




FIGURE 3: This last approach offers a combination of both worlds, performance and addressable space, by defining the device driver as SDLC and communications.

longer interrupts are now required to execute that code, and there is the risk that interrupts from other devices may be missed. In addition, available addressable space is minimized with the large amount of communication code structured within the kernel.

## A COMPROMISE

Both gateway designs discussed above offer clear advantages and disadvantages. Note that the trade-offs of both approaches are due more to limitations of current Unix system and communications hardware technology than to deficiencies in the SNA architecture or in the gateway design itself.

As faster, more powerful coprocessors are developed, and as the Unix system expands in capability, the kernel implementation in particular may be a viable and preferable solution. Currently, though, neither approach is the optimal implementation for today's software and hardware environment. A more

moderate approach than these should maximize the advantages of both approaches.

As an example, a compromise approach might define the device driver as both Comms and SDLC—a contracted version of the application implementation. By doing this, the first level of communications processing can be completed in the kernel. Unlike the application implementation, the daemon does not have to be activated each time a character arrives from the communications line.

Queuing frames of characters rather than single characters to be processed by the daemon directly will improve the gateway's performance. Of course, placing more communications code within the Unix system kernel consumes available addressable space. However, this trade-off is more worthwhile than those of the other two implementations when we compare improved performance to the loss of addressable space.

This moderate approach ad-

*Continued on page 47*

# Attention documentation writers:

---

You can get great typeset-quality output from your troff, ditroff or other UNIX™-based text files using the new Apple™ LaserWriter, a QMS Lasergrafix™ printer, or the Linotronic™ 300 and Linotron™ 101 typesetters.

---

So you can produce more attractive, effective manuals, data sheets, and more, faster—and for less money.


If you'd like your next project to take advantage of the next generation of *high quality, low cost* output devices, call. We'll send you literature on TRANSCRIPT™, our conversion software that lets your UNIX system send files to any POSTSCRIPT printer. (The above-named printers and typesetters are POSTSCRIPT driven. We created POSTSCRIPT and TRANSCRIPT.)

TRANSCRIPT sells for \$495 and will pay for itself many times over with a single manual.

## 415-852-0314

The revolution in page printing.





# THE MORE YOU KNOW ABOUT UNIX,\* THE TALLER THE TOWER XP STANDS.

The engineers at NCR are now convinced that UNIX is the best operating system in the industry.

Of course, to convince these reliability fanatics, UNIX had to endure thousands of hours of grueling tests. But that's simply the price any component must pay to get into an NCR product.



And it's a better UNIX for the experience.

The NCR-enhanced UNIX in the Tower XP is the first UNIX of true, commercial reliability.

It virtually never PANICs. Consequently, neither do your customers.

So that this UNIX might be all things to all users, we employed the Tower XP's menu builder to create the five faces of UNIX. A remarkable case of multiple menu personalities. One for each of five user levels, from sophisticated user to data duffer.

And our UNIX speaks a language for each of five programmer types: Business BASIC, Pascal, Fortran, C, and Cobol.

Team this powerful operating system with the Tower XP's other prodigious features; consistent error logging, extensive remote and in-service diagnostics, Automatic Power Failure Recovery, and more, and you've got a monumental mixture. Capped by NCR's towering commitment to OEMs.

The more you know about Tower XP, the better NCR looks.

**TOWER XP  
BUILT FOR SYSTEMS BUILDERS  
BY NIT-PICKING FANATICS.**



OEM Systems Division

# State of the art software and operating systems.

## Tailor made consultant services.

Lachman Associates, Inc. is a custom systems software consulting firm... professionals, representing two hundred man-years of UNIX experience. LAI is a system in itself; each field consultant is linked to account and project managers within the organization.

## The complete UNIX resource.

We provide complete UNIX development services for hire. Our expertise also spans all of the common PDP-11, VAX and IBM/370 operating systems.

LAI has been instrumental in a number of major UNIX ports, as well as numerous projects involving:

- high-reliability



operating systems development • a distributed transaction processing system • development of a new UNIX-like operating system • local area networks • distributed file system research • a UNIX front-end processor • device drivers

• relational database systems • compilers • advanced debuggers • a multi-processor implementation of UNIX • data communications • real-time systems • processor architecture evaluation • system performance measurements



- development of a heterogeneous networking system
- advanced graphics software
- product analysis

Our related services include market studies, customized technical training, technical documentation and software research and development.

## Human engineering.

We tailor our skills and experience into an understanding of client requirements. With this knowledge, we tailor projects completely from providing contract programmers to supplement your existing staff to total project responsibility, including system specification, design, implementation, acceptance testing and training.

Please circle Ad No. 80 on inquiry card.

**L A C H M A N**

**Lachman Associates, Inc.**

Corporate Offices

645 Blackhawk Drive • Westmont, IL 60559

312 986 8840

Outside Illinois: 1-800-L•A•I•U•N•I•X

*the UNIX people*

UNIX is a trademark of AT&T Bell Laboratories. PDP-11 and VAX are trademarks of Digital Equipment Corporation

Chicago Denver New Jersey

vocates a design for the most typical communications scenario, in which both Unix system functionality and gateway performance are equally important. Some gateway applications may differ, however, and in such cases, one of the more extreme implementations may be appropriate.

If, for example, you purchase the Unix system solely to support several users communicating with a remote host, then the gateway's performance would be of utmost importance and the kernel implementation might be preferable. On the other hand, if you purchase the Unix system for on-site multiuser, multitasking use with minimal remote host communications, then the application implementation might be more appropriate.

Clearly, not all Unix-to-SNA communications requirements will

be status quo. Regardless of the application, however, all Unix-to-SNA communications software should feature certain capabilities.

### IMPLEMENTATION QUALITY

Although our discussion of the performance of both the gateway and the Unix system has been based on the implementations of SNA layers within the Unix system's architecture, the features the gateway supports are dependent on the quality of the SNA implementation itself.

A complete SNA implementation should emulate Physical Unit Type 2 (see sidebar), with support for numerous, different Logical Units (LUs). A complete SNA implementation should also offer such features as multiple concurrent session support, user transparency, file trans-

fer, printer configurability, and a flexible architecture for expansion to suit future technological advancements.

The Unix-to-SNA software should support concurrent communications sessions for up to 32 devices per controller emulated, with the Unix system able to support different types of controller

**The features the gateway supports are dependent on the quality of the SNA implementation itself.**

emulation. As part of this micro-to-host communication, the software should permit uploading and downloading of data to and from IBM applications such as CICS, CMS, and

---

### FINDING YOUR WAY THROUGH SNA

IBM's Systems Network Architecture (SNA) is considered the de facto networking standard today. However, SNA appears to carry with it such a myriad of complex acronyms as to confuse the non-communications specialist. Let the confusion cease.

Quite simply, SNA manages the data communications relationship between IBM's remote devices and access methods to central host computers. The SNA architecture is built according to a multilayered approach. *Synchronous Data Link Control* (SDLC), the lowest SNA layer, is the protocol used in SNA networks for remote communications; it is a bit-oriented, half- or full-duplex data communications protocol.

*Path Control* (PC) is the next SNA layer. It manages the shared data-link resources of a network and handles end-to-end routing of data. The *Transmission Control* (TC) layer, sitting on top of the Path Control layer, manages the data flow, or pacing, between devices and assures correct sequencing of data. The *Data Flow Control* (DFC) layer, following the TC layer, controls the direction and logical grouping of data.

The *Network Addressable Unit* (NAU), positioned on top of all the previously mentioned layers, provides the port for end-user access to the communication system. Each NAU is assigned a network address and is the origin and destination of information.

In addition to these definitions, there are several other frequently used terms you should know in order to speak the SNA language. For example, *Physical Unit*

*Type 2* is a cluster controller node that supports a number of devices, such as displays or printers, for end-user support. Another commonly used term, *Logical Unit 6.2*, provides the set of resources necessary to permit program-to-program communication over the SNA network.

*Document Interchange Architecture/Document Content Architecture* (DIA/DCA), located in SNA's application layer, is another valuable term to know. It defines the application-to-application protocol as well as the format and protocols within a document for electronic document exchange.

As you can see, the SNA language is not that complex. Equipped with these definitions, you can examine the different approaches for implementing the Unix system in IBM's SNA environment and the trade-offs and benefits of each design.

# UNIX<sup>TM</sup> SUPPORT

## BY THE PROFESSIONALS FOR THE PROFESSIONALS

Our expertise in the UNIX/XENIX field plus the added capabilities of SECOND-GENERATION DEVELOPMENT TECHNIQUES combine to provide software tailored precisely to YOUR needs.

A complete range of services backed by specialized training and professional support gives you the CONFIDENCE that your system will perform the way YOU want it to.

### WE OFFER

- CUSTOM APPLICATIONS SOFTWARE
- IN-HOUSE TRAINING
- SYSTEM INTEGRATION
- FULL SYSTEM SUPPORT
- PROJECT PLANNING
- FEASIBILITY STUDIES

### WE SUPPORT

- UNIX<sup>TM</sup>
- XENIX<sup>TM</sup>
- MS-DOS<sup>TM</sup>
- NCR TOWER<sup>TM</sup>
- RADIO SHACK MODEL 16<sup>TM</sup> AND TANDY 2000<sup>TM</sup>
- IBM PC<sup>TM</sup> AND IBM COMPATIBLES
- DEC MICROVAX<sup>TM</sup>



CALL OR WRITE US TODAY:

M & M TECHNOLOGIES  
CORPORATION

P.O. BOX 237  
HERNDON, PA 17830  
(717)-758-9260

Radio Shack, Model 16 and Tandy 2000 - TM Tandy Corp.  
UNIX - TM AT & T Bell Laboratories.  
XENIX and MS - TM Microsoft.  
NCR Tower - TM NCR Corp.  
IBM PC - TM International Business Machines, Inc.  
DEC/MICROVAX - TM Digital Equipment Corp.

Please circle Ad No. 151 on inquiry card.

## THEME

TSO/SPF, in both interactive and batch modes.

In addition, users should be able to toggle back and forth between communication sessions and local applications, as well as continue to download and upload files while running a local application.

A Unix system user wanting to communicate with the IBM host

penstates for differences in hardware environments and provides program-to-program communications.

This is especially important for Unix system users requiring communications in the IBM environment. Because DIA/DCA and LU 6.2 allow the Unix system to appear as an intelligent device to the host, throughput is greatly increased by reducing the instructional information transmitted with the data and by allowing a variety of different instructional code to be interpreted. With the new architecture, information from the IBM host can be entered directly into Unix system applications, regardless of the difference in environments.

With SNA developing into a networking standard and with the Unix system moving rapidly from the scientific to the commercial arena, the Unix-to-SNA connection is quickly growing in importance.

In a Unix-to-SNA software solution, the gateway should support capabilities such as multiple, concurrent communications sessions, file transfer, and printer configurability in an implementation that has taken into account the performance of both the gateway and the Unix system. Finally, the design of the Unix-to-SNA gateway architecture must be flexible enough to be able to work with networks of Unix systems and to accommodate advances made to the Unix system and to Unix system-based hardware. □

**IBM's SNA is developing in directions that position it as one of the major networking architectures for both IBM and non-IBM equipment.**

should be able to access and use the communications software with little difficulty. The keyboard should be configured as the user wishes, including support for foreign keyboards. The SNA implementation should also allow users to define a variety of parameters, including establishing logical unit, device, and physical unit configurations.

## FUTURE ENHANCEMENTS

In terms of future enhancements, the SNA implementation also should be able to support LU 6.2 and IBM's Document Interchange/Document Content Architectures (DIA/DCA)—important IBM network capabilities. IBM's LU 6.2 is a transport mechanism that provides standardized formats for data transmission. DIA/DCA replaces the 3270 Presentation Services as SNA's top layer and, in combination with LU 6.2, com-

*Tom Clark and Vic Forgetta are employees of Pathway Design Inc., a Wellesley, Mass.-based firm whose products link computers and communications networks.*

# One billion byte supermicro. Just think of the possibilities.

Introducing the new, expandable Dual 83/500. A UNIX\*-based, 68000-driven supermicro so capable, you'd swear it was a mainframe.

The system already comes with 500 megabytes of Winchester storage. And our patent-pending high-speed SMD disk controller for fast access to data.

But you can increase memory to a massive one billion bytes just by adding a twin drive.

Or take an already sizeable two megabytes of RAM and expand it to six.

Or even double user capacity from 8 to 16. The hardware is already in place.

When it comes to value, no supermicro system offers you more than the 83/500. Because along with the computer, you get a 9-track, 1600 BPI phase-encod-



ed tape drive for reliable disk backup and quick file transfers to other systems.

There's a convenient one megabyte double-sided/double-density floppy disk drive that protects individual files.

And the industry standard UniPlus+™ implementation of AT&T's UNIX System V with

Berkeley enhancements. Plus a multi-user license.

All at no extra cost.

And while you're speedily going about processing your data, we're protecting your investment. For free. With a comprehensive 12-month warranty. And a nationwide service network that protects your system whether it's in or out of warranty.

See the system that's redefining the supermicro. The value-packed Dual 83/500. Call or write Dual Systems Corporation, 2530 San Pablo Avenue, Berkeley, CA 94702, (415) 549-3854

At just \$65,940 base price, its possibilities are endless.

\*UNIX is a trademark of AT&T Bell Labs.  
™UniPlus+ is a trademark of UniSoft Corp.

# CITIBANK:

## THE UNIX SYSTEM "THAT NEVER SLEEPS"

BY JEAN S. BOZMAN

In a huge room high above New York City, the eyes of 100 money-market and options traders remain glued to tiny screens for hours on end. These Citibank, N.A., employees would rather stare at green-and-gray CRTs than at a breathtaking view of the historic Brooklyn Bridge and South Street Seaport, as work has become a kind of intoxication for them. They eat in a back-room cafeteria to stay close to the action and often talk while holding two phones. Their aim is to make split-second evaluations of the future worth of federal bonds, over-the-counter securities, and options—and then decide to buy or sell profitably.

"Buy or sell?" is, therefore, a frequently heard question, often directed at a row of senior analysts who gauge the money-market ebbs and flows over the course of a day. This process is called "arbitrage," which one dictionary defines as "simultaneous purchase and sale of the same or equivalent security in order to profit from price discrepancies."

To speed some of these time-dependent decisions, Citibank hired a Boston College economics professor, Jack Ciccolo, in early 1983.

Originally retained as a consultant to Citibank, Ciccolo is now vice president of arbitrage at Citibank.

Citibank's money-market managers asked Ciccolo to come up with a CRT-screenful of nearly 200 menu-driven instant calculation aids, partly to avoid asking the company's data-processing group to do the same thing. Citibank, like many other large corporate users, has found a significant backlog in the generation of new applications by a centralized data-processing group.

A substantial productivity gain was achieved over the next 18 months, as Ciccolo converted many of his economics formulas to an eight-user, Unix system-based supermicro. By writing macro commands under the auspices of Fortune's enhanced Unix Version 7 operating system, Ciccolo was able to quickly amass the needed instant-calculators.

In practice, Citibank analysts can log on to the system, insert the date of a bond's maturity and one or two other numbers the menu-driven guide requests, and receive their answers—all in a matter of seconds.

Ciccolo, a 6-foot-6-inch amiable academic who is as comfortable with computer systems as he is with his

economic formulas, wrote many of the calculation aids directly from a dictionary of Unix system commands. He strung several commands together into a "macro command" in order to create a one-step calculation that formerly would have taken two or three steps to complete.

But about 40 percent of the Citibank arbitrage library of 175 calculation aids was created by conversion from a DEC VAX 11/780 computer system. The FORTRAN code on the VAX 11/780 at Boston College was easily recompiled—with several small changes—to write new lines of Unix system code that would run on the 32-bit supermicro.

"We have a sleep command through which we can ask the machine to run 20 jobs overnight," Ciccolo said. "We can preprogram it to run the jobs at any time we designate." The sleep command aided in the initial FORTRAN conversion process, which took several weeks to complete, he said.

A Unix system-based supermicro was chosen for the application because it provided virtually the same performance as a more standard minicomputer at a fraction of

PHOTO BY MICHAEL MELFORD /IMAGE BANK



In this view of the New York City skyline, Citibank's headquarters is illuminated to the left.

the \$250,000-plus cost typical of a VAX 11/780. Ciccolo chose the Fortune 32:16, which is based on a Motorola 68000 chip. Citibank paid about \$25,000 for the 32:16 unit alone, with 1 Mbyte of main memory. A second system, which has 2 Mbytes of main memory and the capacity of 90 Mbytes of hard-disk storage memory at a slightly greater cost, was installed recently as well.

By choosing a desktop super-micro, Ciccolo avoided having to

provide an air-conditioned, protected environment that a standard minicomputer would require. An added benefit was that the money-market arbitrage applications were developed in a small room off the trading floor—and not by the bank's management information systems developers. By remaining outside the "loop" for software applications development, Ciccolo said, arbitrage traders avoided waiting weeks or months for new programs to be developed for them.

But the price for this software independence was a lack of hardware support from Citibank's own computer systems group, Ciccolo admitted. That was overcome through a maintenance contract with a national service organization and systems support from a Long Island, N.Y., computer dealer.

All this puts Ciccolo in the category of a sophisticated end-user—a person who can operate a computer system without any hand-holding from the computer manufacturer.

*Continued on page 56*

# **DIGITAL'S SUPERMICRO FAMILY GIVES YOU THE COMPETITIVE ADVANTAGE: GROWTH.**

To give your OEM business the maximum opportunity for growth, you can't focus on just one thing. Such as I/O speed at the expense of peripheral support. Or expansion capacity without software flexibility. You need to consider everything: processor speed, system expansion, economy, reliability, software and networking capabilities.

The decision is really very simple. If you want systems that can support your growth, choose Digital's supermicro family. You'll have the high performance 16- or 32-bit systems you need today. Plus



the ability to grow your systems and add functionality when your needs expand tomorrow. And you'll have Digital's world-wide support network behind you every step of the way. Whether you're an OEM or an end user, you simply can't find a better solution for your success.

## **MICROPDP-11/73, THE 16-BIT SYSTEM WITH A 15 MHZ CHIP SET.**

Our MicroPDP-11/73™ system is based on our 15-megahertz J-11™ chip set.

On-chip floating point and instruction pre-fetch increase

system throughput. An 8 Kbyte cache keeps frequently used instructions and data resident for fast access. Via the system's Q-bus,<sup>™</sup> data is transferred between peripherals and processor at a 3.2 million byte per second block transfer rate.

The MicroPDP-11/73 system provides the expansion capacity you need for your OEM solutions. It supports a 31 million byte internal Winchester disk and can support as many as 13 terminals or devices. Memory is expandable to 4 million bytes. Storage options include a 26 million byte fixed/26 million byte removable disk drive, dual 400 Kbyte diskette drive and 60 million byte streaming tape cartridge for disk backup.

Like all Digital's supermicros, the MicroPDP-11/73 system is designed to fit on a desk. Under it. Or in a computer cabinet.

### **MICROPDP-11/23, THE LOW COST, HIGH RELIABILITY SOLUTION.**

For proven performance and a low cost entry to our supermicro family, you can choose the MicroPDP-11/23<sup>™</sup> system. It's completely software compatible with the MicroPDP-11/73 system, and can support up to six users. Memory and storage options, as well as packaging, networking options and peripheral support are the same. This lets you expand the range of your OEM product offerings without extra development effort.

### **MICRO VAX, YOUR BRIDGE TO 32-BIT CAPACITY.**

When you need the address capacity and functionality of a virtual memory, 32-bit system, our supermicro family can take you there. Our

32-bit MicroVAX<sup>™</sup> systems maintain compatibility with our 16-bit MicroPDP-11/23 and MicroPDP-11/73 systems in bus structure,

peripheral support, languages (FORTRAN, DIBOL,<sup>™</sup> BASIC and COBOL), communications options and packaging. This makes the transition between 16- and 32-bit functionality logical and straightforward, because you can keep all the peripherals you've already configured in your OEM products.

And once you've made the switch to MicroVAX systems, you can keep on growing throughout our popular VAX<sup>™</sup> family of systems. Our Micro VMS<sup>™</sup> operating system is our powerful VMS<sup>™</sup> operating system for MicroVAX systems.

### **RICH SOFTWARE ENVIRONMENTS MEAN FASTER DEVELOPMENT.**

When you choose Digital's supermicro family for your OEM products, you'll have the tools you need to get to market faster. MicroPDP-11/23 and MicroPDP-11/73 systems offer a choice of seven different

operating environments (including Digital's enhanced UNIX<sup>™</sup> software). For realtime and multiuser applications.

And you'll have the entire heritage of PDP-11<sup>™</sup> software at your disposal—including tools for development in advanced languages such as C and Pascal. So you'll have numerous high level languages. Powerful

development and debugging tools. File, screen and peripheral management utilities. And a choice of over 2,000 applications.

Or you can use your VAX systems to develop dedicated Pascal-based realtime applications that you can download to distributed MicroVAX or MicroPDP-11 target systems.

MicroVAX systems provide dedicated Pascal execution through VAX ELN<sup>™</sup> software; MicroPDP-11/23 and MicroPDP-11/73 systems provide this capability through Micropower/Pascal<sup>™</sup> software. And you can load your developed applications through PROMs, disks or communications links. Your options are never limited with Digital as your OEM partner.

### **ULTRIX,<sup>™</sup> DIGITAL'S ENHANCED UNIX<sup>®</sup> FOR 16 AND 32 BIT SYSTEMS.**

You can develop UNIX<sup>®</sup> applications with our supermicro family, because each of our systems support a version of ULTRIX<sup>™</sup> software, our implementation of the UNIX operating system. ULTRIX-11 software is an enhanced superset of the version 7 UNIX operating system, with the Berkeley 3.7 full screen editor, large program user overlay scheme and a file system debugger. A C compiler as well as Assembler and FORTRAN languages are supported.

Best of all, the applications you develop with ULTRIX software can be applied to our entire line of 16- and 32-bit hardware. Including all our supermicros. And all our 32-bit VAX computers. This means that you can expand your reach from a single MicroPDP-11/23 system to large VAX systems supporting many users and massive databases.

### **DECNET SOFTWARE LETS YOU GO WHERE YOUR CLIENTS NEED YOU.**

Our supermicros are engineered for superior standalone performance. But their value extends far beyond standalone applications because all our systems can participate in local and wide area networks through DECnet<sup>™</sup> software. You can share files and processing resources with other computers from Digital over Ethernet, leased lines or packet switched wide area networks. You can communicate with other vendors' systems, too, via standard or SNA<sup>™</sup> protocols. With our networking capabilities, there are no boundaries to your computing growth.

### **BEST ENGINEERED MEANS ENGINEERED TO A PLAN.**

Digital's MicroPDP-11/23, MicroPDP-11/73 and MicroVAX systems, like all Digital hardware and software products, are engineered to conform to an overall computing strategy. This means our systems are engineered to work together easily and expand economically. Only Digital provides you with a single, integrated computing strategy, from chips to 32-bit VAX systems, and direct from desktop to data center.

If you believe that your company could benefit from our very growth-oriented supermicro family, contact your nearest Digital sales office or a Digital Authorized Industrial Distributor. Or call: 1-800-DIGITAL ext. 230.

### **THE BEST ENGINEERED COMPUTERS IN THE WORLD.**

**digital**<sup>™</sup>

# We're Expanding Our Line With AT&T

*It gives us great pleasure to  
announce ABS has become  
a value added reseller for  
AT&T!*

Naturally we're proud. And very excited. Not only about the products. But also because we can serve you better. With just the right systems. Software that works. And all the support you'll need.

As for the 3B line of computers. These great performers are rugged, reliable tools that come equipped with UNIX\* System V, the multi-user, multi-tasking operating system, that is the industry standard.

At ABS, we wanted to offer you the best UNIX system on the market. So we went with the leader, AT&T. After all, we've built our reputation on personal service, prompt deliveries, and products that are the top of the line.

#### **AT&T**

Personal Computer 6300  
3B2/300 Multi-User Desk Top Computers  
3B5 100/200  
3BNET Local Area Network Interface

#### **UNIX SYSTEM V & Utilities**

"C" Language	Basic
Fortran 77	Pascal
Cobol	

#### **SOFTWARE**

Data Base Packages	Business
Word Processing	Office Automation
Spread Sheets	Material Handling
S Software	Engineering & Scientific
Graphics	Data Communications

#### **AND MORE... From ABS.**

Digital equipment and DEC\* compatible products are readily available from ABS, along with a variety of software packages.



*Give us a call today and line up with leaders.  
You'll be glad you did.*



**ABS ASSOCIATES, INC.**

3550 Salt Creek Lane  
Arlington Heights, IL 60005  
(312) 577-7752

# SERIX

**ANNOUNCING  
SYSTEM V  
UNIX™**

## **...puts your IBM Series/1® ahead of the pack!**

SERIX is the high performance CMI version of AT&T's UNIX™ System V operating system with Berkeley 4.1 enhancements ported to the IBM Series/1 minicomputer.

SERIX transforms your Series/1 into an even more powerful, flexible, and convenient processor for general data processing, office automation, communications, and process control. Its advantages are outstanding:

### **Reduced software costs**

#### **Long term growth path**

- Software is highly portable
- Provides access to a large, growing software base

#### **More power from the Series/1**

- Optimizing C compiler uses native code features
- All code reentrant
- Dynamic memory allocation without fixed partitions

#### **Increased programmer productivity**

- Large set of utilities
- Hierarchical file structure
- Pipes, forks, semaphores, and shared data segments

#### **Other CMI Series/1 software**

- RM/COBOL™
- UNIFY™ database management system
- ViewComp™ spreadsheet
- vi visual editor
- EDX™- to -SERIX™ conversion kit

CMI Corporation is a Master Value-added Remarketer of IBM Series/1 equipment. Leasing and other financial arrangements are available. Contact us for further information.

Photographer - Michael Zagaris • UNIX is a trademark of Bell Laboratories  
• SERIX is a trademark of CMI Corporation • SERIX was developed exclusively for CMI by COSI. • IBM, Series/1, and EDX are trademarks of International Business Machines Corporation • UNIFY is a trademark of North American Technology, Inc. • RM/COBOL is a trademark of Ryan-McFarland Corporation  
• ViewComp is a trademark of Unicorp Software, Inc.



A Torchmark Company

**CMI Corporation  
SERIX Marketing  
2600 Telegraph  
Bloomfield Hills, MI 48303-2026  
(313) 456-0000**

**TWX: 810-232-1667  
Telex: 499-4100 ANS: CMI CORP. BDHS**

**Member CDLA Member ASCD**

Please circle Ad No. 83 on inquiry card.

Continued from page 51

And while Ciccolo says that he can field most software problems by himself, that means he often spends a lot of time looking up Unix system commands in a Unix system reference work.

Because the Unix system is, by design, a multiuser system, safeguards had to be placed on the system scheduler to prevent eight isolated users from requesting more than their share of memory.

Citibank's users appear to be

happy with these enhancements since all eight users have been on-line simultaneously without even crashing the system, Ciccolo said. While one money-market trader does options valuation, another works on futures, a third figures over-the-counter securities, and a fourth simulates bond yields. Ciccolo plans to expand the Unix systems' availability to others on the trading floor.

So the work goes on nearly

nonstop for the Unix system "that never sleeps," as traders react to the Federal Reserve's handling of the federal money supply, which changes daily just after noontime EST. □

---

*Jean S. Bozman writes frequently on 32-bit data systems. A former data processing editor for Information Systems News, she is president of Bozcom Inc., a market research firm based in Amityville, N.Y.*

## Introducing the **L5** supermicro



### A breakthrough in Price, Performance and Packaging

The new L5 proves that good things come in small packages! Measuring a compact 3.75"H x 17.5"W x 21"D, the L5 is small enough to fit on a desk-top or a laboratory workbench. Yet it's large enough to handle up to 32 users and, in some applications, outperform a VAX system. The L5 is small in price, too. A mid-range system can cost less than \$1,000 per user!

Find out how the new L5 offers the unique solution to price, performance & placement challenges. Call General Communications today!

 **General Communications Corporation**  
"Where lucid communications, technical excellence and common sense meet."

1 Main Street, Suite 502, Eatontown, NJ 07724 (201) 542-6560

### L5 Features


- KDJ11 Processor, floating point, 8K cache
- .5Mb to 32Mb memory
- 4 to 32 users
- 20Mb to 2.5Gb external storage
- UNIX System V Fast Kernel or Real Time Kernel
- Runs RT11, RSX, and TSX
- Includes several utilities packages, necessary cabling, complete documentation and tutorials

### Aggressive Dealer/OEM discounts available

\*UNIX is a trademark of AT&T-Bell Laboratories  
VAX, RT11, & RSX are trademarks of Digital Equipment Corporation  
TSX is a trademark of S&H Computer

Please circle Ad No. 97 on inquiry card.

# WHAT'S THE UNIX CONNECTION? WORD PROCESSING FROM MARC!



**MARC SOFTWARE INTERNATIONAL, INC.**  
260 Sheridan Avenue, Suite 200, Palo Alto, CA 94306  
800/835-2400, In California: 800/854-9900

Distributorship inquiries welcome. International offices located in Tokyo, Japan, the Hague, Netherlands and Genova, Italy.

UNIX is a registered trademark of AT&T Bell Laboratories

**C**ompatibility and communication in one single program.

WordMARC™ is the professional word processing system that runs on many different UNIX systems\* as well as most other non-UNIX computers. This lets you easily transfer documents from mainframe to mini, minis to micros. Regardless of model, regardless of size, the only word processing systems to select is WordMARC.™

Currently used by major Fortune companies, government agencies and educational institutions around the world, WordMARC™ is the intelligent and efficient alternative to stand alone systems.

And it doesn't just work for all these people, it works extremely well.

## Performance from the word go.

Inside of two hours employees can be turning out high quality letters, reports and memos. Not only is documentation complete and easy to understand, the on-screen prompts speed the learning process. But ease of use is just the beginning. WordMARC™ can be integrated with other popular application software, such as databases and spreadsheets.

All versions of WordMARC™ have compatible file formats which allow users to easily transfer documents between the same and dissimilar computers. WordMARC™ also provides all the features normally found in quality stand alone software systems. It gives you the ability to handle all office word processing requirements plus type and print mathematical and scientific symbols, and much more.

And WordMARC™ supports over 40 printers and 80 terminals so chances are the price of WordMARC™ is the only investment you'll have to make.

## A Phone call starts WordMARC™ running.

Call us at (800) 835-2400 for a demonstration copy. We'll put WordMARC™ on your UNIX computer and let you be the judge.

## \* WordMARC™ runs on the following computers:

UNIX Computers	Personal Computers	TI Pro
AT&T 3B2/3B5	Compaq	Wang
Cadlinc	Corona	Zenith 150
HP 9000 S-200	Eagle	Minis and Mainframes
HP 9000 S-500	IBM PC	Apollo
IBM PC/AT (Xenix)	IBM PC/XT	DECsystem-10
Masscomp	IBM PC/AT	DECsystem-20
Pyramid	NEC APC	Harris
Sun Microsystems	OSM	Prime/PRIMOS
NCR Tower	Rainbow	Prime INFORMATION
VAX (Ultrix)	Seequa	Pro 350
Wicat	Sperry	VAX-VMS
	TeleVideo	

Please circle Ad No. 53 on inquiry card.

# NEW PERFORMANCE HORIZONS THROUGH HARDWARE SOLUTIONS

---

*Our authors tell you what's responsible  
for those slow response times. Better yet,  
they tell you how to overcome those obstacles.*

BY WILLIAM J. CASEY AND  
ROBERT A. ADOLPH

**T**he response time is too slow.' This must be the most frequently heard complaint from users of Unix system workstations. In some instances this is caused by slow terminal input/output (I/O), but the primary cause (especially for a multiuser environment) is the access delay of the disk subsystem.

There are two major causes of this delay. The first is the mechanical delay within the disk subsystem (caused by the time the head assembly takes to move across the disk) and by rotational latency (the time taken for data to rotate under the head). The other cause is the Unix system file structure. To some degree, improvements are being made in these areas. However, even though optical disks are on the horizon, the mechanics of rotating magnetic storage technology will not change radically in the near future.

Created in the early seventies, the Unix system file structure attempted to maximize the usage of the small amount of disk space that was available at that time. It also eliminated the requirement of reorganizing or 'squeezing' files by removing the free space between them. Today, however, the capacities of 5-1/4-inch Winchester (hard-disk) drives are soaring toward mainframe size, and users are left with a file organization that is costly in terms of access (or seek) penalties.


At present, the head assembly mechanism seeks back and forth across disk surfaces and pulls together the pieces (blocks) into which the Unix file system has scattered data. Thus, both the mechanics of the disk and the operating system itself slow down file retrieval.

The addition of multiple users, all seeking their own fragmented

files, only magnifies this problem. In fact, studies cited in previous UNIX/WORLD articles indicate that often all tasks within a system are suspended and that the processor sits idle. This implies that the system is 'access bound' rather than compute bound; that is, the access time of the disk is the primary factor contributing to the slowness users notice.

## OPERATING SYSTEM CONCEPTS

Some Unix system versions (such as 4.2BSD) have sought to remedy this situation by increasing block size (so that the operating system has fewer blocks to access per file) and by localizing directories and their associated files into cylinder groups. There are, however, serious problems associated with each of these methods.



## **fo · rum, n. (pl. FORUMS)**

**1. A public meeting place for open discussion. 2. A medium (as a newspaper) of open discussion or expression of ideas. 3. A public meeting or lecture involving audience discussion. 4. A program involving discussion of a problem by several authorities.**



**Electronic meetings continue the automation of knowledge transfer which started with electronic mail.**

Electronic meetings are an extension of the communications revolution which started with electronic mail. It takes seconds to send a letter using electronic mail instead of days via regular mail. Certainly e-mail is a giant step in automating correspondence between two people.

eForum goes yet further to provide immediate communications automation. But for groups. It creates electronic meetings which allow attendees to participate in discussions using the dynamic ebb and flow of points, counterpoints, comments and

conclusions just like in-person meetings.

From an economics point-of-view, eForum is the most cost effective method for bringing together the best minds in your company to meet on key issues—without the price of a single plane trip, the aggravation of schedule conflict or time-consuming delay.

**eForum is a communications breakthrough product.**

eForum lets you create electronic meetings with attendee lists as large as the company staff or as small as a three-person design team.

Not only can eForum handle hundreds of meetings for your company, but, at the same time, limits each participant to only attending meetings to which he belongs.

**eForum, n. 1.** Low cost electronic meeting system (as in needing no scheduling or travel to attend). **v.**

**1.** Automatically organizes, indexes, files and leaves a complete written record of entire meeting. **2.** Allows adding more attendees than normal at no extra cost. **3.** Gives plenty of time to think before responding.

**adj. 1.** Keeps everyone up-to-date. **2.** Doesn't let geographic or time zones determine who can attend the meeting.



*e* **Forum**

## The Electronic Meeting Manager

If you have ever attended a meeting,  
you know how to use eForum.

Simply attend eForum meetings any time convenient for you. Review new discussion materials. eForum keeps track of what you've seen. Enter your comments or new discussion points. Instantaneously, your ideas are available to every member of your eForum group regardless of geographic location. That's productivity.

**eForum has the flexibility to fit your communications needs.**

- eForum 4000 - a national communications network available with a local phone call from most locations.
- eForum 2000 - UNIX™ based central host software for supermicro and minicomputers.
- eForum WS - software for the IBM PC and

compatibles to interact with eForum central host software.

Call 1-800-638-4832 or in Michigan call (313) 994-4030 collect for information on:

- Automating your company's meetings by using General Electric Information Service, the world's largest communications network, to tie together your microcomputers and terminals.
- Creating your own meeting network for your department or company. Software, hardware and leasing available.
- Establishing OEM and VAR agreements to enhance the value of your software or hardware, with the communications power of eForum.



**Network Technologies  
International, Inc.**

The Arbor Atrium Building  
315 West Huron  
Ann Arbor, Michigan 48103

™ UNIX is a trademark of AT&T Bell Laboratories  
™ eForum is a trademark of Network Technologies International, Inc.  
(NETI) Please circle Ad No. 66 on inquiry card

# First we made the promise . . .

## Then we delivered!



There aren't that many trade shows specifically dealing with UNIX, just enough to be confusing. UNIX EXPO . . . the New York Show . . . is the one that **delivered**. Delivered the right audience in the right numbers. Numbers so right that many of last year's exhibitors have already **doubled** the size of their exhibit space for the upcoming show.

UNIX EXPO will continue to deliver. We have a new location in the heart of New York City's business district, an expanded conference program, a proven track record, more exhibit space . . . and the trade show savvy to produce an audience that comes to talk business.

If you sell to any segment of the UNIX environment, make certain that you exhibit in the show with the right stuff.

Call Bob Birkfeld or Don Berey today for the complete story. You won't be disappointed. That's a promise!

September 18, 19, 20, 1985 • New York, N.Y.



**THE UNIX OPERATING SYSTEM EXPOSITION & CONFERENCE**

**Produced & Managed by National Expositions Co., Inc.,**

14 West 40th Street • New York, NY 10018 • Telephone: 212/391-9111 • Telex: 135401 DIMCOMM

UNIX<sup>™</sup> is a registered trademark of Bell Labs UNIX EXPO is not affiliated with Bell Labs

Please circle Ad No. 78 on inquiry card.

Larger blocks mean wasted disk space, which spells trouble for microcomputer users. In addition, larger blocks mean that small files take longer to transfer because large portions of the block are unused or unrelated. Attempts to pack several small files into these large blocks require the operating system (in particular) to do extra work because of the reorganization caused when file spillover occurs.

Clustering into cylinder groups essentially creates a secondary file structure. In this case, more operating system overhead is again involved, with the attendant costs to processing time and system performance. Many published reports overlook the following fact: The time required to seek over one cylinder is not proportional to the distance traveled.

This is so because of inertia upon startup, with its attendant ramp-up delay. Typically, this time is between 28 percent (stepper) and 35 percent (voice coil) of the average seek time of the disk (including rotational latency). Therefore, any seeks at all are costly, even if the operating system is spanning only a few cylinders.

Obviously, if frequently used blocks or files are kept in a fast-access memory bin (or cache), then disk performance and overall system throughput will increase. Although host memory may be a cheaper resource to use, it requires that tables be upgraded and that searches be performed, using both memory and processor bandwidth. Having the main central processing unit (CPU) perform this function negates the desired ends, which are faster processing speeds and faster system response.

On the other hand, a dedicated intelligent caching scheme run within the disk controller itself offers a number of benefits. First, it ob-

viates the need for disk access in the case of a resident file. Second, it groups together the scattered file blocks for immediate transfer to the host on subsequent requests. Third, it eliminates rotational latency, which, in fast voice-coil drives, amounts to 30 percent of the average seek time. Fourth, all manipulation of cached blocks, block searching, and algorithm execution is performed transparently and in parallel with host CPU processing. Parallelism is a time-honored technique for boosting overall computing speeds.

## SCSI CONCEPTS

The combination of caching and a high bandwidth peripheral bus for pipelined operation yields dramatic

performance increases. Furthermore, if this bus has a logical-block addressing format, then host drivers can become device independent and are reduced both in number and complexity. Driver software also becomes highly stable in the face of continuing changes in storage technology, which greatly reduces the cost of system software development and maintenance for original equipment manufacturers (OEMs) and end-users.

The Small Computer Systems Interface (SCSI), a widely used parallel bus for peripherals, was patterned after the IBM 360 I/O channel model. It includes the previously mentioned features in such concepts as disconnect/reconnect, logical-block addressing, and device-independent command structure.

## GLOSSARY

**Access time:** The time required to retrieve or deposit information on a disk. This includes the time to move the head assembly mechanism to the requested cylinder, head-settling time, rotational latency, and data transfer. Data transfer time is only a small percentage of total access time.

**Cache:** A staging area for information (instructions in a CPU or data blocks on a disk) that has faster access time than the information's source.

**Locality:** In time, the tendency for the same information to be requested at short intervals; in space, the tendency of successive storage element requests to be located close together physically or by address.

**Look-ahead:** The concept of buffering data by reading blocks in advance to anticipate subsequent access.

**LRU:** A commonly used replace-

ment algorithm (see below) that schedules the least recently used element for replacement by new data during a read.

**Overlapped disk operations:** The concurrent movement of multiple drive head mechanisms to increase data throughput.

**Replacement algorithm:** The method used to decide (during a read) what old cache block should be removed to make room for the incoming data.

**Restructuring:** Rearrangement of cylinders on a disk so as to group the most frequently accessed ones.

**Rotational latency:** After head movement to the desired cylinder, the time for the requested sector to revolve under the head (on average, half a rotation, or 8.33 ms).

**SCSI:** Small Computer Systems Interface, a widely used parallel bus for peripherals.

When you add a second drive to a single-drive system, the disconnect/reconnect feature alone can double throughput. SCSI also benefits from being a standard that many manufacturers support. These manufacturers include disk and tape-controller houses as well as a number of microcomputer and workstation suppliers.

Companies are increasingly realizing that peripheral device controllers must contain more embedded intelligence to offload the burden of I/O from the processor. Multiuser systems, in particular, need to simplify I/O operations.

In order to gain high performance in applications where disk I/O is the major performance bottleneck, these controllers must have processors on board to optimize data transfers. In addition, they should employ sufficient cache memory in order to reduce the apparent average access time of the supported drives. The controller must optimize, through statistical processes, the flow of data to and from the host.

## RAW READING SPEED

Several benefits result from a processor/cache combination within a controller. Caching the most frequently used blocks from the disk yields high apparent access speeds for many operations. This is a result of both temporal and spatial locality of disk access.

Temporal locality means there is a high probability that the same block(s) will be accessed again within a short time. This is true in compiling, linking, and locating, where temporary files are constantly active, and in many number-crunching operations, where a group of programs massage data in repetitive cycles (seismic data processing, for example).

**Obvious candidates for caching disk controllers include all Unix system installations, multiuser systems, CAD/CAM installations, business systems, etc.**

Spatial locality means that if block A is accessed, the next most likely block to be accessed will be an adjacent block ( $A + 1$ ). Thus, reading a certain number of 'anticipatory' blocks in advance can boost performance. To be truly effective, this number should be user controlled because only the user knows the system's current 'access profile.'

A valuable feature that helps prevent a 'double-transfer' penalty (that is, disk-to-cache, cache-to-host) is simultaneous transfer of disk data to both cache and host. Also, the ability to 'lock' certain important blocks or groups (such as directories) in a cache can further speed file access.

## FAST WRITES AND OTHER CONCEPTS

A large random-access memory (RAM) space in the controller facilitates the following scenario for writing: Upon receiving the write command, the controller can start the seek operation on the drive. Data can then be read into buffers up to some limit in size, and the command can then terminate while the controller finishes writing the data to the disk.

There are two overlapped operations here: (1) disk movement with data transfer from the host, and

(2) host processing of the next command (or other jobs) with the write operation to the disk. Of course, users can still use the standard write-thru operation, where command completion implies that data has been transferred to the disk.

A controller that has a local processor and cache memory also offers other system features. Dynamic user 'tuning' of certain operational and cache parameters enables users to optimize controller performance to match their particular environment and the current access profile of an application.


Split formatting allows restructuring of physical cylinder arrangements in order to reduce average seek time; that is, certain cylinders have a preferred usage in some systems. Variable-size look-ahead buffers can also tailor cache operation to a specific process. Reporting of cache statistics, along with 'settable' cache parameters, forms a feedback loop you can use to optimize controller/system performance.

Applications that are obvious candidates for caching disk controllers include all Unix system installations, multiuser systems, computer-aided design and manufacturing (CAD/CAM) installations, business systems, real-time systems, and so on.

The use of standard I/O buses and software protocols combined with host CPU offloading by a controller with on-board processor and cache can extract the most out of today's disk-based microcomputer systems. □

*Bill Casey, president of Advanced Storage Concepts (Houston, Texas), has a B.S.E.E. from Notre Dame and is on the ANSI SCSI committee. Bob Adolph, vice president of engineering at the same firm, is a Rice honors' graduate in electrical engineering.*

# HOW TO GET THE 'MOST' OUT OF UNIX\* SYSTEMS



You'll find out how to take full advantage of emerging computer technologies for your business, professional, and engineering/scientific applications at the **UNIX Systems Expo/85-Spring**. Here, you'll find the hardware, software and services you need to:

- Link PCs to mainframes.
- Set up multi-user, multi-tasking systems.
- Create networking systems.

**UNIX\***  
**SYSTEMS**  
**EXPO/85**  
*Spring*

This tightly-focused computer event is also **especially appealing to value-added resellers of UNIX-based systems and software developers**. It provides a maximum information exchange between sellers and buyers of UNIX systems.

Aisle upon aisle of the leading and most innovative computer hardware and software companies will be on hand to display and demonstrate state-of-the-art UNIX products.

Rounding out this timely UNIX Systems Expo will be a comprehensive conference program of more than 40 user/marketing oriented sessions. Authorities from the industry as well as corporate users of UNIX systems will lead these sessions.

## Attend UNIX Systems Expo/85!

You'll get the inside story from computer professionals who are building, installing, distributing and marketing UNIX systems.

**You'll find it all at:**  
**UNIX Systems Expo/85**  
**San Francisco**  
**Moscone Center**  
**April 24-26, 1985**

Show hours:  
10 a.m. - 6 p.m. daily.

Exclusive production of  
**Computer Faire, Inc./**  
a Prentice-Hall Company

181 Wells Avenue  
Newton, MA 02159  
617/965-8350

611 Veterans Boulevard  
Redwood City, CA 94063  
415/364-4294

Please circle Ad No. 147 on inquiry card.

\*UNIX is a trademark of AT&T Bell Laboratories

# Read The Supermicro Newsletter...

---

●●● written by the  
folks who invented  
the term!

*"I have very much enjoyed  
my subscription to  
Supermicro."*

*—Bill Gates, Chairman  
Microsoft Corp.*

Now in its third year, Supermicro covers and analyzes technical, market, and business developments relating to systems based on such 16/32 bit MPUs as the Motorola 68000—the systems that are today the most popular UNIX environments.

For your FREE sample issue, write on your company's letterhead, or drop us your business card:

*"Supermicro keeps me  
abreast of the most  
important developments in  
our business."*

*—Norman F. Kelley,  
Vice President  
Altos Computer Systems*

**Supermicro**   
ISSN 0740-4816  
ITOM INTERNATIONAL CO.

**ITOM International Co.  
POB 1415  
Los Altos, CA 94022  
Tel. 415/948-4516**

Supermicro is published approximately monthly. A subscription is at least 12 issues. Single copy rate: \$350; five copies, \$450. International orders must be prepaid, using domestic US check or direct US funds transfer. Contact ITOM for details.

# EXPAND YOUR UNIX\*-VERSE



Each issue of UNIX\*/WORLD brings you the most up-to-date, comprehensive information available on the most important computer industry phenomenon since IBM introduced the PC! Whether you have a multiuser system, or you're just thinking about purchasing one, you can't afford not to investigate UNIX\*/WORLD.

## EVERY ISSUE CONTAINS:

**WIZARD'S GRABBAG**—Tips & Techniques that ease the programmer's burden.

**NEWS FROM AT&T/BERKELEY**—News items from the two poles of UNIX\*WORLD: Product releases, updates, major corporate news that affect our professional lives.

**INSIDE EDGE**—Trends, rumors, speculations from the corridors of Silicon Valley, Route 128, and the aisles of trade shows.

**USER SPOTLIGHT**—Every issue we focus on individuals or organizations who have contributed significantly to our community through knowledge, inspiration, or innovation.

**PLUS...** More of Bill Joy . . . Bill Tuthill's back with his own column . . . C vs Bourne Shell . . . Hardware price trends . . . UNIX\*/WORLD on the top 50 vendors . . . new and expanded tutorials . . . and much, much more!

### 1 YEAR \$36 NOW \$18

☐ **YES!** Start my 1-year subscription (12 issues) today. Bill me later for only \$18, that's 50% off the newsstand price.

### BUY TWO YEARS, GET ONE FREE

☐ **YES!** Count me in on your limited offer to buy two years and get one free.

Start my three-year subscription (36 issues) right away and bill me for \$36—the two-year price.

Canadian residents add \$6. Other Foreign residents add \$20 for International Postage. Both Canadian and Foreign orders must be payable in U.S. Funds on U.S. Banks only.

\*UNIX\* is a trademark of AT&T Bell Labs. UNIX/WORLD is not affiliated with AT&T Bell Labs.

Name \_\_\_\_\_

Title/Company \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

3AC544

## UNIX/WORLD

*Benchmarking used to be a difficult effort that led to imprecise results. This software vendor's story shows how far benchmarking has come.*


---


## BENCHMARKS TO DO BUSINESS BY: UNIX, XENIX SYSTEMS AT WORK

BY NEAL NELSON

**'H**ow much does it cost? And how many users can it support?' This was the response from one of my customers after he had listened to a lengthy discussion about benchmark results for various Unix system-based computers. I had to admit that he had just cut to the heart of the matter.

My first experiences with serious benchmarks started in 1983. I have had a Chicago-based systems house since 1973 and had been installing small-business accounting systems on Onyx model C8002M multiuser microcomputers. After selling several Onyx machines, someone urged me to consider the Altos 586 as an alternative.





Because I was very pleased with the Onyx, and because my customers seemed to be satisfied, I was reluctant to just jump ship to this new machine. The Altos, however, cost \$6000 less, and, if it performed reasonably well, might be appropriate for smaller customers who did not need the Onyx's power (and who were unwilling to pay its higher price). I wanted to investigate this machine thoroughly before I recommended it to anyone, so I started thinking about benchmarking.

Benchmarking is the process of running exactly the same program on two different computers to see which one runs it faster. At one time benchmarking was difficult and the results were somewhat unreliable because different computers used different languages and different operating systems. With this many differences, you had to modify or rewrite the benchmark programs for each machine, and the first premise of benchmarking (using exactly the same program) became a myth.

However, with the recent proliferation of standard operating systems (Oasis, CP/M, MS-DOS, Unix) that use standard languages (FORTRAN, BASIC, COBOL, C), you can now write benchmark programs that you can move from machine to machine without changing one line of code, thereby producing some valid comparisons.

A computer has three major areas of functionality that a good benchmark should measure. The first is the speed of the computer's central processing unit (CPU), where all calculations are performed. The second is the speed of the computer's disk drive, where the computer stores data files. The third is the speed of the computer's input/output (I/O) drivers, which run such items as video display terminals and printers.

Back to my problem, though. I knew that I didn't know much about benchmarking, so I sought the advice of Don Peterson, a friend who had benchmarked several different machines. Don provided me with a set of benchmark routines that he had developed. These routines read and wrote huge volumes of data to disk, calculated scores of prime numbers, tested the speed of the compiler, and seemed to thoroughly exercise every significant aspect of a computer's performance.

Not only did Don provide me with the routines, but he gave me test results for the Onyx C8002M. This meant that if I ran these same programs on the Altos, I could tell immediately which machine was faster and by how much. Thus armed with my personal copy of a benchmark library, I set out to learn the truth about the Altos 586.

### GOING FOR A TEST DRIVE

You don't have to buy a particular computer in order to run a benchmark program on it; computer dealers are gracious about letting you use a machine in a showroom or data center long enough to let you run the program and record the results. It's a little like asking to test drive a car. Another friend had an Altos 586, and he invited me to run the benchmark programs any time. (He was also anxious to see how the Altos would stack up against the Onyx.)

When I ran the tests a few days later, the results were astonishing. I had expected the Altos to be slower than the Onyx because it was much less expensive. Although in some cases the Altos completed the tests in the same time, in others it seemed to run twice as fast as the Onyx.

I was shocked. The Onyx

C8002M had proved itself to be an outstanding workhorse for many years, and I couldn't believe that the 586 was so much faster yet cost so much less. Thinking that I must

**If your programs use BASIC or a database manager, you should reduce the number of users you try to support.**

have run the tests incorrectly, I contacted my friend Don and arranged for him to conduct his own tests of the 586.

Don's results were essentially the same as mine. Every indication seemed to say that the Altos 586 was dramatically faster than the Onyx C8002M. Needless to say, I began to recommend the Altos to some of my potential customers.

Within a few months, I booked an order for the Altos and installed our general accounting system on it at a customer site. The installation went smoothly, but soon the customer began to complain about the computer's speed (or rather lack of speed). This surprised me because I felt that the Altos was faster than the Onyx and because similar customers with Onyx computers seemed to be quite satisfied.

When I went to investigate the customer's report, I had to admit that the Altos did seem to be running slowly. At first I thought that this particular machine had something wrong with it, so I benchmarked the customer's unit. The results were consistent with my earlier tests. The Altos ran the benchmark programs faster than did the Onyx, but my accounting pro-

grams seemed to run slower. I had two serious problems: First, a customer was unhappy with a machine I had recommended; second, if the benchmark programs did not give me an indication of what to expect, how could I ever measure a machine before installing it at a customer site?

### THE MYSTERIOUS 'SOMETHING'

Now I had a real mystery on my hands. There was something different between the Onyx and the Altos, and it was something that the "normal" benchmark programs didn't measure. This "something" was making my accounting programs run slower on the Altos than they did on the Onyx. I needed to find out what this something was. After realizing that the benchmark program I had wouldn't do, I wrote my own.

The previous benchmarks I had used were fairly broad measurements of overall machine performance. They measured the speed of math functions, of the compiler, etc. I wrote a benchmark that measured 13 specific areas: 16-bit math, 32-bit math, floating-point math, speed of function calls, speed of stack allocation, sequential reads, sequential writes, block reads, block writes, random reads, repetitive reads of the same area, repetitive reads of alternating areas, and disk syncs.

I knew which machine functions I wanted to measure because I knew which ones my programs used. By measuring them individually, I hoped that I could identify the "something" that was causing my problem.

I ran my benchmark program on both the Onyx and the Altos machines, and, sure enough, the Altos was faster than the Onyx in 11 of the 13 categories. But the Altos was

slower in the random disk I/O test and in the disk sync test. The indexed-access method that my accounting programs used performed extensive random disk I/O, and it also issued the sync command at various times. The first benchmark routines had not specifically tested these functions.

Once I knew which were the problem areas, I was able to modify my accounting programs to minimize the use of the random disk I/O and sync functions. When I did this, the Altos' performance improved significantly. However, while helping solve the customer's problem, I had been bitten by the benchmark bug.

I improved the multiuser aspect of my benchmark program to synchronize each test from a master location and to record the time for each copy individually. I also modified the program so that I could select how many users I wanted to simulate for which tests, and I expanded the number of tests to 18. Armed with my new benchmark program, I set out to learn the truth about Unix system-based computers.

### HUNDREDS OF COMBINATIONS

Over 90 manufacturers now offer Unix system-based computers, and most of these manufacturers offer more than one model. Because they all offer options for memory size, disk speed, and so forth, there are hundreds of different combinations that you can benchmark. Right now, I am testing three or four new machines each month.

I chose my initial tests carefully because I wanted answers to some specific questions, including the following: How many users can a machine support before response time

becomes unacceptable? Are new versions of the Unix system faster or slower than the old ones and, if so, by how much? What effect does memory size have on response time? Is a big machine with 30 users faster (or slower) than a small machine with 3 users? What are the relative speeds of a personal computer, a supermicro, and a supermini? Are the new processing chips (68000, 80286) actually faster than the older chips (Z8000, 8086)?

Before getting back to our original two questions of users and cost, I must explain the types of programs I run and the performance level I desire. My programs are written entirely in C and have a classical, linked-list, indexed-file structure. Remember that COBOL programs tend to be larger than C programs. Thus, if your programs are written in COBOL rather than C, you should buy a computer with a larger main memory to prevent the machine from "swapping."

In addition, programs in BASIC tend to be slower than programs in C, and database management systems tend to be slower than linked-list, indexed-access methods. If your programs use BASIC or a database manager, you should reduce the number of users you try to support on any machine.

My customers usually want quick response times (almost instantaneous for field validation, and three or four seconds for full-screen inquiries). If you need faster response, or if you can tolerate slower response, you could also adjust the number of users (see Figure 1). Based on my tests, I prefer the machines listed in Figure 2.

For those of you interested in the nitty-gritty details, here are some of the more interesting technical points I uncovered with my benchmark program.

## FEATURE

### TWO MAJOR TYPES

There are two major types of multiuser operating systems, which I refer to as "partitioned" and "swapped." A partitioned multiuser operating system divides main memory into several partitions, and each user program is placed in a partition. The computer's "brain" constantly switches from one partition to another, executing each program for a short time.

This is a relatively fast form of a

multiuser operating system, but it requires a computer with a large main memory. There is a drawback, however. If the main memory is large enough for six user programs, a seventh person who tries to use the computer will not be able to do any work until someone else's job ends.

A swapped multiuser operating system will normally have a save area on a disk storage unit where it can place user programs temporarily. The operating system will exe-

cute a user's program for some length of time, copy it out to the disk, and then copy a different user's program in from disk. The operating system then executes the new program for a time and repeats the process.

**Benchmarking is the process of running exactly the same program on two different computers to see which one runs it faster.**

Brand	Model	Memory	Disk	Unix/Version	Heavy Users	Light Users	Approx. Price(\$)
Altos	586-40	512K	32Mbyte	Xenix 2.5	3	6	\$ 10,000
AT&T	3B2/300	1024K	32Mbyte	Unix 5.1	6	20+	\$ 15,500
CCI	5/20	1024K	72Mbyte	Perpos 3	4	13	\$ 42,000
DEC	VAX/750	2048K	121Mbyte	4.2BSD	6	19	\$ 60,000
IBM	Series/1	512K	29Mbyte	Serix 5	2	6	\$ 42,000
Intel	286/310	980K	32Mbyte	Xenix 2.3	5	10	\$ 17,500
Momentum	32E	1024K	33Mbyte	UniPlus 2.2	1	7	\$ 22,000
Onyx	C8002M	512K	36Mbyte	Unix 3.0.3	5	8	\$ 15,000
Plexus	P-35	2048K	145Mbyte	Unix 3.1	9	20+	\$ 28,000
Pyramid	90x	4096K	214Mbyte	OSx 2.3	14	30+	\$100,000
Zilog	32	1024K	168Mbyte	Zeus 3.21	12	18	\$ 33,000

FIGURE 1: A comparison, based on the author's benchmarks, that shows the number of "heavy" users, "light" users, and price tags of some of the more popular Unix system-based multiuser computers.

Users	Brand/Model	Price	Comments
1	none		I haven't yet tested the PC/AT or the new AT&T personal computer.
2-4	Altos 586-40 512K 32MB	\$9995	Good price/performance; inexpensive on-site equipment maintenance.
5-8	AT&T 3B2 1024K 32MB	\$15,500	Response curve is very flat. The system does not "degrade" much as more users become active.
9-16	Plexus P-35 2048K 145MB	\$28,000	Good (although expensive) repair and software support.

FIGURE 2: The author's recommended systems for different numbers of users.

One advantage of a swapped system is that the computer's main memory need only be large enough for the single largest user program, thereby reducing cost. Another advantage is that it will continue to run (albeit slowly) when it is overloaded. The most notable disadvantage of a swapped system is that it is usually much slower than a partitioned system; all the copying back and forth from disk takes a considerable amount of time.

The Unix system uses both partition and swap techniques. As more user jobs are started on a Unix system computer, they are loaded into available memory. When all of the memory has been used, the Unix system begins to swap some tasks out to a disk area. This allows the system to provide the best features of both techniques—it uses the faster partitioning technique until all available memory has been used, but it absorbs "overload" conditions by using the swapping technique.

But this raises some important questions: At what point does a particular computer shift from partitioned to swapped? And how much




FIGURE 3: Results of the Onyx C8002M (512K) on the author's Test 1, Disk I/O and Calculations, 100 cycles.




FIGURE 4: Results of the Onyx C8002M (1024K) on the author's Test 1, Disk I/O and Calculations, 100 cycles.

identical tasks; when you plot the results, you can easily see at what point the system starts swapping and exactly how much slower it will run once the swapping starts.

Figures 3 and 4 show some sample results. The first of these figures shows the results for an Onyx C8002M with 512K bytes of main memory. You can see that the swapping process starts with the

**There was something different between the Onyx and the Altos, something the 'normal' benchmark programs didn't measure.**

eighth program and that response time changes dramatically after that point. The other figure shows the same computer with 1024K bytes of main memory. It is easy to see that with 13 active tasks the 1024K-byte machine is completing work 90 percent faster than is the 512K-byte machine.

## NEW OPERATING SYSTEM RELEASES

From time to time, equipment manufacturers offer a new release of a computer's operating system. Included with these new releases are corrections of problems that users of the previous release have reported and, sometimes, additional features that the manufacturer feels will make the product more attractive. Experienced programmers frequently grow quite cynical about new releases, which always seem to create two new problems for each

slower will it run once it starts the swapping process? My benchmark program answers these questions by executing multiple copies of

identical programs that perform exactly the same function at the same time. The benchmark measures the time required to complete these




FIGURE 5: Results of the Altos 586-40 running under Xenix 2.3 on the author's Test 7, Double Floating-Point Math, 25,000 cycles.




FIGURE 6: Results of the Altos 586-40 running under Xenix 2.4 on the author's Test 7, Double Floating-Point Math, 25,000 cycles.

one they have solved, and programs always seem to get bigger and slower under the new release.

In 1983 Altos began distributing

Release 2.4 of Microsoft's Xenix system. This release included some changes that allow program sizes greater than 64K bytes. The instal-

lation letter that came with Release 2.4 mentioned that programs might run "fractionally longer" with the new software. I decided to run my benchmark program on Xenix 2.3 and Xenix 2.4 to see exactly what was meant by the phrase "fractionally longer."

My current benchmark program tests 18 different machine functions. In 17 tests the results showed little or no change. However, in one case (64-bit double-precision floating-point math) the new release was 2687 percent slower than the old release. A calculation that took 16 seconds under

**You can now write benchmark programs that you can move from machine to machine without changing one line of code.**

Release 2.3 required 446 seconds under Release 2.4. Figures 5 and 6 show the relative speeds with different numbers of users for the two versions.

## TASK BALANCING

If you started six identical tasks on the same computer at the same time with the same priority, you would expect that they would take about the same time to complete—right? Wrong! My benchmark program has uncovered numerous cases in which the times taken to complete identical tasks executing simultaneously differ dramatically. I refer to this as a "task balancing" problem. Figures 7 and 8 list some sample results that

## FEATURE

	Altos 586	AT&T 3B2	Momentum 32E	Onyx C8002M
Copy 1	253	143	403	86
Copy 2	249	174	322	86
Copy 3	249	158	322	168
Copy 4	273	208	165	171
Copy 5	265	116	163	211
Variance	10%	79%	147%	145%

FIGURE 7: The results of the author's Test 15 (Write 500 Records to Disk, "sync" Disk After Each Write), five copies executing simultaneously. Numbers represent seconds required to complete each test for each copy.

	Altos 586	AT&T 3B2	Momentum 32E	Onyx C8002M
Copy 1	106	54	91	43
Copy 2	105	76	72	44
Copy 3	105	82	71	82
Copy 4	105	59	36	86
Copy 5	106	38	35	106
Variance	1%	116%	160%	147%

FIGURE 8: The results of the author's Test 18 (Read 500 Records Randomly From Disk), five copies executing simultaneously at the same priority. Numbers represent seconds required to complete test for each of the five copies.

illustrate both good and bad task balancing.

Although the time variance from fastest to slowest is interesting, what I found to be more interesting was that, on the Onyx, the first copy created ran fastest and that the last copy ran slowest. On the Momentum, the first copy ran slowest and the last copy ran fastest. On the AT&T, there was significant variance, but no visible pattern; and on the Altos, there was relatively little variance. And these are only a few examples. The results in my files contain dozens of similar cases where the same patterns are evident.

These results, and others like them, show how far benchmarking

has come in the last several years. Yes, benchmarking used to be hard and the results imprecise. But thanks to the spread of standard operating systems and their standard languages, you can move benchmark programs from machine to machine without changing any code. This means that you can now produce valid comparisons of machines, finally giving us a reliable way to answer those two nettlesome questions we began with. □

*Neal Nelson graduated from Purdue University in 1970. His firm, Neal Nelson and Assoc., has been providing application software in the Chicago area since 1973.*

**To Change Your Address:** Please affix your current mailing label (or print your name exactly as it appears on your mailing label) in the space directly below and enter your new address at the bottom of this page. Allow 4-6 weeks.

# MOVING?

Name \_\_\_\_\_  
Address \_\_\_\_\_  
City/State/Zip \_\_\_\_\_

MAIL TO:  
**UNIX/WORLD**  
READER SERVICE DEPT.  
P.O. BOX 1165  
DOVER, N.J. 07801

## FRANZ

### THE FIRST NAME IN LISP

Franz Lisp from Franz Inc. is currently available on a wide range of machines under **UNIX** and **VMS**. Franz sets the standard for Lisp. Call or write for more information.

**FRANZ INC.**  
2920 Domingo Ave. Suite 203  
Berkeley, California 94705  
(415) 540-1224

UNIX is a trademark of Bell Labs. VMS is a trademark of Digital Equipment Corporation.



# UTS: AMDAHL's *and AT&T's* MAINFRAME UNIX SYSTEM

BY BRUCE HUNTER

*Amdahl's Maxi-Unix System, UTS, represents an uncommonly fast and powerful marriage of two usually opposing worlds: the Unix system and IBM's mainframe environment.*

**F**ew people know that Amdahl Corp. has managed a stunning marriage between two formerly diverse worlds: the Unix system and the IBM mainframe environment. This melding is likely to become even more important in the not-so-distant future, as AT&T Information Systems (AT&T-IS) and Amdahl Corp. team up to push System V to major accounts and to *Fortune* 100 users (see this issue's cover story).

Consider the potential of merging the Unix system with IBM architecture. The Unix system has many strengths, including its programming environment, its writers' environment, and its unique capabilities as a communications machine.

Critics, however, often deride the Unix system for its lack of speed and for its weakness as a production environment in batch-processing-oriented applications. Amdahl's version of the Unix system, the Universal Timesharing System (UTS), clearly shows that these failings are intrinsic to the mini and supermicro classes of computers, rather than to the Unix system itself.

This review discusses two versions of UTS: UTS 2.3 and the soon-to-be-released UTS 5, a System V-based version. Both were reviewed on an Amdahl 470 v7a.

Most installations with UTS use it on top of VM, IBM's proprietary "virtual machine" operating system. VM is not an operating system in the conventional sense—it's more accurate to call VM a "software platform" because it can support a multitude of other operating systems.

For instance, VM can support several IBM operating systems simultaneously (including CMS, IBM's single-user operating system), and all can co-exist with one or several UTS Unix systems on the same piece of hardware.

Naturally, subtle differences exist between UTS 2.3 and the

"vanilla" AT&T Unix system. For the most part, these differences occur when UTS interfaces with other UTS machines (both real and virtual), with IBM's VMSsystem, with CMS, and with commands that talk to IBM hardware.

With virtual Unix systems sitting on IBM's architecture, traditional Unix system commands have a Big Blue accent. IBM tapes are labeled with a volume number and a serial number called 'volser' (from *volume* and *serial*), Winchester disk drives are dubbed DASD (for direct access storage devices), and so on.

If the device doesn't start with a 3 and if it doesn't have three more digits following, most likely it doesn't belong to the system. (Almost all IBM devices start with the numeral 3, followed by three digits.) You never "boot" the system; instead, you do an IPL (Initial Program Load).

## A TYPICAL VM/UTS INSTALLATION

Typically, a mainframe running UTS has a large number of CMS virtual machines sharing the system with several UTS machines. The number of UTS machines present on the system depends both on the judgment of the system manager and on the needs of the users.

There is nothing unusual, for example, about having 12 virtual UTS machines, each with up to 100 user log-ins and 4 to 16 active users at any given time on each virtual Unix system machine. The number of available lines to each machine is also a matter of system management discretion.

Because IBM operating systems and the Unix system have so few similarities, system administration should be handled by two individuals—one managing the

## COMPANY OVERVIEW

### Corporate:

**Company name:** Amdahl Corp.  
**Public/private:** Public  
**Year founded:** 1970  
**Headquarters:** 1250 E. Arques, Sunnyvale, CA 94086

**CEO:** John C. Lewis  
**Senior VP corporate Strategy and software:** William F. O'Connell Jr.  
**General sales contact:** Donal O'Shea, Director, UTS products (408/746-6289)


### Financials:

	1983	1984
<b>Gross revenue:</b>	\$777.6 million	1984 figures not yet available
<b>Net income:</b>	\$46.4 million	
<b>% of total expense spent on R&amp;D:</b>	14% of revenues	
<b>Employees:</b>	6800 worldwide	
<b>Units shipped:</b>	N/A	

### Major support centers for UTS

U.S.: Columbia, Md.  
 Overseas: Canada, France, Germany, U.K., and Italy

## UTS 5.2 UTILITY COMMAND COMPLETENESS



VM/UTS side and the other managing the VM/CMS and VM/CP side. A working team of administrators is the best possible approach to this kind of machine.

If you have administered the Unix system on a lesser machine, UTS' virtual machines will take your breath away. In a matter of hours you can take an entire machine off the system or put it back on; total user backups take only a few minutes. Because the system tape drives have capabilities of 6250

**With virtual Unix systems sitting on IBM's architecture, traditional Unix system commands have a Big Blue accent.**

bytes per inch and 200 inches per minute, taking files to and from tape is not at all time consuming.

Formatting disks, making file systems, and mounting them are pretty much the same under UTS as they are on other, standard Unix systems, except for speed. Formatting a mini disk for an entire file system takes less time than a trivial compilation on a mini. You can copy a file tree from one disk to another in a few minutes, and an experienced VM system programmer using DDR (a byte-for-byte copy command) can transfer an entire virtual machine.

UTS administration tasks are, however, more time intensive than those of traditional Unix systems. You have to deal with incredible amounts of disk storage (storage is in deca gigabytes), and caring for all that storage takes time. In addition, you are administering a multitude of virtual Unix machines, and each one has its own unique topology. Because the IBM architecture is so fast, every moment counts.

The challenge is to incorporate UTS in the most efficient way possi-

ble, while still giving each user an even share of the resources. A co-worker and I have devised a system for putting each UTS machine on its own disk pack, location file trees by user about the central cylinder. This scheme keeps head and channel contention from seldom rising above 1 percent.

## UTS 2.3 AND UTS 5

To individual users, UTS Version 2.3 seems similar to Unix Version , with some Berkeley enhancements thrown in for good measure. At the ordinary user level, the only noticeable difference from the standard Unix system is UTS' visual editor, `ned`, which differs from the Unix system's `vi` because of the IBM terminals' half-duplex operation.

Speed of operation is fast, and compilations take a few seconds. The only noticeable delay occurs with `nroff` using the `ms` macro. Because of its searching algorithms, `ms` on UTS 2.3 is central processing unit (CPU) intensive, and a 15-page document takes as long as five seconds to format (this is improved in UTS Version 5.01).

Even University Ingres, the most notorious CPU hog of all, doesn't affect the performance of the Amdahl computer. The combination of speed and computational power on this computer allows the UTS 2.3 system to breeze along at well under 100 percent loading nearly all the time, even with 100 users. As a result, users do not have to put up with system degradation, typical of so many Unix system-based multiuser supermicros and minicomputers. Other system deficiencies—such as lack of `uucp`—are corrected in UTS 5.

It was only a matter of time before Amdahl created an embedded, or native, Unix system. That product, UTS 5.01, is in beta test at the time of this writing. Versions of UTS (up to and including 2.3)

have had to be run as guests under IBM's proprietary virtual operating system, VM. UTSVersion 5, however, can run in two ways—either with VM or as a free-standing (embedded) UTS Unix system. UTS Version 5 is essentially AT&T's System V, Release 2 with Berkeley Unix system additions.

UTS 5 heralds a new era for Amdahl's UTS Unix system. Because it makes UTS available in two ways (as a free-standing system and as a guest under VM), both have had to rejoin the mainstream of Unix systems. In Version 2.3, a special command called `opr` (off-line printer), which took over the function of standard Unix's `lpr`, handles the problem of multiple printers, typical of a mainframe.

UTS 5.01 comes to grips with the problem of multiple printers and classes of printers by using the standard Unix System V command `lp`. However, an additional command, `lpcntl`, is needed to mount print bands to IBM-type printers. Other than that, UTS Version 5.01 is similar to the straight AT&T Unix operating system. The new UTS version includes support for non-IBM terminals, so `vi`, `ex`, and `ed` are all at home.

## WHAT'S WRONG WITH UTS

The marriage of the Unix system and the IBM mainframe architecture is not always an easy one. The Unix system is an ASCII, full-duplex operating system, and problems arise when it is placed in an EBCDIC (Extended MBinary Coded Decimal Interchange Code), half-duplex environment.

The user's biggest problem is the transition from full-duplex to half-duplex operations, particularly with regard to terminals. The Unix system was born on a Teletype, but it lives on an ASCII, full-duplex, scrolling terminal that has character-

by-character transmission. IBM's 370 architecture, however, requires block-mode transmission. Half-duplex, block-mode transmission was created for speed, whereas full-duplex was created for convenience. Combine the two, and you end up with problems.

On conventional Unix systems, users rely on the Berkeley database `termcap` to set their terminals. `termcap`, however, was never intended to live with IBM 3270 terminals! As a result, `vi` is not available

to UTS in the 2.3 VM version. UTS 5 implementations on Amdahl 580 computers have `vi`, but that's little consolation for those people using an Amdahl 470.

To make up for the loss, Amdahl has created its own native editor, called `ned`, for UTS. `ned` is a cross between IBM's XEDIT and the Unix system's `ed`. It is a full-screen, visual editor that has most of the "bells and whistles" of a Unix system editor: global search and replace; search; add, delete, and insert;

move rapidly through text; and read to and from files.

Additionally, it allows strikeouts, something that `vi` does not. The only things missing are scrolling and word wraparound because 3270 terminals don't scroll. These problems disappear, however, if you use UTS 5 on an Amdahl 580 computer.

Crossing the ASCII/EBCDIC interface also presents some problems. The terminals are EBCDIC, and because many IBM terminals cannot produce square brackets, the system expands all brackets into parenthesis/pipe pairs. In other words, "[ ]" becomes "( | )."

Coordinating the printer bands using device-driver translation tables tends to be more of a lifetime occupation than a one-time setup. Some characters refuse to translate exactly; for example, back slashes come out as cent signs, and the only way to change them is to alter a set of translation tables long enough to wallpaper Salt Lake City's Salt Palace.

## THE ADVANTAGES OF VM/UTS

The advantages of UTS far outweigh the disadvantages, however. The biggest single advantage is that you are able to run multiple (virtual) UTS Unix system machines on the same powerful piece of physical hardware. The ability to create a number of virtual machines gives you an additional advantage because you can customize each machine to further suit the needs of the users by adding additional software. Because all UTS machines have full communications capabilities with each other and are, in effect, loosely coupled, there is no handicap.

In non-data-processing environments, such as software development and scientific applications, it is not only possible but also efficient to put each smaller virtual machine on a single 1/8-gigabyte Winchester

### BENCHMARK MEASUREMENTS

#### Memory Loop Access Times (nanoseconds per byte)

	<i>read</i>	<i>write</i>	<i>copy</i>
Char type	350ns	445ns	608ns
Short type	193ns	209ns	287ns
Long type	123ns	106ns	149ns

#### Input/Output Rates (bytes/sec)

	<i>read</i>	<i>write</i>	<i>copy</i>
Disk	322K	258K	122K
Pipe			582K
TTY 1		0	
TTY 1 + 2		0	
RAM 1-byte			1645K
RAM 4-byte			6716K

#### Array Subscript References (nanoseconds)

short[ ]	long[ ]
601ns	574ns

#### Function References (nanoseconds/ref)

0-parameters funct()	1-parameter funct(i)	2-parameters funct(i,i)
643	834	887

#### Process Forks

(65K bytes)  
29 per second

#### System Kernel Calls (calls-per-second and microseconds-per-call)

<code>getpid()</code> calls:	2 Kcalls/sec or	424 microseconds/call
<code>sbrk(0)</code> calls:	1 Kcall/sec or	950 microseconds/call
<code>create/close</code> calls:	713 pairs/sec or	1403 microseconds/pair
<code>umask(0)</code> calls:	2 Kcalls/sec or	424 microseconds/call

disk. This one-machine/one-spindle system allows substantial optimization when it comes to the physical placement of Unix system file trees on disk.

Under VM, the number of seeks for any given mounted file system can be monitored (by `vmap`), so you can determine which trees get the most use. Arranging the location of these trees to keep the Winchester drive heads as close to center at all times reduces head (and channel)

## VIRTUAL IS REAL

To fully understand a virtual operating system environment such as UTS/VM and CMS/VM, we must put the concept of "virtual" into perspective. Everything in the system relies on the concept that real hardware (the system resources) can be utilized as virtual resources, resulting in a whole that is much larger than the sum of its parts.

If the system's real memory is a "scant" 16 Mbytes (64 Mbytes is not uncommon on a mainframe), and even if there are 300 virtual systems on the one physical system, nevertheless, the users on each virtual system will feel as if the entire 16 Mbytes are at their disposal.

How the system swaps and pages to give each user a virtual 16 Mbytes is beyond the scope of this review, but it works, and it goes far beyond memory size. For each physical device, there is a corresponding virtual device, and most of the devices appear to be exclusively available to each virtual machine. Virtual addresses also appear to be addressing the same disk address, such as disk 191, as if it were a unique location.

The most magnificent aspect of the virtual system is that separate virtual systems co-exist within the same real machine—each being unique, each independent, and each with the majority of the system's resources at its disposal.

contention substantially (from nearly 100 percent down to 4 percent or less).

You can thus combine VM's system diagnostic capabilities, the smaller machine size allowable with virtual machines, and the intrinsic speed of IBM 370 architecture to create fast and supremely efficient UTS virtual machines.

Another advantage of multiple virtual machines is redundancy. All system managers and administrators are aware of the necessity of hardware redundancy. If one malfunctioning printer needs to be dropped, you simply reroute the printer spooler to another printer.

Why not apply the concept of redundancy to software as well? The ability to create virtual UTS Unix system machines frees you from being tied to a single system. Systems degrade with time, but new machines can be created or cloned as needed.

VM allows you to place each mounted file tree at an exact physical (real) address. The child system is then not only faster and more robust, but also new file systems will be re-created (by recursive copy commands) into a dense and contiguous system. Space lost by removals and poorly fitted additions is regained by the recursive copy techniques.

VM/UTS also allows you to create what I call a UTS Unix system "engine"—that is, a system consisting of essential UTS Unix system trees (`/dev`, `/usr`, `/bin`, `/usr/spool`, `/tmp`, and so on). The only user tree added—usually `/usr/system`—is a small landing place for the system administrator, operators, and system programmers. Once you have created and tested this engine for integrity, it can be a lifesaver.

The worst disaster imaginable is the loss of a disk pack by a head crash. If you have one virtual machine on one physical machine,

you're out of business. However, if you have a running UTS Unix system engine, all you have to do is format the remainder of the disk for the user areas, make the file systems, and load in the previous night's backup tapes, preferably in some form of archived format (I use `tar`).

## PERFORMANCE IN PERSPECTIVE

When it comes to measuring mainframe system performance, the usual benchmark programs are inadequate. There is no practical way

**The marriage of the Unix system and the IBM mainframe architecture is not always an easy one.**

to measure the enormous speed and power of a large mainframe such as an Amdahl computer running UTS. Gilbreath's Sieve of Eratosthenes (see *Byte*, September 1981) takes about 30 milliseconds to generate all the primes from 1 to 8190. In contrast, CompuPro's supermicro runs the sieve in 600 milliseconds.

Obviously, you can't make direct comparisons between these two systems. Aside from obvious hardware differences, more subtle differences exist. An Amdahl computer, for example, takes up to 100 log-ins, or six times as many users, as a VAX 11/780 or Data General MV 800, without appreciable degradation. In fact, if the sieve is run on 100 Amdahl terminals simultaneously, the time difference is barely discernible.

A more meaningful measure of performance for a mainframe-class Unix system is the use of CPU- and disk-intensive commands such as `man`, especially when the system is being used during peak user hours. The `man` command uses `nroff`

with the man macro package to format the manual pages from /usr/man. nroff is so memory intensive that it accounts for more CPU time than any other Unix system utility. On a small Unix system, such as a Codata, the man command takes about 20 to 30 seconds to format a set of manual pages. On an Amdahl 470, it takes only two to three seconds.

With Amdahl's UTS, everything seems bigger than life. The Amdahl 470's 16-megabyte memory is dwarfed by the Amdahl 580's 64-megabyte memory. The system tape drives are normally a dense 6250 bytes per inch and a fast 200 inches per second. User systems can be put to tape in about five minutes.

"All day" tasks (Winchester

disk formatting, for example) are accomplished in just a minute or two. The longest tasks usually encountered in day-to-day use are massive tree copies, and it takes less than five minutes to copy an entire file tree from one mini disk to another. Floating-point operations are in a class by themselves—the IBM architecture lives to process floating point, and its only competitor is the fabled Cray supercomputer.

So when you read the benchmark data, bear in mind that the Amdahl 470 v7a computer I used to benchmark UTS is one of Amdahl's slower machines. It was chosen at my installation for dependability, not speed; an Amdahl 580 computer runs three times as fast.

In stand-alone or virtual machine configuration, Amdahl's UTS

Unix system is the fastest and most powerful Unix system available today. UTS is a friendly mix of Unix Version 7, System III, System V, and Berkeley Unix with a touch of VM/VP and VM/CMS. Because Amdahl has been offering UTS for several years, the product is mature and fully developed, and it is backed by some of the best support in the computer industry. It will be a long time before you see anything that can compete with this Unix system. □

*Bruce Hunter is Unix system administrator for Interstate Electronics, Anaheim, Calif. He has written several books and numerous magazine articles about computer-related subjects.*

## How to share a computer.

It couldn't be any easier.


Just plug the new LimeLight™ computer projector into virtually any personal computer, or terminal, turn it on and focus.

It's like having a six foot screen on your computer. So everyone gets a first-class view.

Whatever you create on your computer screen is projected onto any large screen or wall. And of course, every change you make is projected instantly.

You can use the LimeLight computer projector to share any kind of computer application—from training to business and sales presentations.

Because the LimeLight computer projector weighs only twenty-five pounds, you can carry or travel with it easily.



If you'd like to know more about sharing a computer, just call or write us about a dealer demonstration or more information.

**VIVID SYSTEMS INCORPORATED**  
Marketing Department  
2440 Embarcadero Way  
Palo Alto, California 94303  
(415) 424-1600

**lime-light**  
COMPUTER PROJECTOR


LimeLight and VIVID are trademarks of VIVID Systems Incorporated,\* patent pending.  
© 1985 VIVID Systems Incorporated.



Please circle Ad No. 29 on inquiry card.

# THE UNIX/WORLD COLLECTION

COMPLETE YOUR PROFESSIONAL LIBRARY ON THE UNIX SYSTEM!



**The Unix System Encyclopedia**  
YATES VENTURES

The UNIX System Encyclopedia is the largest available collection of information about the Unix marketplace. Over 400 pages, with a comprehensive Unix directory. Includes 100 pages of manufacturer specifications, photographs, software reviews, and articles on the Unix system.  
PUBLISHER'S LIST PRICE: \$34.95




**The C Programming Language**  
Kernighan/Ritchie  
PRENTICE-HALL

The C Programming Language is an in-depth guide to programming in C. A true classic, it appeals to all levels of expertise.  
PUBLISHER'S LIST PRICE: \$22.50



**Understanding Unix—  
A Conceptual Guide**  
Groff/Weinberg  
QUE PUBLICATIONS

An excellent introduction for managers new to the Unix system, the *Conceptual Guide* introduces you to the reasons for implementing the Unix system.  
PUBLISHER'S LIST PRICE: \$17.50



**A Practical Guide to the Unix System**  
Mark Sobell  
BENJAMIN CUMMINGS GROUP

*A Practical Guide to the Unix System* is an excellent reference as well as a detailed learning tool. As an added bonus, the author had included a comprehensive overview of Xenix.  
PUBLISHER'S LIST PRICE: \$21.95



**A User Guide to the Unix System**  
Second Edition  
Dr. Rebecca Thomas/Jean Yates  
OSBORNE MCGRAW-HILL

Takes up where *A User Guide to the Unix System* left off. The basics of the Unix System for novices, with hands-on tutorials.  
PUBLISHER'S LIST PRICE: \$18.95

ITEM	QTY	PRICE	TOTAL
User Guide to the Unix Syst. Second. Ed. Thomas/Yates U200			
Practical Guide to the Unix System Sobell U201			
The C Programming Language Kernighan/Ritchie U202			
Understanding Unix, Conceptual Guide Groff/Weinberg U203			
The Unix System Encyclopedia, Yates Ventures U204			
SUBTOTAL			
SAVE! IF YOUR ORDER IS FOR MORE THAN ONE BOOK, SUBTRACT 20% HERE			
CA RESIDENTS ADD 6.5% SALES TAX			
SHIPPING AND HANDLING			\$2.50
GRAND TOTAL			

**SAVE ON ORDERS OF TWO BOOKS OR MORE, TAKE 20 % OFF THE SUGGESTED LIST PRICE!**

CREDIT CARD HOLDERS SAVE TIME & MONEY BY CALLING TOLL FREE: (800) 632-7979 (CA Residents only) or (800) 227-6703

Ship Order to:

Name: \_\_\_\_\_

Company: \_\_\_\_\_

Add: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Signature: \_\_\_\_\_

- ☐ Check Enclosed  
☐ Please Charge to My:  
☐ Mastercard \_\_\_\_\_  
☐ Visa Card \_\_\_\_\_  
 Expire: \_\_\_\_\_

ADDRESS ORDERS TO:

UNIX/WORLD Magazine  
125 Main Street  
Half Moon Bay, CA 94040

# THE PLEXUS CHALLENGE:

## REVIEWING THE P/35

BY BRUCE MACKINLAY



*This month our crazed reviewer sets out to win himself a watch.*

I took the Plexus Challenge—something akin in Unix system benchmarking circles to the Pepsi challenge for colas—and I won, kind of. The only problem is that to do it I had to compare a Plexus P/35 to a machine that costs twice as much. I don't know if the nice guys over at Plexus will count this one, but I thought I'd give it a shot anyway.

If you're a little lost right now, let me take a second to explain. The challenge of Plexus' recent advertisement was simply too much for me. Plexus promised a fancy new \$485 Heuer Chronograph to anyone who could find an equivalent Unix system-based supermicro that beat one of its own. I just can't resist a dare. I said to myself that there must be another supermicro in the market that is faster than the Plexus. And if I can find one, I can win a free watch. For its part, Plexus was so confident that it couldn't be beat that it loaned me a P/35 to make the tests.

For those remaining few of you out there who don't know Plexus, it was one of the first companies to

## REVIEW

enter the supermicro market, back in 1980. In the last few years, the firm has earned quite a reputation for producing machines with a good price/performance ratio, good support, and excellent networking. On top of all that, because it was one of the first and because its machines have been so good, a large selection of software is available on the Plexus.

The P/35 is an M68000-based supermicro built around the Multi-bus communications bus. The machine I benchmarked had 1 Mbyte of memory and a 36-Mbyte hard disk. What makes the machine so fast is the use of memory caching and a separate input/output (I/O) processor. The processor runs at 12.5 MHz and uses a 4K-byte cache. Standard on the P/35 is a 45-Mbyte streaming tape cartridge for system backup. The base system starts at \$17,000, and the machine I benchmarked is currently priced around \$22,500.

### THE HARDWARE

There are a number of different types of I/O processors on the P/35: one to handle all serial (terminal) I/O, another that handles block (disk and tape) I/O, and another to handle local-area network (LAN) I/O. The Unix system is known to be very I/O intensive, and on many Unix systems the main central processing unit (CPU) spends most of its time handling I/O and very little time doing "useful" work (that is, processing data).

The heavy use of I/O co-processors on the P/35 keeps it from degrading in Unix system environments when many others' response times bog down. Both the serial and block I/O processors use the Z8000 with local and shared memory. The serial I/O processor handles up to eight terminals and

parallel printers. The maximum data rate for terminals is 19.2K baud, or 1920 characters per second.

The P-35 also supports both synchronous and asynchronous I/O, allowing the Plexus to support remote job entry (RJE) and HASP protocols, which are important in large IBM-dominated companies. The block I/O processor handles both the SMD disk drive and the tape. The basic P/35 comes with a 22-Mbyte NEC hard disk and a streamer cassette tape for backup. You can add a second drive or upgrade to a number of larger disks, including a 145-Mbyte Fujitsu (pronounced very fast) hard disk.

Other machines in the Plexus hardware family include the P/15 and other models up through the P/60. Two older machines, the P/25 and P/40, use the Z8000 for the CPU, while all the rest use the M68000 (or M68010). Plexus still supports and sells these older Z8000 units, but these machines do not have as low a price/performance ratio as do the M68000-based machines. I expect Plexus to retire the P/25 and P/40 one day, but the company makes a big deal about the fact that it will support them forever.

The big difference between the P/35 and the P/60 is expandability. The P/35 currently supports up to

### COMPANY OVERVIEW

Company name:	Plexus Computers Inc.
Public/private:	Private
In business since:	November 1980

Headquarters:	3833 N. First St. San Jose, CA 95134 408/943-9433 TWX/TELEX 910 338 2223
---------------	---

CEO:	Robert Marsh, chairman of the board
VP Marketing:	Jeff Stives, head of marketing and communications

General sales contact:	Ed McCurtain, VP sales Plexus Computers Inc. 3833 N. First St. San Jose, CA 95134
------------------------	--

	This Year	Last Year
Gross revenue	N/A	N/A
Net income:	N/A	N/A
Employees:	200	150
% of total expense spent on R&D:	N/A	N/A


Units shipped:	1500+
----------------	-------

Major support centers:	San Jose, Calif., Washington, D.C., Swindon, U.K.
------------------------	--


Major funding if private:	venture capital
---------------------------	-----------------

## COMMAND COMPLETENESS


### BERKELEY 4.1




### VERSION 7



### SYSTEM III



### List of additions:



## BENCHMARK MEASUREMENTS

### Aim Technology Suite II: Plexus P/35 Benchmark Results

Plexus P/35

#### Arithmetic Instruction Times (microseconds per op.)

	<i>short</i>	<i>long</i>	<i>float</i>	<i>double</i>
+ Add	2	905ns	343	229
+ Multiply	28	38	560	424
/ Divide	49	52	400	297

#### Memory Loop Access Times (nanoseconds per byte)

	<i>read</i>	<i>write</i>	<i>copy</i>
Char type	866ns	2	1
Short type	438ns	827ns	613ns
Long type	312ns	440ns	487ns

#### Input/Output Rates (bytes/sec)

	<i>read</i>	<i>write</i>	<i>copy</i>
Disk	34K 184K 145K	28K 52K 64K	19K (NEC 22-Mbyte Disk) 33K (Fujitsu 72-Mbyte Disk) 39K (Fujitsu 145-Mbyte Disk)
Pipe			123K
TTY 1		615	
TTY 1+2		1K	
RAM 1-byte			823K
RAM 4-byte			2059K

#### Array Subscript References (microseconds)

<i>short[ ]</i>	<i>long[ ]</i>
4	4

#### Function References (microseconds/ref)

0-parameters funct() 7	1-parameter funct(i) 13	2-parameters funct(i,i) 18
------------------------------	-------------------------------	----------------------------------

#### Process Forks

(49K bytes)  
19 per second

#### System Kernel Calls

(calls-per-second and microseconds per call)

getpid() calls:	4 kcalls/sec or	236 microseconds/call
sbrk(0) calls:	210 calls/sec or	4762 microseconds/call
create/close calls:	129 pairs/sec or	7752 microseconds/pair
umask(0) calls:	3 kcalls/sec or	303 microseconds/call

16 terminals and 2 Mbytes of random-access memory (RAM), while the P/60 supports up to 40 terminals and 8 Mbytes of RAM. A nine-track cypher tape drive is standard on the P/60, and there are more slots on the backplane.

The most recent addition to Plexus' product line, the P/15, is a low-priced machine intended to compete with the AT&T 3B2 and IBM PC/AT. Of course, AT&T and IBM have a great name advantage, but the Plexus P/15 should perform circles around these brand-name computers. Moreover, the P/15 starts at \$11,000 and will easily support eight users.

## NETWORKING AND SUPPORT

One of the most exciting things about the Plexus line of computers is its use of local-area networking and extensive communications. Of course, Plexus supports the Unix-to-Unix Copy (uucp) facility, but it also supports its own remote job entry (RJE) system. RJE is used heavily on IBM mainframes to share resources (and to hide the fact that IBM operating systems are slow). The Plexus RJE facility uses the standard HASP (read IBM) protocol, which allows the Plexus supermicro to be a front-end RJE station on your IBM mainframe.

The real jewel of Plexus' communications options, however, is its local-area network (LAN), which is Ethernet based and which uses the Excelan Ethernet Multibus card. This card supports full 10-Mbit machine-to-machine data rates. On top of this hardware, Plexus has developed what it calls the Network Operating System (NOS). NOS is really just an extension of Unix System III to support networking.

First, here are the good things about NOS. It is a very complete LAN; it even supports a distributed

file system. Of the big players, none currently has a Unix system-compatible distributed file system. Distributed file systems are important because you can build a LAN without worrying too much about where the hardware is. This means that a user on machine A could use files and devices on machine B transparently and efficiently.

The problem with NOS is that it is not a standard LAN. The base hardware is standard (ISO level 1 and 2), but the rest is nonstandard. This means that you will have a hard time using Plexus equipment in other, more conventional ISO standard networks. While no real standard in local-area networks exists, there are some strong contenders. One is the ICP/TP protocol developed for the Unix system at UC Berkeley. A number of manufacturers (including Digital) have picked up ICP/TP, and it is the protocol of choice in the Unix system research community.

The other contending protocol is X.25. This seems to be the protocol that AT&T will embrace, and it has a very wide following, especially in Europe. I should not discount IBM and its SNA protocol. IBM could still make its terrible protocol the standard (but I hope not). Unfortunately, Plexus' NOS doesn't work with either the X.25 or SNA protocols, and it seems unlikely that IBM or AT&T will adopt NOS as a standard.

One of the nicest things about the Plexus computer is the support. While many other small supermicro companies provide poor support, Plexus saw that supermicros are a lot like minicomputers and thus require the same type of support. Plexus offers a number of good support plans, including a field maintenance support program under which Plexus will send a field engineer within four hours of your call.

If you are willing to wing it, Plexus will repair your machine on a

time-and-parts basis, or you can ship your machine back to factory for repairs. Plexus will also train your personnel to identify, isolate, and repair Plexus problems, and the firm will provide exchange parts upon

demand. There is also a software support contract under which subscribing customers are provided with automatic updates, bug reports, enhancements, and a toll-free "software consulting" service.

## A COMPARISON OF THE SUN-120 AND THE PLEXUS P/35

(The fields that are full are the amount that the Sun-120 is faster than the Plexus P/35, based on the Aim benchmarks.)

### Arithmetic Instruction Times

	<i>short</i>	<i>long</i>	<i>float</i>	<i>double</i>
+ Add	+	+	1.5043	1.8031
+ Multiply	1.2173	1.3571	1.7210	2.3186
/ Divide	3.4285	1.6250	+	+

### Memory Loop Access Times

	<i>read</i>	<i>write</i>	<i>copy</i>
Char type	+	+	+
Short type	+	+	+
Long type	+	+	+

### Input/Output Rates

	<i>read</i>	<i>write</i>	<i>copy</i>
Disk	6.8529 1.2663 1.6069	10.2857 3.6154 2.9375	3.6315 (Using NEC disk) 2.0910 (Using Fujitsu 72-Mbyte disk) 1.6410 (Using Fujitsu 145-Mbyte disk)
Pipe			1.3902
TTY 1		++	
TTY 1+2		++	
RAM 1-byte			+
RAM 4-byte			+

### Array Subscript References

<i>short[ ]</i>	<i>long[ ]</i>
+	+

### Function References

0-parameters funct()	1-parameters funct(i)	2-parameters funct(i,i)
1.8571	1.4615	1.3333

### Process Forks

+++	
+	Plexus P/35 is faster or identical
++	Not comparable
+++	Numbers not available

## Aim Technology Suite II: Plexus P/60 Benchmark Results

### Arithmetic Instruction Times (microseconds per op)

	<i>short</i>	<i>long</i>	<i>float</i>	<i>double</i>
+ Add	2	1	367	231
+ Multiply	29	30	514	377
/ Divide	49	52	448	334

### Memory Loop Access Times (nanoseconds per byte)

	<i>read</i>	<i>write</i>	<i>copy</i>
Char type	978ns	2	1
Short type	439ns	827ns	613ns
Long type	317ns	456ns	500ns

### Input/Output Rates (bytes/sec)

	<i>read</i>	<i>write</i>	<i>copy</i>
Disk	145K	64K	39K
Pipe			115K
TTY 1		0	
TTY 1+2		0	
RAM 1-byte			784K
RAM 4-byte			2000K

### Array Subscript References (microseconds)

<i>short</i> [ ]	<i>long</i> [ ]
4	5

### Function References (microseconds/ref)

0-parameters func()	1-parameter func(i)	2-parameters func(i,i)
7	14	20

### Process Forks

(50K bytes)  
17 per second

### System Kernel Calls (calls-per-second and microseconds per call)

getpid() calls:	119 Kcalls/sec or	8 microseconds/call
sbrk(0) calls:	206 calls/sec or	4854 microseconds/call
create/close calls:	119 pairs/sec or	8403 microseconds/pair
umask(0) calls:	3 Kcalls/sec or	394 microseconds/call

## BENCHMARKS AND COMPARISONS

Finding a machine that is faster than the Plexus is easy: Try the Amdahl V7 IBM-compatible mainframe. Finding a machine that is both faster *and* that fulfills the requirements of the ad is another problem.

The ad clearly states that the machine must be a "supermicro." Well, that's easy. How about the Apollo; its arithmetic instruction times are from 2 to 40 times faster than the P/35. The problem with the Apollo is that it is not a "Unix system-based" supermicro. If you apply this requirement, you eliminate a number of machines that would otherwise contend with the Plexus, including the Charles River Data Systems machine. This machine runs UNOS, which is a "Unix-like" operating system, but it is not strictly a Unix system supermicro.

So after you throw out the mainframes, minicomputers, and non-Unix (not pure Unix) system supermicros, you are left with a lot of slower machines (including the NCR Tower, the IBM PC/AT, and the AT&T 3B2/300). Of the machines I have benchmarked, only one, the Sun-120, is faster, and even then only on some of its benchmarks. This is a little unfair because the Sun-120 is about twice as expensive and is marketed as a single-user professional workstation.

More specifically, the Sun is faster in some respects (for the benchmarks, see Vol. 1, No. 5), but not in all respects. It is faster in most of the arithmetic operations, the disk is faster, and the operating system is faster; but the Plexus P/35 is faster in the rest of the arithmetic instructions and in all memory I/O.

The remaining question is whether the Sun-120 is a super-

micro. I believe that it is: It is based upon the M68000, a very large scale integration (VLSI) CPU. This is the traditional mark of a micro, and it supports multiple users, also the mark of a supermicro.

In analyzing the benchmarks, I have concluded that the P/35 has faster overall hardware (with the exception of the disk controller) and that the Sun has faster software. This makes sense when you consider history. The Plexus software is derived from AT&T System III code, which is known to be a little slow, while the Sun software is derived from Berkeley 4.2 code. UC Berkeley put a lot of research and energy into making 4.2 Unix fast, and it paid off.

The disk was the one area where the P/35 showed poor performance. The P/35 I reviewed used the NEC 36-Mbyte hard disk. This disk is not as fast as the Fujitsu disk in the Sun, but it is not slow. The NEC is rated (by the manufacturer) at 38.8 msec. average access time, while the Fujitsu disk is rated at 28.1 msec. average access time.

After benchmarking the slower 36-Mbyte machine, I went over to Plexus' headquarters in San Jose and tested a number of other machines. Although the disks on these machines were faster than that of the P/35, they were still slower than the Sun-120's. The difference is more than the disk speeds. The explanation must be in the choice of controller hardware and operating system overhead. Choosing the correct controller can make or break disk performance. This is the area where Plexus must make improvements because a lot of applications are disk intensive. In fact, I understand that Plexus has recently announced a faster controller for the P/60, a move apparently intended to address this very problem.

## PRICE/PERFORMANCE AND POPULARITY

Plexus' early entry into the Unix supermicro market has resulted in one of largest lists of third-party application packages. In fact, many of the most popular Unix system-based applications on the market today were developed on the Plexus, a fact that may also account for the long list of software ported to this family of machines.

This point was clearly driven home at the Fall 1983 Comdex show. At that show I made an informal survey of Unix system application software on the floor. Almost all of the software vendors on the floor were demonstrating their software on the Plexus, and many had developed their software on the Plexus. I think I found so many Plexus machines at Comdex because it is a small, fast, and reliable machine.

Plexus prints a software catalog that contains over 200 products, including a large number of vertical applications. Other machines might come close to the Plexus in performance, but very few have software libraries that can rival that from Plexus.

## THE UNIX SYSTEM AND PLEXUS

The Unix system on the P/35 is very complete. The code started out as System III, but there have been so many Berkeley and Version 7 programs added that I find it very satisfactory. Included are the important (at least for me) `csh` and `vi`.

One problem I have had on other Unix systems is the very primitive tape drive controller. The Plexus commands `tape`, `copytape`, and `volcopy`, added to the Unix system commands `cpio`, `tar`, `dump`, `dumpdir`, and

`restor`, gave me a great deal more control over the tape.

Most Unix systems have a hard time reading and writing multifile tapes, but this has been solved on the Plexus. The `b1s` command is really the Berkeley version of `ls`. Plexus wrote an `openup` daemon that keeps key files and directories open. Not only does this result in faster access, but it also solves a System III problem with the line printer. On many System III Unix machines, the line printer speed reverts to the default speed every time the printing stops. Plexus' `openup` command keeps the device open and preserves the `stty` settings.

Surprising additions are the programs `style` and `diction`, commands usually part of Writer's Workbench. You can find them on Berkeley Unix system releases, but not on Bell-derived Unix system code unless you purchase them separately (as part of Writer's Workbench).

The Plexus P/35 has been around for a number of years; it is an oldie-but-goody that has captured a significant market share because it is a real performer. It is not the fastest supermicro in the world (and I will get my watch to prove it), but to find a faster machine, I had to compare the Plexus P/35 to a machine costing twice as much.

Another plus is that Plexus is marketing and supporting this machine like a minicomputer. I predict that Plexus' outstanding support and its large software library will keep the company going strong, even after AT&T and IBM have killed off much of the rest of the supermicro bunch. □

---

*Bruce Mackinlay, a frequent UNIX/WORLD contributor, is currently working for WMZ/Novatech, a computer consulting firm located in Concord, Calif.*

**SAVE!** COMPLETE SET OF SEVEN ISSUES ONLY \$24.00

## LAWSON ANNOUNCES ACCOUNTING SOFTWARE FOR CONVERGENT HARDWARE

Lawson Associates, a developer and marketer of application software for mainframe and small-business systems, has released its Convergent Technologies (CT) Unix system PinStripe Series of accounting products.

The series includes general ledger, report writer, Multiplan interface, accounts payable, accounts receivable, fixed assets, purchase order, inventory, payroll, and personnel packages. Lawson has adapted each package from its mainframe accounting software.

The PinStripe series is already offered through the Lawson dealer network in a Convergent Technologies Operating System (CTOS) version. These products are available for use with workstations provided by CT and its affiliated original equipment manufacturers (OEMs) such as Burroughs, Gould, Prime, Datapoint, and NCR. Pricing for the Unix system versions is expected to be \$4000 to \$5000 per package.

For more information, contact Lawson Associates Inc., 2021 E. Hennepin Ave., Minneapolis, MN 55413; 800/672-0200.

*Please circle Reader Service Number 160.*

## MAI/BASIC FOUR INTRODUCES BUSINESS SYSTEM

MAI/Basic Four Information Systems has unveiled its MAI 2000 Management System, a multiuser supermicrocomputer that has a wide range of business application software available at introduction.

The system runs an entire line of business application software developed in Business BASIC for MAI/Basic Four's existing line of mini-computers. The system features Boss/IX, a Unix-like operating system developed by MAI, and it has the capability to link with more than 60 other MAI 2000s in a local-area network (LAN).

Up to 14 users can have direct access to the system at one time in



a multitasking environment. Additionally, a networking capability called MAGNET (Management Assistance General Network) provides for the interconnection of up to 63 MAI 2000 systems in a local-area network with a distributed database.

The MAI 2000 is a 16-bit, expandable machine. Its central processing unit (CPU) is based on the M68010 chip. Each system can hold up to six memory boards of 256K bytes each (the system comes with a minimum of 768K bytes) and up to five controller boards.

For more information, contact MAI/Basic Four Information Systems, 14101 Myford Rd., Tustin, CA 92680; 714/731-5100.

*Please circle Reader Service Number 161.*

## SUN MICROSYSTEMS AND ISLAND GRAPHICS INTRODUCE PAINT PROGRAM

Island Graphics Corp. and Sun Microsystems Inc. have announced a new software program designed to run on Sun's black-and-white workstations. Solar Paint, which takes advantage of Sun's window environment, uses proprietary pop-up palettes. Listed at \$1895, the product is designed for all Sun workstation users, including programmers, engineers, artists and illustrators, secretaries, and sales executives.

For more information, contact Island Graphics Corp., 1 Harbor Dr., Sausalito, CA 94965; 415/332-5400.

*Please circle Reader Service Number 162.*

## QUADRATRON ANNOUNCES TWO NEW BUSINESS GRAPHICS PACKAGES

Quadratron Systems has introduced Q-Chart and Q-Graph, two business graphics packages designed to turn numerical data into a wide variety of charts and graphs.

The Q-Chart drawing program helps users create simple charts or complex grids for comparisons, schedules, or critical path analysis layouts. Novice users can represent data in predefined graphics formats, including bar and line charts.

Q-Graph extends all the basic charting features of Q-Chart, with full graphing and drawing primitives to create lines, boxes, graphics symbols, text, and color. The package adds curve-fitting and multiple font selections. Users can overlay charts, scale data automatically, and

# NAME THE MOST WIDELY USED INTEGRATED OFFICE AUTOMATION SOFTWARE FOR UNIX<sup>TM</sup> SYSTEMS.

## **"UNIPLEX II"<sup>TM</sup>** **YOU'VE GOT IT!**

User satisfaction is the primary reason no other product can make this claim. Already in its second generation, UNIPLEX II offers features designed to meet the requirements of the most demanding user.

The beauty of UNIPLEX II is its simplicity. One personality and one command structure throughout the program provide an ease of use never before experienced with UNIX application software.

UNIPLEX II integrates sophisticated word processing, spreadsheet, and relational database applications into a powerful one-product solution.

UNIPLEX II uses termcap, so it can run on virtually any computer terminal. "Softkeys" allow the user to define function keys which are displayed on the 25th line of most terminals to provide versatility and ease of use.

All this at a price you'd normally pay for a single application software package.

UNIPLEX II is available immediately from UniPress Software, the company that's been at the forefront of quality UNIX software products longer than anyone else.

OEM terms available. Mastercard and Visa accepted.

Call Today! Once you've got it, you'll see why UNIPLEX II is the most widely used integrated office automation software for UNIX-based systems.

Write to: UniPress Software, 2025 Lincoln Hwy., Edison, NJ 08817 or call: 1-800-222-0550 (outside NJ) or 201-985-8000 (in NJ); Telex: 709418. Japanese Distributor: Softec, Telephone: 0480 (85) 6565. Swiss Distributor: Modulator SA, Telephone: (031) 59 22 22.

**UniPress Software**  
*Your Leading Source for UNIX<sup>TM</sup> Software.*

UNIX is a trademark of AT&T Bell Laboratories. Uniplex II is a trademark of Uniplex Integration Systems.

Please circle Ad No. 77 on inquiry card.

select fonts for labels, titles, and text additions.

The software is based on GKS (Graphics Kernel System) industry standards, so users can generate hard-copy graphics without dependence on a specific printer or plotter. Q-Chart and Q-Graph are available for source and OEM licensing, as well as quantity and dealer discounts. Q-Chart prices per unit range from \$325 to \$2000. Q-Graph prices range from \$395 to \$2500.

For more information, contact Quadratron Systems Inc., 15760 Ventura Blvd., Suite 1032, Encino, CA 91436; 818/789-8588.

*Please circle Reader Service Number 163.*

## LATEST VERSION OF INFORMIX DBMS NOW AVAILABLE FROM RDS

Relational Database Systems (RDS) Inc., a supplier of information management software for the Unix system, has introduced Informix 3.3, the latest version of its relational database management system (DBMS).

Informix 3.3 offers users greater control over screen manipulation with the use of Perform, Informix's form-generation facility. In addition to the Perform screen builder, Informix includes such features as a report writer, a query language, menu-creation facilities, and an extensive C language interface.

RDS offers its family of database management tools on Unix, Unix-compatible, Xenix, PC/IX, MS-DOS, and PC-DOS operating systems. RDS products are available for more than 60 different machines.

For more information, contact RDS Inc., 2471 E. Bayshore Rd., Suite 600, Palo Alto, CA 94303; 415/424-1300.

*Please circle Reader Service Number 164.*

## RABBIT SOFTWARE INTRODUCES A MULTITASKING PRINT MANAGER

Rabbit Software Corp. has introduced Spooler-Plus, an interactive print manager designed for the Unix system and other compatible operating systems. The print manager controls all print functions in a micro-to-mini-to-mainframe environment that is using one or more printers.

Spooler-Plus' features include multiple queue support, multiple printers per queue, printer sharing, and queuing by menu or Unix system format command.

In addition, Paradyne Corp. (Largo, Fla.) announced that it will exclusively offer the Rabbit Unix system version of Spooler-Plus on all Paradyne Model 8400 machines supplied during the next five years. Paradyne markets its line of computers to government and large commercial accounts.

For more information, contact Rabbit Software Corp., Great Valley Corporate Center, One Great Valley Parkway, Malvern, PA 19335; 215/647-0440.

*Please circle Reader Service Number 165.*

## NCR'S NEW MULTIUSER BUSINESS SYSTEM INCORPORATES SYSTEM V

NCR Corp. has introduced the Tower XP, an addition to the company's Unix system-based family of multi-user business computers.

The Tower XP features an M68010 microprocessor, Unix System V operating software, a new serial input/output (i/o) controller with an on-board M68010 processor, an on-board 128K-byte random-access memory (RAM), and an on-board Unix system TTY subsystem.

The XP also utilizes a new processor memory controller designed to incorporate the central processor as well as 4K-byte page registers and a 2K-byte on-board cache memory.

According to NCR, all software that runs on the Tower 1632 can run on the newer machine, and purchasers can upgrade Tower 1632s to



Tower XPs by buying an upgrade kit.

The Tower XP can support from 1 to 16 users, and its standard configuration comes with 1 Mbyte of memory, 46 Mbytes of disk storage, and a 45-Mbyte cartridge tape drive.

The list price for a typical Tower XP configuration, which includes the processor, 1 Mbyte of RAM, a 1-Mbyte flexible disk, a 46-Mbyte fixed disk, a 45-Mbyte cartridge tape drive, eight serial ports, one parallel port, and the Tower Operating System, is \$19,495. OEM discount pricing is lower.

For more information, contact NCR Corp., Dayton, OH 45479; 513/445-2075.

*Please circle Reader Service Number 166.*

Another in a series of  
productivity notes on  
UNIX™ software  
from UniPress.

**Subject: Multi-window,  
full screen editor.**

Multi-window, full screen editor  
provides extraordinary text editing.  
Several files can be edited simul-  
taneously, giving far greater pro-  
gramming productivity than vi.  
The built-in MLISP programming  
language provides great extensi-  
bility to the editor.

#### New Features:

- EMACS is now smaller and faster.
- Sun windows with fonts and mouse control are now provided.
- Extensive on-line help for all commands.
- Overstrike mode option to complement insert mode.
- New arithmetic functions and user definable variables.
- New manual set, both tutorial and MLISP guide.
- Better terminal support, including the option of not using unneeded terminal drivers.
- EMACS automatically uses terminal's function and arrow keys from termcap and now handles terminals which use xon/xoff control.
- More emulation — TOPS20 for compatibility with other EMACS versions, EDT and simple WordStar™ emulation.

#### Features:

- Multi-window, full screen editor for a wide range of UNIX, VMS™ and MS-DOS™ machines.
- "Shell windows" are supported, allowing command execution at anytime during an edit session.
- MLISP™ programming language offers extensibility for making custom editor commands! Keyboard and named macros, too.

- "Key bindings" give full freedom for defining keys.
- Programming aids for C, Pascal and MLISP: EMACS checks for balanced parenthesis and braces, automatically indents and reformats code as needed. C mode produces template of control flow, in three different C styles.
- Available for the VAX™ (UNIX and VMS), a wide range of 68000 machines, IBM-PC™, Rainbow™ 100+, and many more.

#### Price:

	Binary	Source
VAX/UNIX		\$995
VAX/VMS	\$2500	7000
68000/UNIX	395	995
MS-DOS	475	*

\*Call for terms

For more information on these  
and other UNIX software  
products, call or write:

UniPress Software, Inc.,  
2025 Lincoln Hwy.,  
Edison, NJ 08817.  
Telephone: (201) 985-8000.  
Order Desk: (800) 222-0550.  
(Outside NJ), Telex: 709418.  
Japanese Distributor:  
Softec 0480 (85) 6565.  
European Distributor:  
Modulátor SA (031) 59 22 22.

OEM terms available.  
Mastercard/Visa accepted.

Trademarks of UniPress EMACS & MLISP: UniPress Software, Inc. UNIX & AT&T 3B Series, AT&T Bell Laboratories, VAX/VMS & Rainbow 100 - Digital Equipment Corp. MS-DOS: Microsoft Corp. WordStar: MicroPro

Please circle Ad No. 27 on inquiry card.

**UniPress Software**  
Your Leading Source for UNIX Software

TEXT EDITING

NEW RELEASE

# UNIPRESS EMACS™ VERSION 2

## SPERRY INTRODUCES NEW MICROS AND A SUPERMINI

Sperry has introduced its 7000/40 superminicomputer and the Sperry 5000 Series of multiuser microcomputers. The 5000 Series includes four models that support System V and from 1 to 64 users. All models are based on Motorola's M68000 microprocessor technology.

The Sperry 7000/40 System, a new superminicomputer that can support up to 128 users, is designed to run the Unix operating system and the C programming language. The system has a storage capacity from 4 to 8 Mbytes of main memory.

The Sperry 5000 Series ranges in price from \$15,000 to \$50,000 for

Business Solution (MBS), an on-line MRP-II manufacturing control system with integrated financial applications for small- and medium-size manufacturers.

For more information, contact Sperry Corp., P.O. Box 500, Blue Bell, PA 19424; 215/542-4213.

*Please circle Reader Service Number 167.*

## ALTOS ANNOUNCES NEW MULTIUSER XENIX SYSTEMS, OTHER PRODUCTS

Altos Computer Systems has announced the Altos 486, a 16-bit, Xenix-based microcomputer system that supports up to four users, and the Altos 986T, an enhanced version of the current Altos 986 system that supports up to nine users.

Altos said the 486 system is software-compatible with all 16-bit Altos systems. The 486 system features a CPU speed of 8 MHz, 512K bytes of RAM, a 20-Mbyte hard-disk drive, and a 1-Mbyte floppy disk drive. List price for the Altos 486 is \$6490 and includes the Xenix operating system and an Altos III terminal.

The 986T utilizes a 16-bit CPU, as well as three additional microprocessors for I/O control. It also features 1-Mbyte RAM, 1 Mbyte 5¼-inch floppy disk capacity, and a choice of 40- or 80-Mbyte hard disk capacity storage. Suggested retail price for the 986T-40 is \$13,490, and it includes a 40-Mbyte hard disk, the Xenix operating system, and an Altos III terminal.

Also new from Altos is Alto-graf, a graphics program for the Altos 186 that features a variety of graph- and chart-making capabilities. Its list price is \$295.

Altos also has introduced PC Path, which allows IBM PCs and PC-

compatibles running popular PC-DOS applications to share disks and printers on WorkNet, Altos' local-area network. It is priced at \$395.

Several software products round out Altos' spate of product releases. The Altos Office Executive (AOE) is a multiwindow, integrated package that incorporates popular word-processing, spreadsheet, database, and electronic-mail applications.

For more information, contact Altos Computer Systems, 2641 Orchard Pkwy., San Jose, CA 95134; 408/946-6700.

*Please circle Reader Service Number 168.*

## SUN INTRODUCES A NEW DESKTOP WORKSTATION, OTHER PRODUCTS

Sun Microsystems has introduced the Sun-2/50 Desktop SunStation, which carries a list price under \$10,000. The Sun-2/50 is designed specifically for technical professionals who do not require the expansion flexibility of a card cage, but who desire the same computational and graphics performance provided by the existing Sun-2 family of workstations.

The Sun-2/50 CPU, based on the M68010 microprocessor, operates at 10 MHz with no wait states. The Sun patented memory-management design allows for 1 to 4 Mbytes of physical memory and up to 16 Mbytes of virtual address space per process. A hardware floating-point accelerator is optionally available for compute-intensive applications.

List price for a 1-Mbyte system is \$9900, with volume discounts available. The Sun-2/50 is also available in 2- and 4-Mbyte configurations. Standard on the Sun-2/50 are the 4.2BSD Unix system, networking, SunCore graphics, SunWindows



the low-end models, and from \$62,000 to \$150,000 for the high-end models. The Sperry 7000/40 System ranges in price from \$160,000 to \$300,000, depending on configuration.

In addition, Sperry and DBSI Information Systems Inc. have introduced the Sperry Manufacturing

window manager, and C, FORTRAN, and Pascal programming languages.

Sun has also announced the Sun-2/160 Color SunStation, an integrated color workstation with advanced graphics capabilities, and the Sun Network File System (NFS), which supports transparent network-wide read and write access to directories and files.

In addition, Sun has added the following networking products to its Catalyst third-party program: the CS/1 Communications Server from Bridge Communications, Fusion network software from Network Research Corp., FlexLink from FlexComm Corp., and the EXOS 200 family of Ethernet front-end pro-

cessors from Excelan Inc.

For more information, contact Sun Microsystems Inc., 2550 Garcia Ave., Mountain View, CA 94043; 415/960-1330.

Please circle Reader Service Number 169.

## VIKING FORMS MANAGER NOW UNDER UNIX SYSTEM

The Viking Forms Manager (VFM), a software product developed by Viking Software Services for on-line screen formatting and data-entry, is now available for several computers that use the Unix operating system.

Viking originally developed its Forms Manager for VAX computers using the VMS operating system. The

firm has since adapted VFM to the PDP-11, the IBM PC (and other MS-DOS-based micros), the DEC PRO 350, and now to computers supporting System V and Berkeley 4.2 Unix system versions.

The Unix system version of VFM consists of a Forms Development facility, the Viking Data Entry System (VDE), and a variety of utility programs. User prices range from \$800 to \$6000, with discounts for quantity purchases and OEMs.

For more information, contact Viking Software Services, 2815 E. Skelly Dr., Tulsa, OK 74105; 918/745-6550.

Please circle Reader Service Number 170.

Another in a series of  
productivity notes on UNIX™  
software from UniPress.

**Subject: C Cross Compiler  
for the 8086 Family.**

The Lattice C Cross Compiler allows the user to write code on a VAX™ (UNIX or VMS™) or MC68000™ machine for the 8086 family. Lattice C is a timesaving tool that allows a more powerful computer to produce object code for the IBM-PC™. The compiler is regarded as the finest C compiler for the 8086 family and produces the fastest and tightest code.

### Features:

- For your UNIX or VMS Computer.
  - Use your VAX or other UNIX machine to create standard Intel object code for the 8086 (IBM-PC).
  - Highly regarded compiler produces fastest and tightest code for the 8086 family.
  - Full C language and standard library, compatible with UNIX.
  - Small, medium, compact and large address models available.
  - Includes compiler, linker, librarian and disassembler.
  - 8087™ floating point support.
  - MS-DOS™ 2.0 libraries.
  - Send and Receive communication package optionally available.
- Price \$500.
- Optional SSI Intel Style Tools.
- Package includes linker, locator and assembler and creates executables for debugging on the Intel workstation or for standalone environments.
- Price \$8,550.

### Price:

VAX (UNIX or VMS)	\$5000
MC68000	3000

For more information on these and other UNIX software products, call or write: UniPress Software, Inc., 2025 Lincoln Hwy., Edison, NJ 08817. Telephone: (201) 985-8000. Order Desk: (800) 222-0550 (Outside NJ). Telex: 709418. Japanese Distributor: Softec 0480 (85) 6565. European Distributor: Modulator SA (031) 59 22 22.

OEM terms available.  
Mastercard/Visa accepted.

CROSS COMPILER  
FOR THE 8086™ FAMILY

# LATTICE® C CROSS COMPILER

Trademarks of Lattice: Lattice, Inc. VAX and VMS: Digital Equipment Corp.  
UNIX: AT&T Bell Laboratories; IBM PC: International Business Machines;  
MS-DOS: Microsoft; MC68000: Motorola; 8086/8087: Intel.

Please circle Ad No. 70 on inquiry card.

**UniPress Software**  
Your Leading Source for UNIX Software

## SEQUENT OFFERS SCALABLE PROCESSOR POOL ARCHITECTURE FOR OEMs

Sequent Computer Systems has introduced the Balance 8000 computer system, a new expandable Unix system-based 32-bit computer family for technical OEMs.

The Balance 8000 is based on a pool of from two to a maximum of twelve 16-/32-bit NS32000-based processors. A single version of the 4.2BSD Unix system allocates these processors dynamically, automatically, and transparently as needed. PC-Interface, a PC-DOS-to-Unix system software applications bridge, provides transparent interaction over a distributed network between PC-DOS applications and the Balance 8000's Unix file system.

A complete two-processor Balance 8000 system is priced at \$41,500 in OEM quantities. A complete 12-processor system is priced at \$110,000 for OEM quantities.

An embedded configuration of the Balance 8000, which includes a 12-slot Balance bus backplane and chassis, 2 CPUs (each with MMU, FPU, and cache memory), 1-Mbyte RAM, an Ethernet interface, an SCSI bus interface, with Unix system, C, and diagnostics, costs \$16,300.

For more information, contact Sequent Computer Systems Inc., 14360 Science Park Dr., Portland, OR 97229; 503/626-5700.

*Please circle Reader Service Number 171.*

## PYRAMID ENHANCES OSX WITH SYSTEM 5.2

Pyramid Technology Corp.'s System V, Release 2 is now available on its 90x superminicomputer. Pyramid has integrated this version of the AT&T Unix operating system to form an enhanced version of OSx, Pyr-

amid's dual port of System V from AT&T and 4.2BSD from UC Berkeley.

With the enhancements to System V, Pyramid can now offer system accounting and independent scheduling of jobs by each user. Job-control functions and Berkeley curses and terminfo, which were added to System V, were already available in Pyramid's OSx.

In addition, Pyramid and Relational Technology Inc. (RTI), of Berkeley, Calif., have signed an agreement making Ingres, the RTI Unix system relational database management system, available on Pyramid's 90x superminicomputer.

For more information, contact Pyramid Technology Corp., 1295 Charleston Rd., Mountain View, CA 94043; 415/965-7200.

*Please circle Reader Service Number 172.*

## CIE SYSTEMS OFFERS UNIX-COMPATIBLE BUSINESS SYSTEMS

CIE Systems Inc. has introduced two Unix system-compatible multiuser business systems, the 680/100 and 680/200 business systems, which are designed for small- to medium-size businesses and for IBM PC users seeking a "gateway" into the Unix system world.

Each system includes a new central processor, a high-speed bus, dual-ported RAM memory, and an intelligent I/O controller. The 680 systems use a 10-MHz M68000 CPU developed with on-board memory management and designed for zero wait states.

The 680/100, priced from \$14,995, supports between 4 and 12 users. It comes with 512K bytes of RAM (expandable to 1 Mbyte), a 500K-byte floppy-disk drive, and up to 92 Mbytes of Winchester disk storage. Optional streamer tape and ½-inch tape devices are available.

Priced from \$29,995, the 680/200 supports up to 40 users. It provides between 512K bytes and 2 Mbytes of RAM and up to 336 Mbytes of hard-disk storage. Optional streamer tape and ½-inch tape devices are also available.

For more information, contact CIE Systems, P.O. Box 16579, Irvine, CA 92713; 714/660-1800.

*Please circle Reader Service Number 173.*

## VUE PROJECT MANAGEMENT SYSTEM NOW ON PERTEC AND SPERRY

National Information Systems has announced that VUE, the menu-driven on-line project management system, can now run on the Sperry/Pertec System 3200 under Unix System V.

VUE offers a system for entering, updating, and reporting information in order to plan, schedule, and track project activities. It uses the critical path method, spotlighting those activities whose timely completion is critical to finish the project on schedule. Up to 3000 activities can be tracked per project, with up to 60,000 available through the multiproject option.

VUE offers a choice of I-J or precedence notation, and it can provide both printed and plotted output and custom reporting. VUE is already running on IBM VM/CMS, Fortune Unix, VAX VMS and Unix, HP 3000, Perkin-Elmer 3200, Honeywell DPS-6 and DPS-8, PDP-11, and DEC 10/20. VUE is also available nationally on timesharing.

For more information, contact National Information Systems, 20370 Town Center Lane, Suite 130, Cupertino, CA 95014; 408/257-7700.

*Please circle Reader Service Number 174.*

## IBM TO MARKET HORIZON PACKAGE FOR PC/IX

IBM will market a version of Horizon's Unix system-based Latitude integrated word-processing and spreadsheet software for IBM PCs running the IBM PC/IX operating system.

Called IBM Interactive Executive (IX) Integrated Word/Math, the application program combines a series of business-oriented software tools that link text entry, editing, and arithmetic features.

Within IBM IX Integrated Word/Math, users can generate and edit

text and tables in the same document file, with the command panel automatically offering appropriate object-oriented (text or table) menus.

IBM IX Integrated Word/Math is available from IBM's National Accounts and National Marketing divisions. Priced at \$600, it runs under PC/IX on the IBM PC/XT, IBM PC/XT/370, IBM PC/AT, and IBM PC with the IBM Personal Computer Expansion Unit.

For more information, contact Horizon Software Systems Inc., 185 Berry St., Suite 4820, San Francisco, CA 94107; 415/543-1199.

Please circle Reader Service Number 175.

## STRATUS INTRODUCES USF—A UNIX SYSTEM FACILITY

Stratus Computer Inc. has introduced Stratus USF, a System V-based facility that allows users of Unix system-based applications to be guested under Stratus' Continuous Processing computer's virtual operating system (VOS).

Stratus USF includes a range of Unix System V features, including the C language, shell, commands and applications, system calls and subroutines, as well as productivity tools and program utilities.

USF is totally integrated with VOS, the Stratus Virtual Operating

Another in a series of  
productivity notes on UNIX™  
software from UniPress.

**Subject:** Extraordinarily powerful spreadsheet with extensive math and logic facilities.

Powerful spreadsheet specifically designed to take advantage of the UNIX operating system. Q-Calc uses termcap to support any terminal. Interactive prompts and help text make it very easy to use.

### Features:

- Extensive math and logic facilities.
- Large model size.
- Allows sorting and searching.
- Interfaces with the UNIX environment and user programs via pipes, filters and subprocesses. Spreadsheet data can be processed interactively by UNIX programs, with output placed into the spreadsheet.
- Q-Calc command scripts supported.
- Uses termcap.
- Optional graphics for bar and pie charts. Several device drivers are included to support graphics terminals.
- Available for the VAX™, Sun™, Masscomp™, AT&T 3B Series™, Cyb™, Apple Lisa™, Perkin Elmer™, Plexus™, Gould™, Cadmus™, Integrated Solutions™, Pyramid™, Silicon Graphics™, Callan™, and many more.

### Price:

	Binary
VAX, Perkin Elmer, Pyramid, AT&T 3B/20	\$2,500
	(with graphics) 3,500
MC68000™	750
	(with graphics) 995

Source Code available.

For more information on these and other UNIX software products, call or write: UniPress Software, Inc., 2025 Lincoln Hwy., Edison, NJ 08817. Telephone: (201) 985-8000. Order Desk: (800) 222-0550 (Outside N.J.). Telex: 709418. Japanese Distributor: Softec 0480 (85) 6565. European Distributor: Modulator SA (031) 59 22 22.

OEM terms available.  
Mastercard/Visa accepted.

## SPREADSHEET

## Q-CALC

System, which has been extended to support Unix system applications. Facilities available in VOS are also accessible to USF users and include demand-paged virtual memory, indexed files, record locking, access-control lists, and transparent networking.

Stratus USF users have a wide variety of fault-tolerant networking and communications options at their disposal, including Stratus SNA, 2780/3780, IBM HASP/RJE, 3270 controller and terminal emulation, X.25 and X.29 terminal support, StrataLink (local-area network), StrataNet (wide-area network), and support of a variety of financial and retail protocols.

For more information, contact Stratus Computer Inc., 55 Fairbanks Blvd., Marlboro, MA 01752; 617/460-2000.

*Please circle Reader Service Number 176.*

## UNISOURCE ANNOUNCES UNIX SYSTEM FOR IBM PC/AT

Unisource Software Corp. is now marketing a licensed implementation of AT&T's Unix operating system for the IBM PC/AT. The product—the current Encore version of Venix/86—is delivered with a System V license. It retails at \$875 for a full implementation for one to two users, and costs \$1075 for up to eight users. The package contains Berkeley extensions, real-time capability, record locking, and graphics support.

Unisource also announced two products for the IBM PC/AT. Uniform Software Systems' The Connector, which retails for \$299, enables PC users to run both DOS and Unix system application programs on the same machine at the same time.

Unify Corp.'s Unify relational


database permits users to access scattered pieces of data in separate files. Running under Venix, Unify retails for \$1495.

For more information, contact Unisource Software Corp., 71 Bent St., Cambridge, MA 02141; 617/491-1264.

*Please circle Reader Service Number 177.*

## ARETE 1200 SERIES FOR OEM APPLICATIONS

Arete Systems has added the Model 1200 series to its family of multiple 32-bit processor systems. The 1200 series accommodates up to four



CPUs and expanded main memory, disk storage, and serial communications capacities.

The 1200 series, with up to four 12.5 MHz M68000 CPUs, 12 M68000-based I/O controllers, 16 Mbytes of EDAC (error detecting and correction) main memory, and up to 88 asynchronous and synchronous

serial communications ports, offers about twice the capability of the Model 1124, Arete's first multiple 32-bit central processor system.

The 1200's expanded storage capacity, with up to 4 internal disk drives and up to 44 external disk drives, can provide 9 gigabytes of storage for up to 88 users. The new series supports both the Arix (Unix System V, Release 2) and RM/COS (COBOL-compatible) operating systems.

The 1200 series computers are priced from \$70,000 to \$150,000, depending on memory configuration.

For more information, contact Arete Systems Corp., 2040 Hartog Dr., San Jose, CA 95131; 408/263-9711.

*Please circle Reader Service Number 178.*

## APPGEN ENVIRONMENT PORTED TO NCR TOWER

Software Express' expanded APPGEN environment, which includes a Unix system-based application generator, nine application packages, and the APPGEN Query Language, has been ported to the NCR Tower family of processors.

The APPGEN environment delivers capabilities to all types of users across the NCR Tower line. Technical C-level developers and occasional end-users can use the same environment because its English language interface removes Unix system complexity.

Software Express has also signed Responsive Computer Systems (RCS) to distribute the APPGEN product line on the Altos 68000. RCS is one of Altos' largest distributors and is the exclusive distributor of the Altos 68000.

Under the recent networking release by Altos, the Altos 68000 can now communicate on the same

network with Altos' Xenix-based machines and IBM PC-compatibles running PC-DOS.

For more information, contact Software Express, 2925 Briarpark Dr., 7th Floor, Houston, TX 77042; 800/231-0062.

*Please circle Reader Service Number 179.*

## CSI ENHANCES ACCESS/SNA

Communications Solutions Inc.'s new version of Access/SNA allows users to communicate simultaneously with multiple programs on host IBM mainframes from any terminal in the network. It also lets users transfer data files between the

host and any terminal using 3270 protocols.

Access/SNA now provides a standard I/O interface to such chips as the Zilog SCC and SIO and the Intel 8274 and 8273.

Access/SNA is written in the C language and is currently implemented on MS-DOS, the Unix system, and other vendor-proprietary systems. It emulates the communications functions of IBM 3274/3276 cluster controllers, letting vendors sell into the IBM market by providing communications with IBM host computers and by co-existing with IBM equipment in a user's data network.

For more information, contact Communications Solutions Inc., 992

S. Saratoga-Sunnyvale Rd., San Jose, CA 95129; 408/725-1568.

*Please circle Reader Service Number 180.*

## AT&T LINKED TO ASYNC DEVICES

SST Inc. has developed an asynchronous telecommunications software package that allows the AT&T 3B2 computer to communicate with other micros, minis, or mainframes. Tradenamed Handshake, the software can be used for communications between systems connected by standard cabling or through dial-up telephones.

Users can custom-design the characteristics of their particular re-

*Another in a series of  
productivity notes on UNIX™  
software from UniPress.*

**Subject: Full multi-user UNIX for the Lisa.**

Apple Lisa UNIX, the UniPlus + Bell Labs UNIX System V, transforms your Apple Lisa into a low-cost, high performance multi-user desktop workstation.

### Features:

- The full multi-user system includes powerful UNIX utilities, C compiler and development tools, text processing tools, along with vi, csh and termcap. Full system is priced at \$1495.
- Supports Apple 5 and 10-Mbyte drives. Increased disk space is available with hard drives which range from 16 to 92 Mbytes.

### Optional UNIX Applications Available:

Unify® Multi-user relational database.  
Lex™ Word Processing.  
Q-Calc Spreadsheet.  
UniPress EMACS™ multi-window text editor system.

### Programming Languages Available:

SVS Fortran  
SVS Pascal  
SVS Basic +  
SMC Basic 4  
RM Cobol  
Irvine ADA

For more information on these and other UNIX software products, call or write: UniPress Software, Inc., 2025 Lincoln Hwy., Edison, NJ 08817. Telephone: (201) 985-8000. Order Desk: (800) 222-0550 (Outside N.J.). Telex: 709418. Japanese Distributor: SoftTec 0480 (85) 6565. European Distributor: Modulator SA (031) 59 22 22

Dealer terms and demonstration systems are available.  
Mastercard/Visa accepted.

MULTI-USER  
OPERATING SYSTEM

# APPLE LISA™ UNIX

Lisa is a trademark of Apple Computer. UNIX is a trademark of AT&T Bell Laboratories. UniPress EMACS is a trademark of UniPress Software, Inc. Unify is a trademark of Unify Corp. Lex is a trademark of ACE Microsystems.

Please circle Ad No. 72 on inquiry card.

UniPress Software



May 14th - 15th, 1985

12:00pm - 6:00pm

Palo Alto Hyatt Hotel

4290 El Camino Real

Palo Alto, California

Northern California's only TWO-DAY event dedicated exclusively to OEMs and sophisticated end users.



Featuring the latest in:

CAD/CAM Systems

Graphics Systems

Engineering Workstations

Computers and Peripherals

Data Communications

Unix



Exhibiting Companies and Product Lines:

AT & T

Daisy

DEC

Fujitsu

IBM

Intel

Mentor Graphics

Metheus

Motorola

Perkin Elmer

Sun Microsystems

Tektronix

Valid Logic

Versatec

and many more...

---

Call or write for a complimentary invitation to:

**NIN** NORM DE NARDI ENTERPRISES

289 So. San Antonio Rd., Suite #204 • Los Altos, CA 94022 • (415)941-8440

quirements: baud rate, parity (odd, even, none), duplex (full or half), incoming line terminator (user-defined value), and out-going line terminator (user-defined value). After these tables have been set, their values are saved for later use.

This package, originally developed on the Fortune 32:16 and currently available on the AT&T 3B line and Zilog computers, has a suggested list price of \$350.

For more information, contact SST Inc., 9434 N. 107th St., Milwaukee, WI 53224.

Please circle Reader Service Number 181.

## IMAGEN ANNOUNCES NEW LASER PRINTER


Imagen Corp. has introduced the Imagen 12/300, the latest member of its printer family. The new printing system includes page collation, page reversal, multiple copies facility, and portrait and landscape printing. Interfaces supported include serial, parallel, and Ethernet. The system prints 12 pages per minute at a resolution of 90,000 dots per square inch.

The 12/300 supports many host computers, including those running the Unix operating system and supporting document-composition systems such as troff, TeX, and Scribe. The new printing system comes standard with all of Imagen's emulators—daisy-wheel and line printers and Tektronix 4014—allowing users to output files previously configured for any of these devices.

Including 20 fonts and the Impress language, the 12/300 is priced at \$19,950. Volume purchases and OEM discounts are also available.

For more information, contact Imagen Corp., 2650 San Tomas Expwy., Santa Clara, CA 95052; 408/986-9400.

Please circle Reader Service Number 182.



## FAST-TRACK PROJECT MANAGEMENT TRACKS EVEN FASTER.

**B**ecause VUE menu-driven software gives you instant visibility into even the most complex project.

You easily control schedules, resources and budgets according to your exact requirements. VUE even lets you output a variety of reports, bar charts and flow diagrams directly into a printer or plotter.

We're also proud to say you can get VUE on-line and working in just one day. It's that easy.

So, whether you're in construction, aerospace, electronics, manufacturing or data processing, give us a call. We'll show you how VUE will keep your project on track every step of the way.

National Information Systems, Inc.,  
20370 Town Center Lane, Suite 130,  
Cupertino, CA 95014. Tel: 408-257-7700,  
Telex: 750031.

### VUE.


For Enlightened Project Management.

**UNIX:** VAX, Fortune, Pertec, Sperry 3000, Zilog System 8000, Convergent Technology Mega-Frame, AT&T 3B, and more coming.

Also: IBM Mainframe VM/CMS, VAX VMS, HP 3000, Perkin Elmer 3200, Honeywell DPS-6 and -8, DEC 10/20, PDP-11, and timesharing.

Please circle Ad No. 155 on inquiry card.

## Great Learning Exhilarates, Motivates



UNIX™ is a trademark of Bell Laboratories

And it saves you money.

**USER TRAINING CORPORATION**

CALL NOW (408) 370-9710

591 W. Hamilton Ave. • Campbell, CA 95008

## PART TWO

# THE SHELL GAME: A COMPARISON OF THE C AND BOURNE SHELLS

BY BILL TUTHILL

I'm back this month to describe some of the similarities between the C and Bourne shells. To begin with, the two shells are fundamentally very much alike. Both are command interpreters that read commands until receiving an end-of-file; both execute programs residing in a directory specified in the PATH environment variable. They search for programs in order, from the first path element until the last. Both use the same symbols for I/O redirection (see Figure 8A).

Both use the same symbol for setting up pipes between programs, and both use the same system facilities for this (see Figure 8B). Both append to an existing file with the >> symbol and take the ampersand (&) to mean that commands should be placed in the background (see Figure 8C).

Both shells insert "here documents" in the same manner and use the same quoting convention to indicate whether or not the shell should parse the intervening document (see Figure 9). However, the Bourne shell requires the final EOF to be unquoted, while the C shell requires it to be quoted. One reason for the similarity between the shells is that both stole many conventions from

the features inspired by the Bourne shell.

Both shells have similar quoting mechanisms. The backslash (\) is

used to escape the character following; double quotes guard against everything except variable substitution; and single quotes guard against

## SHELL METACHARACTERS

Function	cs	sh
output redirect	>	>
force output	>!	
append to file	>>	>>
force append	>>!	
input redirect	<	<
here document	<<	<<
pipe output		
obsolete pipe		^
background	&	&
separate command	;	;
match anything	*	*
match character	?	?
character class	[ ]	[ ]
subshell	( )	( )
syntax protect	{ }	{ }
command substitute	`	`
partial quote	" "	" "
full quote	' '	' '
quote character	\	\
begin comment	#	:
home directory	~	\$HOME
history repeat	!	
change command	^	
history modify	:	
assignment	set	=
variable	\$var	\$var
process id	\$\$	\$\$
command name	\$0	\$0
first argument	\$1	\$1
all arguments	\$*	\$*
separate arguments		\$@
number of arguments	\$#argv	\$#
stdout and stderr	>&	2>&1
read from terminal	<&	read
exit status	\$status	\$?
background exit status		\$_
current options		\$-
interpret file	source	.
is variable set?	\$?var	test \$var
evaluate expression	@	expr

FIGURE 8A: SYMBOLS FOR I/O REDIRECTION (WITH EITHER SHELL)

```
od -c < rawbits > rawdump
```

everything except history substitution in the C shell. Current versions of both shells use the sharp (#) to indicate comments. However, the Version 7 Bourne shell did not know about the sharp, so you are forced to use the colon before a comment.

You should use the colon to indicate comments in the Bourne shell because there are still lots of Version 7 systems around. But watch out for shell metacharacters such as the semicolon and the ampersand—the Bourne shell parses lines beginning with colons.

## BOURNE SHELL FEATURES NOT IN THE C SHELL

The Bourne shell provides a way to catch all types of signals and to take appropriate action for all of them. The C shell, on the other hand, can catch only the interrupt signal. Typically, you will want to delete a temporary file when the shell script terminates, whether normally or abnormally. Figure 10A shows what you would write using the C shell.

The sequence shown in Figure 10A would remove the temporary file in case of interrupt or if the shell script terminated normally. However, the shell script could also terminate because of a hangup, quit, or pipe signal, in which case the C shell would leave the temporary file lying around. The Bourne shell is much more flexible about this sequence (see Figure 10B).

The commands to be executed on receipt of specified signals are enclosed in double quotes. The signal numbers are listed afterwards. The special number 0 stands for normal termination; thus, the temporary file will be removed in any case. Signal 1 is hangup; 2 is interrupt; 3 is quit with core dump; 13 is a broken pipe; and 15 is the software termination signal. In the ex-

FIGURE 8B: SETTING UP PIPES BETWEEN PROGRAMS

```
deroff -w textfile | sort | uniq -c
```

FIGURE 8C: APPENDING REDIRECTED OUTPUT AND  
BACKGROUND EXECUTION

```
/usr/lib/xd daemon >> /usr/adm/xlog &
```

FIGURE 9: EXAMPLE OF A "HERE" DOCUMENT

```
cat > tmp. awk << 'EOF'
BEGIN {OFS = "\t"}
{
    if (NF >= 3)
        $3 *= 1.2
    print
}
EOF
awk -f tmp. awk $1
```

FIGURE 10A: CATCHING AN INTERRUPT SIGNAL WITH THE C SHELL

```
#
onintr cleanup
a.out > /tmp/file$$
cleanup:
    unalias rm
    rm -f /tmp/file$$
```

FIGURE 10B: TRAPPING SIGNALS WITH THE BOURNE SHELL

```
trap "rm -f /tmp/file$$ ; exit" 0 1 2 3 13 15
a.out > /tmp/file$$
```

FIGURE 11: CREATING AN EMPTY FILE WITH THE C SHELL

```
% > emptyfile
Invalid null command
% cp /dev/null emptyfile
```

ample, all these signals will cause the temporary file to be removed.

The Bourne shell provides a more complete set of file redirection facilities than does the C shell. To create an empty file in the Bourne shell, this is all you need to type: `emptyfile`. The C shell, though, yields an error message when you try to do that. The easiest way to create a zero-length file with the C shell is to copy `/dev/null`—as shown in Figure 11—but you could also use `cat`.

Empty files are actually more useful than they might seem. They can be used as input to a program to see how fast it starts up when it has no data to deal with.

The Bourne shell also provides a mechanism for duplicating file descriptors. For example, standard output and standard error may easily be separated from each other. This separation cannot be done in the C shell without spawning a subshell. Of course, this process takes extra time, particularly since C shells are

slow starters (see Figure 12A). A program's standard error becomes standard output for the shell.

The same thing can be accomplished more quickly in the Bourne shell, although you have to know which file-descriptor numbers are which (see Figure 12B). File descriptor 0 stands for standard input, 1 for standard output, and 2 for standard error. The numbers should simply precede the appropriate redirect symbol.

FIGURE 12A: REDIRECTING STANDARD OUTPUT SEPARATELY FROM STANDARD ERROR WITH THE C SHELL

```
% (make > make.out) > make.err
```

FIGURE 12B: REDIRECTING STANDARD OUTPUT SEPARATELY FROM STANDARD ERROR WITH THE BOURNE SHELL

```
$ make 1>make.out 2>make.err
```

FIGURE 13A: COMBINING STANDARD OUTPUT AND STANDARD ERROR WITH THE C SHELL

```
% make >& make.log &
```

FIGURE 13B: COMBINING STANDARD OUTPUT AND STANDARD ERROR WITH THE BOURNE SHELL

```
$ 2>&1 make >make.log &
```

FIGURE 14: AN EXAMPLE OF THE BOURNE SHELL MULTILINE ECHO

```
echo -n 'Choose one of the following:
      h  help on this program
      s  search for a reference
      p  print a reference on paper
      q  quit this program
? '
```

## STANDARD INPUT AND STANDARD ERROR

Both shells provide an easy way to combine standard input and standard error, although the syntax is different. If you were to compile a program in the background using `make`, you probably would want to send all output to the same place, whether it's standard output or error. Figure 13A shows what you would say in the C shell.

The `>&` means that both standard output and standard error should be redirected; otherwise, standard error would go to the terminal screen. In the Bourne shell, this would be accomplished as shown in Figure 13B.

The syntax is somewhat confusing, but `2<&1` means that file descriptor 1 is duplicated as file descriptor 2. To add to the confusion, `2>&1` does exactly the same thing, but it might convey the impression that input, not output, file descriptors were being duplicated.

The `echo` command from the Bourne shell can print out many lines at a time. The C shell's built-in `echo` command, on the contrary, can't print more than a line of text unless the newline is escaped with a backslash. That's inconvenient, to say the least. Figure 14 shows an example of a Bourne shell multiline `echo`. Running this shell script with

the C shell will yield the error message "Unmatched."

In the Bourne shell, you can pipe the output of an entire control flow construct to another program. This is not possible with the C shell. For example, you may want to line-number a file by using the `-n` option of `cat` and then send output to the lineprinter (see Figure 15).

The Bourne shell script will invoke only one `lpr` process, and all files will appear as a single job on the lineprinter. The C shell script, on the other hand, invokes one `lpr` for each file being sent. This results in spurious job header pages, which may even require the cutting down of several trees.

## C SHELL FEATURES NOT IN THE BOURNE SHELL

One popular feature in the C shell is aliasing. If you don't like the name of a Unix system command, you can simply call it something else. For example, if you get tired of typing `ls -lsa` every time you want to examine a directory, you can alias that command to `dir` (see Figure 16A).

Some people prefer to call this alias `lsa` because it represents the options being invoked. Aliases stay in effect until the shell dies or until you unalias them. However, they are not passed from shell to shell, as is the environment.

Have you ever accidentally removed a file? Did you ever copy, move, or redirect a file on top of an existing file? If so, you can create a relatively safe environment with aliases by placing the commands shown in Figure 16B in your `.cshrc` file.

The `noclobber` setting prevents redirection with `>` from destroying an existing file. The aliases for `rm`, `mv`, and `cp` cause these programs to query you before

they remove a file. Years ago, I would accidentally clobber a file about once a month. Since I've had these commands in my `.cshrc` file, I haven't lost one single file. Unfortunately, the `-i` options to `mv` and `cp` are available only on Berkeley Unix.

The Bourne shell reads and executes all commands in the profile file when you log in. The C shell, on the other hand, processes first the `.cshrc` file each time it starts up, and then the `.login` file if it is a log-in shell. The commands listed in Figure 16B are

FIGURE 15: PROCESSING MULTIPLE FILES WITH THE BOURNE AND C SHELLS

```
BOURNE
for file in $*
do
    pr -n $file
done : lpr

C
#
foreach file ($*)
    cat -n $file : pr : lpr
end
```

FIGURE 16A: ALIAS DEFINITION OF `dir` AS `ls -lsa`

```
% alias dir ls -lsa
```

FIGURE 16B: ALIAS DEFINITIONS USEFUL FOR PROTECTING FILES

```
set noclobber
alias rm rm -i
alias mv mv -i
alias cp cp -i
```

FIGURE 17: USING HISTORY TO REPEAT A PREVIOUS `vi` COMMAND INVOCATION

```
% vi module2.c
% make
% !vi
vi module2.c
% make
```

FIGURE 18A: A SAMPLE INTERACTION WITH JOB CONTROL FACILITIES

```
% troff -ms bigfile
Stopped
% bg
[2] troff -ms bigfile &
% jobs
[1] + Stopped vi memo
[2] - Running troff -ms bigfile
```

FIGURE 18B: A C SHELL BACKGROUND JOB COMPLETION MESSAGE

```
[2] Done troff -ms bigfile
%
```

best kept in a `.cshrc` file because you would want them for every C shell you invoke, not merely for the log-in shell. Commands for initializing the terminal belong in the `.login` file.

The C shell can keep track of commands you execute, but you have to tell it how far back you want it to remember. The command `history = 20` asks the C shell to remember the last 20 commands. This is a reasonable number for 24-line terminals because we don't want the history list to scroll off the screen. When you want to look at your history list, simply type `history`.

The C shell provides several handy mechanisms for redoing commands in the history list. To redo the last command, you say `!!`. To repeat the command numbered 74 on your history list, you would type `!74`. To repeat the last `vi` command, you would type `!vi`. Figure 17 shows a typical interaction with the C shell.

In the software development cycle, you ordinarily edit and recompile until the program works right. Employing the C shell's history mechanism allows you to alternate editing and compilation with a minimum number of keystrokes.

## JOB CONTROL

The C shell, starting with 4.1BSD, provides job control, which is a method for suspending and restarting processes. Say you were using your favorite editor and you suddenly realized that you had to look at something on the system. Rather than quitting or spawning a subshell, both of which would involve substantial overhead, you can just type "control-Z." A few blank lines will appear at the bottom of the screen, and then the message "Stopped" will appear. You are back in the original shell. After you're done looking around, you can bring the editor back into the foreground by entering `fg`.

Job control is also helpful when you're running some CPU-intensive job and you can no longer wait for it to finish. Perhaps you have received an important phone call and need to look around the system to answer a question, or perhaps you need to get back to work on something else. Without job control, you would be forced to interrupt the job, thus wasting all the CPU time that had already been devoted to the process. But with job control, you simply type "control-Z." The message "Stopped" will appear on the

screen, and you can place the job in the background by typing `bg`. Figure 18A shows a sample interaction with job control facilities.

If you get confused about which jobs you have running, you can always use the `jobs` command to find out. When a job finishes, the shell informs you that it has done so, just before issuing the next prompt (see Figure 18B).

Job control is a poor man's form of windowing. If you don't have the cash to buy a personal workstation, many of which offer sophisticated window management systems, job control allows you to keep several things going at the same time.

This article has shown that you can use the C shell interactively, but still use the Bourne shell for program scripts. Because the Bourne shell is more widely available, it is wise to use it when you're writing shell scripts for public distribution.

We can only hope that AT&T decides to include the Korn shell on its next Unix system release. This shell uses "control-P," rather than the exclamation mark, to select history events. A significant improvement over the C shell is that it allows you to edit your history list, using commands from either `vi` or `emacs`. This option makes history features easier to use than with the C shell, which has an unfriendly history substitution mechanism. Preliminary indications are that the Korn shell is very efficient and that it may replace the Bourne and C shells altogether; indeed, it may be the unified shell that Unix users have needed for years. □

*Bill Tuthill is a member of the technical staff at Sun Microsystems, Mountain View, Calif. He also writes a monthly column for UNIX/WORLD entitled "The Unix System Starter Kit." His three-part series on termcap appeared in Vol.1, Nos. 1-3.*

## C TUTORIAL: READER- CONTRIBUTED squeeze PROGRAM BUG REPORTS

BY DR. REBECCA THOMAS

I'm back with the results of our readers' bug reports for the *squeeze* program published in *UNIX/WORLD*, Vol. 1, No. 3. First let me thank the 20 or so readers who took the time to write; I'll be acknowledging many of their thoughtful comments in this installment. However, let's restate the problem before looking at the solutions.

The *squeeze* filter program, listed in Figure 1A, eliminates extra consecutive NEWLINE characters arriving in its standard input. After more than two consecutive NEWLINES are detected, any further ones are not sent to the standard output. Thus, the output should never consist of more than one consecutive *blank* line.

But there lies the rub. I had loosely said "blank line," and I should have said "not more than one consecutive NEWLINE." Thus, some of you thought that *squeeze* should eliminate lines that appear blank but contain the ASCII SPACE, TAB, and perhaps other white-space characters. The latter design is much more involved and beyond the scope of the original program.

The *squeeze* filter was meant simply to eliminate the extra NEWLINES that are output to make up a printed page by Unix system utilities such as *pr* and *nroff*. Such a filter would make output from such

programs more convenient for viewing on a CRT terminal. The extra NEWLINES, which cause rapid scrolling, would be "squeezed" out of the output.

Figure 1B shows *squeeze* being used to eliminate the extra NEWLINES produced by the *pr* command. The design bug is evident if you examine the output closely. Notice that initially two consecutive NEWLINES are passed through to the output where only one should have

been. Several readers did notice this "bug" and correctly reported the simple fix: Initialize the *numnl* counter variable to *one* (1) instead of *zero* (0). The readers who reported this bug and this simple fix are listed below in alphabetical order.

Ed Callahan (Masscomp, King of Prussia, Pa.); T.T. Cheng (Phoenix, Ariz.); Charles Dayharsh (Clifton, Va.); Dave Fafarman (El Sobrante, Calif.); Albert Fung (NCR Corp.); Matthew Mauss (Memorex

FIGURE 1: THE *squeeze* SOFTWARE TOOL FILTER PROGRAM

a. The contents of the *squeeze.c* file

```
$ cat squeeze.c
#include <stdio.h>
main()
{
    int c;
    int numnl = 0;

    while ((c = getchar()) != EOF) {
        if (c == '\n')
            numnl++;
        else
            numnl = 0;
        if (numnl <= 2)
            putchar(c);
    }
}
$ []
```

b. An example for using the *squeeze* program

```
$ pr poem | squeeze

Fri May 13 09:30 1984  Page 1 poem

Roses are Red
Violets are Blue
Sugar is Sweet
And so are You.
$ []
```

Corp., Santa Clara, Calif.); and Tray Scates (Tamarac, Fla.). Because so many readers had the correct answer, we must give our \$25 prize to the person whose response had the earliest postmark—T.T. Cheng. Congratulations! And many thanks to our other respondents.

The elimination of blank lines containing white-space characters is an intriguing problem in itself. Several readers contributed interesting approaches worth documenting, a few of which we'll share with you in this installment.

Figure 2A shows a simple fix that two readers suggested. They proposed to change the statement following the "else" as indicated. This approach, however, introduces problems of its own, and Figure 2B illustrates one of them. Here, the input text consists of two consecutive lines containing a TAB character, followed by one line containing a SPACE.

The output shown in Figure 2B reveals that the second TAB is output at the beginning of the next line of text. Therefore, a more sophisticated approach is necessary. However, we wish to acknowledge Dave Fafarman (El Sobrante, Calif.) and Kenneth Gray (Willcox, Ariz.) for submitting this simple, if not yet complete, solution.

A more general approach for eliminating successive lines containing only SPACE, TAB, and NEWLINE characters involves storing every input line in an array, scanning it, and sending the line to the standard output only if it either contains non-white-space characters or if no more than two blank lines have been counted in the input.

The simplest algorithm for accomplishing this was submitted by Donald Kinzer (Cornelius, Ore). Figure 3 shows my implementation of his algorithm (his original contribution involved constructions that we haven't yet covered in this tutorial series).

FIGURE 2: VERSION TWO OF THE `squeeze` FILTER PROGRAM

a. The contents of the `squeeze2.c` file

```
$ cat squeeze2.c
#include <stdio.h>
main()
{
    int c;
    int numnl = 0;

    while ((c = getchar()) != EOF) {
        if (c == '\n')
            numnl++;
        else if (c != ' ' && c != '\t')
            numnl = 0;
        if (numnl <= 2)
            putchar(c);
    }
}
$ []
```

b. An example of a bug in this version

```
$ cat -v -t poem2
Roses are Red
^I
^I

Violets are Blue
$ cat poem2 | squeeze2
Roses are Red

Violets are Blue
$ []
```

Three other readers submitted solutions that would eliminate successive lines containing white-space characters, but they didn't fix the original design bug shown in Figure 1B. We wish to acknowledge Brian Beckman (Jet Propulsion Lab, Pasadena, Calif.), Mark Costello (ITT Research Institute, Rome, N.Y.), and Doug Klein (Ridge Computers, Santa Clara, Calif.) for their proposed fixes.

Thanks again to all our readers who submitted solutions. We'll be having other "contests" from time to time.

Another important issue was raised by Kenneth Gray, who wrote:

"When is a 'tool' a true 'tool'? I believe that the `charcopy.c` program is a true 'tool' in that it performs a specific function with universal value and is not restricted by I/O requirements. The same could be said of `index(s,c)`, `isupper(c)`, `getchar()`, `put(c)`, etc. But on the other hand, is a program that compresses or expands any input a 'tool' or just a very useful program? And now consider the `squeeze` program. Should it be designated a 'tool', a 'semi-tool', or just a 'useful program'?"

*Attention readers:* The issue of what is a software tool certainly

FIGURE 3: VERSION THREE OF THE `squeeze` FILTER PROGRAM

```

$ cat squeeze3.c
# include <stdio.h>

#define INBUFSIZE 1024
#define TAB      '\t'
#define SPACE    ' '

main()
{
    char buf[INBUFSIZE];
    int i, bl_count = 0;
    while (gets(buf) != NULL) {
        i = 0;                /* reset char position counter */
        while (buf[i] == SPACE || buf[i] == TAB)
            i++;              /* skip leading whitespace */
        if (buf[i] != NULL)    /* if not end of input line */
            bl_count = 0;      /* it isn't a blank input line */
        else if (bl_count < 2) /* else must be blank ; if count < 2 */
            bl_count++;        /* count the blank line */
        if (bl_count < 2)     /* if less than two blank lines */
            puts(buf);         /* output the line */
    }
}
$ []

```

merits discussion. Some of my thoughts on the subject were published in *Byte* magazine, August 1983, in an article entitled "What is a Software Tool?" If you would like to share your thoughts on this subject, submit a short essay (less than 1000 words) to UNIX/WORLD. We will select one of the submissions for publication in a future column. (The author will receive an honorarium of \$50.) So sharpen those pencils!

In the next installment of this series, we'll be presenting a tutorial submitted by one of our readers. □

*Dr. Rebecca Thomas is an author of the best-selling A User Guide to the Unix System (Osborne/McGraw-Hill), of which a rewritten and expanded second edition is available. Dr. Thomas also works as a consultant specializing in the Unix operating system and the C language.*



These people  
and 3 million  
others have  
something to  
celebrate.

They beat cancer.  
We are winning.

Please support the  
**AMERICAN CANCER SOCIETY**

Does your **ISAM**  
run on **IBM,**  
**APPLE, DEC**  
and **AT&T**  
computers?  
**c-tree** does, and  
you only **BUY**  
**IT ONCE!**



**c-tree™**  
BY FAIRCOM

2606 Johnson Drive  
Columbia MO 65203

The company that introduced micros to B+ Trees in 1979 and created ACCESS MANAGER™ for Digital Research, now redefines the market for high performance, B+ Tree based file handlers. With c-tree™ you get:

- complete C source code written to K&R standards of portability
- high level, multi-key ISAM routines and low level B+ Tree functions
- routines that work with single-user and network systems
- no royalties on application programs

**\$395 COMPLETE**

Specify format:  
5¼" PC-DOS 3½" Mac  
8" CP/M® 8" RT-11

for VISA, MC or COD orders, call  
**1-314-445-6833**

Access Manager and CP/M are trademarks of Digital Research, Inc. Apple is a trademark of Apple Computer, Inc. c-tree and the circular disc logo are trademarks of FairCom IBM is a trademark of International Business Machines Corporation DEC is a trademark of Digital Equipment Corporation ©1984 FairCom

# ADVERTISERS INDEX

If you are interested in products or services advertised in UNIX/WORLD, our advertisers are pleased to send you additional information.

Simply fill out the reader service cards and circle the numbers of advertisers you are interested in. Then mail the card and expect prompt, pertinent information.

Reader Service No.	Page No.
37	54
ABS Associates: Hardware and software resellers—now offering AT&T products.	
	43
Adobe Systems Inc.: TRANSCRIPT and POSTSCRIPT—the revolution in page printing.	
60	36-37
AT&T Information Systems: Unix System V—now considered the standard.	
83	55
CMI Corp.: SERIX—the high-performance CMI 42 version of AT&T's Unix System V with Berkeley 4.1 enhancements ported to the IBM Series/1 minicomputer.	
84	9
Codata Systems: A totally new dimension in high-performance machines, the Contel Codata 3400-Series, designed specifically for the OEM marketplace to bring versatility, dependability, and expandability.	
75	7
Computer Corporation of America: CCA EMACS—the most powerful screen editor for Unix and VAX/VMS.	
147	65
Computer Faire: Attend the Unix Systems Expo/85, April 24-26, at Moscone Center, San Francisco.	
115	23
Computer Technology Group: Unix and C training—the training solution that fits the complexities of your Unix-based system.	
10	121
Creare: UltraLink—strong enough for eight users and crystal clear.	
85	15
Cromemco Inc.: Cromemco's System 100 and System 300 computers—designed to be the highest performance Unix systems available.	
34	52-53
Digital Equipment Corp.: Digital's supermicro family—systems that can support your growth, complete with a worldwide network behind you.	
96	49
Dual Systems Corp.: Introducing the new expandable Dual 83/500, a Unix system-based M68000-driven supermicro—so capable, you'd swear it was a mainframe.	
104	13
ELXSI: Performance and expansion potential—the 64-bit multiprocessor system 6400.	
25	16
Emerald City: Emerald One combines the most essential office tasks through six fully compatible and seamless sets of tools.	
59	111
Faircom: ISAM software package, C-Tree.	
31	75
Franz Inc.: Franz—the first name in LISP.	

Reader Service No.	Page No.
97	56
General Communications Corp.: The new L5 supermicro—small enough to fit on a desktop, yet large enough to handle 32 users.	
16	2
Gould Inc.: The PowerNode 9000 and 6000—firebreathers that are scorching old performance standards.	
99	34
GVC Inc.: GVC-16—Complete Unix support on a single multibus board.	
90	124
Heurikon Corp.: Minibox—Heurikon's new multiuser, multitasking workstation.	
93	10-11
Hewlett-Packard: Hewlett-Packard presents the first 32-bit Unix system under \$5000.	
92, 145	Cover III
IBC/Integrated Business Computers: Ensign—the Unix-based system with up to 32-user capacity, up to 8 Mbytes of memory, and over 1000 Mbytes of disk storage.	
	66
ITOM International Co.: The Supermicro Newsletter, written by the folks who invented the term.	
80	46
Lachman Associates: The software systems consultant firm that tailors to your business needs.	
151	48
M&M Technologies: Expertise plus added capability of second-generation development techniques provide software tailored to your needs.	
53	57
Marc Software International Inc.: WordMARC word-processing system—the Unix connection.	
94	25
MCBA: Shrink-to-fit software—integrated manufacturing, distribution, and accounting packages.	
98	126
MIPS Software Development Inc.: Dialog APL—Unix system-based, fully functional commercial APL, available for a wide variety of Unix computer environments.	
112	41
Mt. Xinu Inc.: 4.2BSD—better than just "standard," now fully supported.	
155	103
National Information Systems Inc.: Vue—for enlightened project management.	
26	44-45
NCR: The Tower XP—built for systems builders by nit-picking fanatics.	
66	60-61
Neti Corp.: Forum and eForum—the electronic meeting manager software.	
28	102
Norm De Nardi Enterprises: California Computer Show—the only northern California computer show dedicated exclusively to OEMs and end-users.	
95	4
R Systems Inc.: The R family—single-user and multiuser office automation software.	

Reader Service No.	Page No.
79	19-21
Relational Database Systems Inc.: Informix and File-it!—the database software family for Unix and MS-DOS.	
126	124
Scientific Placement: National registry of candidates and jobs in the Unix system field.	
100	Cover IV
Softtrak: Free two-week trial for Softtrak's PlotTrak or Microtrak software.	
105	35
Southwind Software: Tactician and Graftman—fast, versatile, and powerful tools.	
39	117
Syntactics: CrystalWriter—complete word processing for the Unix system.	
—	31
Systems Strategies: Systems Strategies' software allows your computer systems to emulate IBM terminals, workstations, and printers.	
82	27
Touchstone Software Corp.: The Connectables software—PCworks, MacLine, and UniHost—lets you build a network out of a collection of computers.	
63	Cover II, 1
Unify Corp.: Unify's database management system—fast, powerful, and simple to use.	
77	93
Unipress Software Inc.: UNIPLEX II—the most widely used integrated office automation software for Unix systems.	
27	95
Unipress Software Inc.: New release—Unipress EMACS.	
70	97
Unipress Software Inc.: Lattice C cross-compiler for the 8086 family.	
71	99
Unipress Software Inc.: Q-Calc—extraordinarily powerful spreadsheet with extensive math and logic facilities.	
72	101
Unipress Software Inc.: Make your Lisa 83 a multiuser and run powerful applications.	
78	62
Unix Expo: The Unix operating system exposition and conference—September 18-20, 1985.	
109	103
User Training Corporation: Great learning exhilarates and saves you money—the performance courseware for Unix and C.	
29	82
Vivid Systems Inc.: The LimeLight computer projector—it's like having a six-foot screen on your computer.	
110	22
VLS Inc.: DX-2700 and the CompWare line of electronic publishing products have forged one more link between office publishing needs and laser printer solutions.	
36	125
Yates Ventures: Special one-day seminar on Unix—expert speakers plus hands-on access to some new Unix products.	

## TWO READER CONTRIBUTIONS: ONE mail FRONT- END, ONE FIELD DELIMITER

BY DR. REBECCA THOMAS



This month we have two contributions from our readers. Michael Poppers sends us a useful Bourne shell script that provides a nice "front-end" for

sending electronic mail with the Bell mail command. And Matthew

Chestnut submits a C shell script that inserts field delimiters in a record (a line of text) originally consisting of fixed-length fields. Then the resulting data file can be processed easily by standard Unix system utilities because they recognize fields separated by a particular "special" character.

### DEAR SYSTEM DOCTOR:

The enclosed shell script is an alternative to that prosaic command of loopholes and other naughty things. It is known to the greater Unix system universe as mail.

As it happens, we have Interactive's IS/3 Unix system on our VAX 11/780, so no one uses the Bell mail program unless absolutely necessary; instead, everyone uses

Interactive's to command, which does things like putting headers on letters, checking pathnames, and a lot of other fun stuff. This shell script does some of that and provides a more "friendly" alternative to mail. I hope you enjoy it.

I could have added a lot more features to this script, and I could have left out some of the features that I did put in it, so this program is a compromise between brevity and depth.

[*Doctor's note:* Figure 1 lists this shell script.]

```
{allegro,cucard,esquire,
pegasus,spike,rocky2,ihnp4}
!aecom! poppers
```

*Contributed by Michael Poppers  
Yeshiva University  
New York, N. Y.*

FIGURE 1: THE smail SHELL SCRIPT

```
$ cat -n smail
1  #
2  # smail: send mail the civilized way—based on INmail's ``to''
3  #
4  # SYNOPSIS: smail [ logname logname ... ] <CR>
5  #
6  #
7  # AUTHOR: Michael Poppers
8  # WRITTEN: October 1984
9  # ACKNOWLEDGEMENT: based on a script by M. Gingold of AT&T
10 #
11
12 if [ $1 ]
13 then
14     name=$*
15 else
16     echo "Enter login name(s) to send mail to: \c"
17     read name
18 fi
19
20 # Create temporary file for editing session
21 file=/tmp/im$$.$LOGNAME
```

*Continued*

FIGURE 1: CONTINUED

```

22
23 echo "\001\002" >> $file
24 # The above control char.s are needed in INmail
25 echo "To: $name" >> $file
26
27 echo "From: \c" >> $file
28 echo "From: \c"
29 read from
30 echo $from >> $file
31
32 # Determine the account from which this letter is coming
33 echo "Sender: \c" >> $file
34 # Assume that "whois" command is available
35 # sender=`whois $LOGNAME`
36 # Alternative is:
37 # sender=`grep $LOGNAME /etc/passwd!cut -d- -f2! cut -d\c -fi`
38 # which is the way Gingold has it
39 # or one could write
40 sender=$LOGNAME
41 echo $sender >> $file
42
43 echo "Date: `date`" >> $file
44
45 echo "Subject: \c" >> $file
46 echo "Subject: \c"
47 read subj
48 echo $subj >> $file
49 echo "-----" >> $file
50
51 echo >> $file
52
53 # If EDITOR is set, use it
54 # Else, default to VI
55 nul=""
56
57 until [ "$nul" ]
58 do
59     if [ $EDITOR ]
60     then
61         $EDITOR $file
62     else
63         vi $file
64     fi
65     echo
66
67     # Give the sender a chance to escape or re-edit the file
68
69     echo "Send, abort, or edit (s) ? \c"
70     read choice
71     if [ "$choice" = "e" ]
72     then
73         continue
74     elif [ "$choice" = "s" -o "$choice" = "$nul" ]
75     then
76         echo "-----" >> $file

```

*Continued*

FIGURE 1: CONTINUED

```

77             echo "\001\001" >> $file
78             /bin/mail $name<$file
79             file2=/tmp/$LOGNAME.1Mcpy
80             echo "Your mail is being sent."
81             echo "A copy is in file $file2"
82             mv $file $file2
83             chmod 600 $file2
84         elif [ "$choice" = "a" ]
85         then
86             rm $file
87         else
88             echo "$choice is meaningless; speak clearly!"
89             continue
90         fi
91         nul="bye-bye"
92     done
$ []

```

*Continued*

## DEAR SYSTEM DOCTOR:

While using accounting software on our Zilog System 8000 computer, I needed a method to access some of the data that was created and maintained by that software. The data is in a fixed format for each record, terminated by a NEWLINE character. I found that the Unix system's `awk` utility worked fine until I needed to access specific fields in a record.

Because none of the fields in an input record were delimited by a special character, `awk` assumed that white-space characters delimited the fields. This default behavior was not acceptable because some fields, such as description fields, may contain numerous white-space characters, and, therefore, `awk` would not treat such fields correctly.

The enclosed C shell script provides one solution to this problem. The shell variable `piece` specifies the lengths for each fixed field in a record. The `for` loop uses the Bell Unix Systems III and V `cut` and `paste` utilities to separate the fields as specified and then to rejoin them by inserting a special character, such

as a colon (:), between each field as the output record is written.

The result is a file that is much easier to use with Unix system utilities. Most utilities such as `sort` and `awk` have an option to recognize a specific field delimiter character. This C shell script provides a method to separate given fields in a record by a user-defined delimiter character.

The computer we use is a Zilog System 8000, Model 21, running the ZEUS 3.2 operating system, a Unix System III-compatible operating system.

*[Doctor's note: The C shell script is listed in Figure 2. Figure 3 shows the results obtained when this shell script operates on some sample data.]*

*Contributed by Matthew Chestnut  
Longoria Industries Inc.  
Garland, Texas*

---

*Dr. Rebecca Thomas, UNIX/WORLD's Editor Emeritus, is the co-author of A User Guide to the Unix System, the second edition of which has recently been released.*

---

*Wizard's Grabbag* is a regular feature of UNIX/WORLD, 444 Castro St., Suite 1220, Mountain View, CA 94041. Authors of published entries receive \$25 for questions, \$50 for shell scripts, `awk` scripts, `sed` scripts, `lex`, `yacc`, and C programs, or tips.

Guidelines for reader contributions: Write your shell scripts, C programs, and other code so that it is portable across different versions of the Unix system. If possible, it should run without change on Bell Version 7, Systems III and V, and Berkeley 4.x. Thus, you should use "universal" Unix system utilities such as `who am i` (all systems) in lieu of `whoami` (Berkeley only), and the Bourne shell, if possible, when coding shell scripts. However, C shell scripts are also welcome because most of our readers now have access to this popular command interpreter. Use the standard I/O library when writing C code.

Also use the lint syntax checker to eliminate nonportable constructions and compile the code with a portable C compiler such as `pcc` to help ensure portability. Hardware dependencies, such as terminal control sequences, should be eliminated or at least minimized and isolated to one code region or to a separate module. Keep your example as short as possible, say under 100 lines of code.

FIGURE 2: THE markfields SHELL SCRIPT

```

$ cat -n markfields
 1  #
 2  # $piece contains the fields of the record to delimit by semi-colons
 3  # the cut/paste routine is done in such a way to bypass the 12 file
 4  # limit in paste (paste is using only 2 files at one time).
 5  #
 6  # the following variables are dependent on the file you wish to use:
 7  set piece = ("1-7" "8-13" "14-22" "23-47"
 8             "48-57" "58-62")
 9  set file = "test"
10  set fileout = ""
11  set temp = $file.tmp
12
13  foreach i ($piece)
14  cut -c${i} $file | paste -d":" $fileout - >$temp
15  set fileout = $file.out
16  mv $temp $fileout
17  end
$ []

```

FIGURE 3: TESTING THE markfields SHELL SCRIPT

a. Input data:

```

$ cat test
1004000123183BBF      BEGINNING BALANCE FORWARD0000718824
1004000013184NEW      STARTUP      000416301tGJ038
1004000013184NEW      STARTUP      0004198743GJ038
1004000022984NEW      STARTUP      000368887wGJ040
1004000022984NEW      STARTUP      0003504872GJ040
1004000033184NEW      STARTUP      001029894wGJ044
1004000033184NEW      STARTUP      0010302540GJ044
1004000043084NEW      STARTUP      000118359rGJ046
1004000043084NEW      STARTUP      0000610000GJ046
$ []

```

b. Output data:

```

$ cat test.out
:      :      :      037:1003710040:01000
1004000:123183:BBF  :BEGINNING BALANCE FORWARD:0000718824:
1004000:013184:NEW   :STARTUP      :000416301t:GJ038
1004000:013184:NEW   :STARTUP      :0004198743:GJ038
1004000:022984:NEW   :STARTUP      :000368887w:GJ040
1004000:022984:NEW   :STARTUP      :0003504872:GJ040
1004000:033184:NEW   :STARTUP      :001029894w:GJ044
1004000:033184:NEW   :STARTUP      :0010302540:GJ044
1004000:043084:NEW   :STARTUP      :000118359r:GJ046
1004000:043084:NEW   :STARTUP      :0000610000:GJ046
$ []

```

# CrystalWriter™

Complete Word Processing for the UNIX™ System

"...one of the best kept secrets  
in the world of UNIX System  
application software..."

"...a truly superior package..."

UNIX/WORLD

AVAILABLE NOW, CrystalWriter  
from SYNTACTICS is the complete  
word processing system designed  
to support the first time user—  
without ignoring the  
experienced word processor.

For more information on  
CrystalWriter, call today

**800-626-6400**


(In California (408) 727 6400)

SYNTACTICS

3333 Bowers Avenue, Suite 145  
Santa Clara, CA 95054



**SYNTACTICS™**



UNIX is a trademark of Bell Laboratories  
SYNTACTICS and CRYSTALWRITER are trademarks of Syntactics Corporation

Please circle Ad No. 39 on inquiry card.

## AT&T UNVEILS ENHANCED WORKBENCH, NEW LANGUAGES, OTHER PRODUCTS

**A**T&T has introduced a group of new products, including an enhanced version of Unix Instructional Workbench Software, an interactive computer-based training package that runs under Unix System V.

The enhanced Instructional Workbench software contains three major components. First, an authoring system allows writers with little or no computer experience to create effective computer-based training material. In addition, a delivery system presents the courseware, evaluates the student's responses, and monitors and tracks the student's progress. The delivery system also includes administrative features that provide on-line student registration, maintain student records, and produce a variety of administrative reports. The package also contains a set of five courses developed by AT&T that offer introductory training for users of Unix System V.

The authoring system, the major new feature of this release, includes Compose, a courseware development system. Compose offers a set of standard screen templates for creating text, exercises, and

multiple-choice and true/false tests. Compose also prompts the author to fill in these templates using a descriptive and conversational set of commands. A "preview" facility allows the writer to view the course exactly as the student would.

Unix Instructional Workbench Software is available in source code for the AT&T 3B20 and 3B5 computers and for the DEC VAX computer running under Unix System V. The source code is priced at \$10,000 for the initial copy, and \$3500 for qualified educational institutions. Sub-licensing rights for the product are also available. A binary version for the AT&T 3B2/300 computer is also available, priced at \$3500.

For licensing information, contact AT&T Software Sales and Marketing, P.O. Box 25000, Greensboro, NC 27420; 800/828-UNIX.

### MORE LANGUAGES FOR THE 3B FAMILY

**A**T&T Information Systems has expanded its portfolio of languages for the AT&T 3B2 and 3B5 computers. Under a marketing agreement with Micro Focus, AT&T will offer Micro Focus' Level II COBOL compiler, Animator source-level interactive debugger, and Forms-2 source code generator, all of which will allow the development and maintenance of business application programs on AT&T micro-computers.

Pricing and information on these products are available from AT&T upon request. Micro Focus, an international supplier of micro-to-

mainframe programming software, is located in Palo Alto, Calif.

### AT&T AND RESTON TEAM UP FOR SOFTWARE GUIDE

**R**eston Publishing Company Inc., a subsidiary of Prentice Hall Inc., and AT&T have agreed to publish the *AT&T Computer Software Guide* for end-user customers. The two firms also announced plans for the International Bureau of Software Test (IBST), a subsidiary of Prentice Hall, to provide independent software vendors with fast, impartial approval of AT&T Personal Computer software.

A spokesman said that experts will review every software program listed—be it Unix System V for the computer line or MS-DOS for the AT&T personal computer—and that all the software programs will run on AT&T equipment.

Under the agreement, AT&T will be responsible for catalog content, while Reston will handle the semi-annual printing and distribution. Advertising space is available to vendors who appear in the guide. Current plans call for distribution to bookstores, software and computer specialty retailers and wholesalers, educational institutions, and libraries.

Between printings, updated software listings will be available to AT&T account teams through an on-line Electronic Software Catalog. That updated database will be used for subsequent editions of the software guide.

IBST is an independent facility recognized for its expertise in evaluating software. Using parameters and guidelines established by AT&T, IBST senior test engineers will conduct prompt and impartial reviews of independent vendor software programs. If the programs meet the criteria, they will be included in the software guide.

Additionally, any software accepted for the AT&T guide will be awarded an IBST seal. This seal will enhance the integrity and appeal of software products because of IBST's reputation as an independent software evaluator.

Interested vendors are invited to submit their software programs. Vendors of Unix System V programs should submit products directly to AT&T through the company's Independent Software Vendor/Vendor Involvement Program. Details are available from AT&T Information Systems, ISV/VIP, One Speedwell Ave., Morristown, NJ 07960. Programs for the AT&T PC 6300 should be submitted directly to IBST. For additional information, call 800/222-IBST. Vendors may write to IBST Software Review Center, P.O. Box 9115, Marlboro, MA 01752-9115.

AT&T and Reston Publishing also announced publication of *The Unix System V Software Catalog*, aimed at all Unix system users and the value-added reseller (VAR) market.

Unix system programs are being listed in the catalog regardless of the hardware on which they run. The first edition of the catalog—which will be available in bookstores, computer stores, and libraries—will list over 235 applications from over 60 companies. The catalog sells for \$19.95 and will be published semi-annually.

Buyers who have questions about the catalog listings can call 800/833-9333. VARS or ISVs interested in having software listed in future editions can call the 800 number for further information, or write *The Unix System V Catalog*, AT&T Customer Communications Center, 4513 Western Ave., Lisle, IL 60532.

## NEW DISPLAYS FOR THE 5540 SYSTEM

AT&T Teletype Corp.'s 5540 System, initially introduced with white phosphor, is now available with amber and green phosphor displays. The 5540 is a 3270-compatible terminal that supports SNA/SDLC as well as BSC line protocols. The 5540 can replace existing SNA terminals without host software modifications.

The 5540 includes a 5 1/4-inch floppy-disk drive for controller programming, device identification, and options. A dual microprocessor-based controller can cluster up to 32 devices. In addition, a tabletop controller is available to support up to 12 devices.

The 5540 permits upgrading from BSC to SNA/SDLC by simply changing diskettes. It is also compatible with the Teletype 4540 displays and printers.

## NEW COMMUNICATIONS PACKAGE

The telecommunications giant also introduced the SoftCall communications package, a menu-driven software program designed specifically for the company's Model 4000 modem. This communications software can be used with the AT&T PC 6300, IBM's PC, PC/XT, and Portable

PC, and Compaq and Compaq Plus personal computers.

The SoftCall program enhances AT&T's Model 4000 modem with a variety of features, including a call history log that keeps a record of the time, date, duration, telephone number, and baud rate of all data calls made and received.

The new software also can store and automatically dial up to 30 telephone numbers, each including its own set of communications instructions and automatic log-on sequences. For automatic log-on, the SoftCall program stores manually entered sequences, including queries and responses, for automatic use whenever subsequent calls are made to that number.

AT&T has set suggested retail prices of \$79.95 for the SoftCall communications package and \$499.95 for the Model 4000 modem. They will be sold in computer specialty stores and department stores that sell personal computers.

## EMULATION ADAPTER

Finally, AT&T's Teletype Corp. subsidiary has introduced its SSI IRMA emulation adapter, which permits the AT&T PC 6300, the IBM PC, or PC/XT, and compatible models to interface with 3270 networks.

The SSI IRMA package operates independently of the personal computer, permitting it to remain in constant communication with the 5540 cluster controller and to interact with the personal computer on request. Communication protocol between the adapter and the cluster controller is SSI (Standard Serial Interface), the same used with a 5540 display. The package carries an approximate distributor list price of \$1195. □

## INTERFACING SOLUTIONS AND REFERENCE BOOKLETS

### THE RS-232 SOLUTION

BY JOE CAMPBELL

SYBEX INC., BERKELEY, CALIF.


REVIEWED BY  
DR. REBECCA THOMAS

**H**ave you ever been faced with the frustrating task of interfacing a terminal, printer, or modem to your computer? Unless the connections were "standard," you probably had a hair-pulling experience trying to configure the cable or adapter so that the devices could even "speak" to each other, much less handshake.

Wouldn't a book that gave you a foolproof, step-by-step method for connecting two RS-232-compatible serial devices be a godsend? At last, that book is available. *The RS-232 Solution* could become the Bible of serial interfacing and should be on every serious computer owner's bookshelf.

You might ask, "Why review a book on RS-232 interfacing in a magazine devoted to the Unix system and C?" The answer is that, sooner or later, most Unix system users need to connect a peripheral device to one of their serial TTY ports, and the nitty-gritty details for connecting the devices and making the cable connection can frustrate even the experts.

At one point in the book, Mr. Campbell quotes *Byte Magazine's* Steve Ciaricia as saying, "Among the most exasperating experiences in any computer user's career is connecting two serial devices. I don't mean a terminal and a modem—making that connection is a piece of cake—but any other connection can



be real trouble. For instance, every time I buy a new piece of equipment, things seem to go this way: I spend five minutes reading the sales brochure, five minutes executing the financial transaction, and five hours trying to figure out how to make the new equipment communicate with my computer."

### HOW THIS BOOK IS WRITTEN

This book is divided into two parts: one for theory and one with several practical case studies. The book's high point comes when you learn how to make a simple tool costing less than \$15 and learn an (almost) foolproof method for using the tool to interface two serial devices. You learn how to interpret the results from a simple series of electrical tests and how to make a logic level chart. Then you learn how to use this chart to deduce the configuration for a cable or adapter to connect the two devices with the minimum number of wires.

The book is well written, clear, and entertaining. Numerous diagrams portray concepts and practical techniques, and the author's use of consistent notational conventions

provides visual reinforcement. Mr. Campbell's sense of humor is well targeted, and he frequently discusses issues of current or historical interest.

This is not *How to Interface Your RS-232 Peripheral for the Compleat Idiot*. Readers must possess some knowledge of computer concepts. You should, for example, have some knowledge of your computer's operating system, especially for appreciating the underlying problems and their solutions as they are presented in the book.

Programming experience is helpful, but not necessary. You don't need to know how to read a schematic diagram or anything about electrical circuits, but you do need to be able to manipulate wires and connectors for constructing the cable and connections. Although the book explains how you can avoid soldering, good mechanical and electrical connections probably demand it.

Except for some typos (not atypical for a book's first printing), I couldn't find anything wrong with *The RS-232 Solution*. I just wish it had been available years ago when I started in the microcomputer industry.

### SSC REFERENCE BOOKLETS AND CARDS

Specialized Systems Consultants (SSC), a Seattle-based company, is offering a series of reference booklets and cards that UNIX/WORLD readers might find interesting. The group includes command summary booklets for System III, System V, Xenix, and 4.2BSD; reference cards for vi, FORTRAN-77, and C; and a C library reference booklet.

All booklets and reference cards fold into a convenient 3½ by 8½-inch size and are attractively

typeset in blue, green, black, or brown ink on heavy white paper. All are well organized, packed with information, and easy to read. Also available is a handy holder for these cards and booklets that you can attach to your terminal.

The command summary booklets provide a comprehensive condensation of the command programs. The front and back covers contain lists of examples of common commands along with a sample command line.

The System III booklet contains over 30 pages of alphabetically listed commands as well as detailed summaries for `ed` and the Bourne shell. The System V booklet is 40 pages long, and the 4.2BSD booklet has 48 pages, including 6 pages summarizing the popular C shell.

Each command entry starts with a title line. These lines first give the command name and are followed by a brief summary of the command's purpose. The general invocation command line format comes next, followed by any options and special arguments taken by the command as well as a brief explanation.

The typeface conventions for the command line format used in these booklets should be familiar because they are the same as those used in the *Unix User's Manual*, published by Bell Telephone Laboratories. Neither of the booklets includes graphics commands or commands used exclusively by system administrators (accessible only by the superuser account).

"The `vi` Reference Card" is a comprehensive guide to Berkeley's visual editor. This card lists all `vi` and many `ex` commands along with a brief explanation. It also tabulates editor options, the limitations of the editor, and important definitions. The information on this eight-sided card is logically divided into 24 groups.

"The C Programming Language Reference Card" is a single-page card. It includes examples of

statement formats, variable declarations, an operator precedence table, the preprocessor commands, `printf` and `scanf` formatted input and output statements and their derivatives, and the most commonly used input/output (I/O) calls.

"The C Library Reference for Unix" booklet is a convenient condensation of information for the C programmer. The cover is based on the "C Programming Language Reference Card." The 16-page booklet begins with an index that lists all the system calls and subroutine library functions along with a reference for further information in the Bell System III *Unix User's Manual*. For instance, the entry "`putchar` (`3S-putc`).....5" indicates that the summary of `putchar` is on page 5 of the booklet and that you can find more information in section 3 of the *Unix User's Manual*.

The system calls and libraries are grouped by function and include unbuffered and buffered file I/O, other I/O, character manipulation, programming debugging and verification, the math library, the graphics library, process environment and execution, administrative routines, and some miscellaneous functions.

Single unit prices range from \$2.50 for the reference cards to \$6 for the reference booklets.

For more information, contact Specialized Systems Consultants (SSC), P.O. Box 7, Northgate Station, Seattle, WA 98125; 206/FOR-UNIX. □

*Dr. Rebecca Thomas, UNIX/WORLD's Editor Emeritus, is a co-author of A User Guide to the Unix System, the second edition of which has recently been released.*

**ERROR-FREE  
MULTI-USER  
EASY TO USE  
AVAILABLE  
AFFORDABLE  
ULTRALINK  
UNIX TO VAX/VMS  
COMMUNICATIONS  
FROM  
CREARE**

The power of your VAX is a single command away. UltraLink is a cost-effective software solution for error-free transmission of data between UNIX computers and any VAX running VMS. Without any additional hardware, you can transfer files, get print-outs on your high-speed VAX/VMS printer, and run interactive VMS sessions from your local UNIX terminal—all for \$1800. Call (603) 643-3800 for more information. Creare Inc., Etna Road, PO Box 71, Hanover, NH 03755.

TRADEMARKS: VAX, VMS: DIGITAL EQUIPMENT CORPORATION; UNIX: AT&T BELL LABORATORIES; ULTRALINK, CREARE: CREARE, INC.

*For many reasons, the move from the MS-DOS / PC-DOS world to the Unix system will be an easy crossing. A little history of MS-DOS will explain why.*

## A HISTORY LESSON

BY BILL TUTHILL

**M**S-DOS is the operating system most often run on the IBM PC and on PC-compatible machines. Developed by Seattle Computer Products for the Intel 8086 processor, MS-DOS was then licensed by Microsoft and converted for the Intel 8088 processor and the IBM PC.

There have been several versions of MS-DOS. Almost everybody now runs Version 2.10, so that's what we'll discuss in this article. There are three notable enhancements between versions 1 and 2. First, a flat file structure was replaced by tree-structured directories. Second, standard input and output (I/O) redirection with "<" and ">" is possible. Third, output of one program may be piped as input to another program.

All three of these features were inspired by the Unix system. MS-DOS has been greatly influenced by the Unix system, not only in the three features mentioned above, but also in naming conventions. Microsoft also supports Xenix (Microsoft's brand name for the Unix system), but because the firm has to pay royalties to AT&T for each Xenix system sold, some assume that Microsoft is trying to add similar functionality into MS-DOS. All of this makes it easy for MS-DOS users to learn the Unix system.

Lotus 1-2-3, pfs:File, Easy-Writer, and many other popular PC

software packages aren't available for the Unix system, and they may never be; so the user interfaces you're accustomed to are probably missing from the Unix system. Others will eventually take their place. For now, you're often stuck with the shell, which is much like the command interpreter of MS-DOS.

## COMMAND INTERPRETATION

Unlike CP/M, the MS-DOS command interpreter can be changed, for it resides in the file `command.com`. You can also change the Unix system's command interpreter, which generally resides in either `/bin/sh` or `/bin/csh`. On either system, you can correct simple typing mistakes while you are entering lines of input. On MS-DOS, for example, you can erase the last character you typed by pressing the "Backspace" key, and you can kill the entire input line by pressing the "Escape" key.

Many Unix system users can't remember what the erase character is this week. Version 7 and System V use the sharp (#) to erase, but this is a historical remnant rather than a conscious modern design choice. Before video display terminals were common, it often helped if you could see your erase character. Many Unix system vendors have already changed the default erase character to "Backspace." On 4.2BSD (Berkeley Unix), "Delete" is the default erase character.

You can find out what your Unix system erase character is by invoking the `stty` command. If you would like to change it, use the fol-

lowing command: `stty erase ^H` ("Control H"). You can give anything you want in place of ^H, which is the standard code for backspace.

The kill character (for erasing a line) is the "at" sign (@) on both Version 7 and System V. Again, this is not ideal for video display terminals. Some vendors change the kill character to "Control-X." On 4.2BSD the kill character is "Control-U." As with erase, you can set your kill character with the `stty` command.

On MS-DOS you can interrupt the execution of a program by typing "Control-C." On Version 7 and System V, the interrupt character is "Delete," but on 4.2BSD this is used as the erase character, so the interrupt character is "Control-C."

Many MS-DOS implementations, such as that on the IBM PC, provide in-line editing of the input line buffer. You can move around the line, inserting and deleting characters in the middle of material you have already typed. The Unix system does not normally provide this functionality.

Most Unix system shells take the question mark (?) to represent any single character in a filename. The asterisk (\*), on the other hand, represents any sequence of characters in a filename. These have the same meaning as the metacharacters used on MS-DOS. The asterisk will match across the dot (.) on the Unix system, but not on MS-DOS.

Both the Unix system and MS-DOS use the "less than" sign (<) to indicate input redirection, and the "greater than" sign (>) to indicate output redirection. Both systems use the vertical bar (!) to set up

pipes between programs. The Unix system was the first system to employ these very natural symbols. Pipes on MS-DOS Version 2.10 are poorly implemented, using temporary files, so pipes blow up on large amounts of data.

On the Unix system, slashes (/) separate directory names in a path-name. For example, a data file might be called `/usr/survey/data`. On MS-DOS, back slashes (\) separate directory names. For example, a data file might be called `B:\eSURVEY\eDATA`.

The Unix system is the only case-sensitive operating system I know of. On MS-DOS, typing `dir` and `DIR` have the same effect. By con-

trast, typing `ls` on the Unix system will list your directory, but `LS` will result in an error message that the `LS` command could not be found.

## SYSTEM COMMANDS

MS-DOS has two types of commands: internal and external. Internal commands are part of the operating system, whereas external commands reside in executable form on disk, from where they are loaded when required. External commands are too large or too infrequently used to deserve a place inside the operating system.

All Unix system commands are

external. The operating system (called the kernel) provides service only to programs, not to users. Even the command interpreter (called the shell) is a program on disk somewhere. Most commands reside in `/bin` or `/usr/bin`. The distinction is that programs in `/bin` are required when the system is in single-user mode (for maintenance), whereas programs in `/usr/bin` are not. They are there for convenience in multiuser mode.

Figure 1 gives a partial list of MS-DOS commands and their equivalents on the Unix system. Of course, the Unix system has many more commands than these, but at least this is a start.

MS-DOS	UNIX	NOTES
ASSIGN	<code>mount</code>	mount a new filesystem
BACKUP	<code>dump</code>	perform disk dump for file backup
BATCH	<code>sh</code>	shell for batch scripts
CHDIR	<code>cd</code>	change directory
CHKDSK	<code>fsck</code>	file system integrity check
CLS	<code>clear</code>	clear the screen
COMP	<code>cmp</code>	compare files for differences
	<code>diff</code>	show differences between two files (intelligently)
COPY	<code>cp</code>	copy one file to another
DATE	<code>date</code>	set or print the date
DEBUG	<code>adb</code>	debug programs
DIR	<code>ls</code>	list files in directory
DISKCOPY	<code>dd</code>	copy one disk to another
EDLIN	<code>ed</code>	primitive line editor
ERASE	<code>rm</code>	erase or remove files
FIND	<code>grep</code>	search files for specified string
FORMAT	<code>mkfs</code>	format a disk
MKDIR	<code>mkdir</code>	make a directory
MORE	<code>more</code>	type file a screen at a time
PATH	<code>set</code>	set the search path
PRINT	<code>lpr</code>	queue files for printing
PROMPT	<code>set</code>	set the command interpreter's prompt
RENAME	<code>mv</code>	rename or move a file
RESTORE	<code>restor</code>	restore files from a bad disk
RMDIR	<code>rmdir</code>	remove a directory
SET	<code>setenv</code>	set the environment for all processes
SORT	<code>sort</code>	sort lines
TIME	<code>date</code>	set or print the time
TREE	<code>ls -R</code>	list files in all subdirectories
TYPE	<code>cat</code>	catenate and type file(s)

FIGURE 1: COMMON MS-DOS COMMANDS AND THEIR UNIX SYSTEM EQUIVALENTS.

## OTHER CONSIDERATIONS

Because the Unix system is a multi-user system, it is necessary to log in before using any system commands. The security of all user accounts on a machine can be protected by passwords and by assigning a unique login directory. You can protect files and entire directory hierarchies on a case-by-case basis. The security of MS-DOS, by contrast, depends purely on the physical security of the hard disk or diskettes on which it runs.

One nice feature of the Unix system, when compared to MS-DOS, is that you don't ever need to change the current disk by typing `A:` or `B:`. On the Unix system, a disk drive (or part of a large disk) corresponds to a file system. When a file system is mounted (generally done automatically at boot time), its files become transparently available as part of the Unix system directory hierarchy. No matter what disk a file or program resides on, you only need to specify its name to find it.

The main reason for the success of the Unix system is its portability, which more than makes up for its deficiencies in other respects. Because the operating system and its utilities are written in

C rather than in some kind of assembler, system programmers can port the Unix system to new machine architectures with a minimum of effort. MS-DOS, by contrast, is written in assembly language, so it probably will never run on anything except the Intel 8086 family of processors.

Hardware independence means that your software investment will last longer, too; in the future, this independence will allow you to choose the best hardware for the least cost. □

*Bill Tuthill, a member of the technical staff at Sun Microsystems (Mountain View, Calif.), was previously a systems analyst at Imagen Corp. and a programmer at UC Berkeley.*

## UNIX\* JOBS REGISTRY

National registry of candidates and jobs in the Unix field. Please give us a call; send a resume; or request a free Resume Workbook & Career Planner. We are a professional employment firm managed by graduate engineers.

**800-231-5920**

P. O. Box 19949, Dept. UW  
Houston, TX 77224  
713-496-6100



**Scientific Placement, Inc.**

\*Unix is a trademark of Bell Labs

Please circle Ad No. 126 on inquiry card.

**UNIX™ System V  
Interactive Streamer  
Ethernet™  
Multiuser  
Unify™**

**MINIBOX™**

**Minibox—**  
Heurikon's new multi-user, multitasking workstation—puts the power of the MC 68000/68010 microprocessor (8 or 10 Mhz) and the flexibility of UNIX all in 1.5 square feet of desk space. Designed with the OEM in mind, Minibox gives you these features and capabilities you've been searching for: Electronic mail • Interprocess communications (IPC) • Fully integrated streaming tape drive, up to 280 MB of Winchester storage • 1 MB floppy drive • UNIX System V or III • Ethernet (TCP/IP) for fast expansion and networking • Floating Point Processor • CPM Shell for CP/M-to-UNIX link • Hotline customer support.

UNIX is a trademark of Bell Telephone. Unify is a trademark of Unify. Ethernet is a trademark of Xerox Corp. Minibox is a trademark of Heurikon Corp.

**HEURIKON**  
3201 Latham Drive Madison, WI 53713  
Wisconsin 608 271 8700 Telex 469532

**1-800-356-9602**

© 1984

Please circle Ad No. 90 on inquiry card.

## TRAINING CALENDAR

### TENTH WEST COAST COMPUTER FAIRE

March 30–April 2, 1985  
San Francisco, Calif.

This computer user show will feature the latest in microcomputer hardware, software, peripherals, and services. Contact David Small, Computer Faire Inc., 181 Wells Ave., Newton, MA 02159; 617/965-8350.

### SOFTCON MARCH 1985

March 31–April 3, 1985  
Atlanta, Ga.

This international conference and trade fair is for software merchandisers, publishers, and corporate and institutional users. Contact Softcon, c/o Northeast Expositions, 822 Boylston St., Chestnut Hill, MA 02167; 617/739-2000.

### UNIX SEMINAR

April 1–3, 1985  
Boston, Mass.  
April 10–12, 1985  
Seattle, Wash.  
April 17–19, 1985  
Atlanta, Ga.  
April 24–26, 1985  
Tarrytown, N.Y.

The seminar is for software managers, system designers, analysts, and programmers who expect to be working on Unix system projects. It is aimed at experienced programmers who are unfamiliar with the Unix system but who need to acquire a working knowledge of it quickly. Contact Herb Stern, Center for Advanced Professional Education, 1820 E. Garry Street, Suite 110, Santa Ana, CA 92705; 714/261-0240.

### THE C PROGRAMMING LANGUAGE

April 8–19, 1985  
Cincinnati, Ohio

Topics include basic arithmetic, data types, program looping,

C modular programming concepts, and more. Contact Information Technology Development Corp., 9952 Pebbleknoll Dr., Cincinnati, OH 45247; 513/741-8968.

### PROGRAMMING IN C: A HANDS-ON WORKSHOP

April 9–12, 1985  
Los Angeles, Calif.

This course provides access to a Unix system C compiler and library

for use in learning to write, compile, and execute C programs. Contact Ruth Dordick, Integrated Computer Systems, 6305 Arizona Place, Los Angeles, CA 90045; 800/421-8166.

### UNIX: A HANDS-ON WORKSHOP

April 9–12, 1985  
Boston, Mass.

April 26–29, 1985  
Los Angeles, Calif.

*Continued on page 126*

## THE YATES

P E R S P E C T I V E

### On AT&T, IBM And UNIX: Desktop Directions

### How Will You Capitalize on the Merging of Supermicros and UNIX?

Yates Ventures is bringing such top industry experts as • **Bill Joy, Sun Microsystems** • **Seymour Rubenstein, MicroPro** • **Al Nickles, IBM Instruments** • **AT&TIS** and • **Jean Yates, Yates Ventures** — to share their insight on the vital concerns of the UNIX/supermicro union in a special one-day seminar. They will examine key issues, including:

- UNIX Market Developments and Trends
- System V/XENIX Compatibility
- Local Area Networks vs. Multi-user Systems

You will also have hands-on access to some of the most exciting and innovative UNIX products of over 20 vendors demonstrating there.

For more information on this strategic planning session of the most important industry trend of the eighties, call us today.

Yates Ventures 415/424-8844  
AT&T, IBM And UNIX: Desktop Directions  
May 1, 1985  
Red Lion Inn, San Jose CA

Yates Ventures, Inc.  
3350 West Bayshore, Suite 201, Palo Alto CA 94303

UNIX is a trademark of AT&T. XENIX is a trademark of Microsoft.

Please circle Ad No. 36 on inquiry card.

# MARKETPLACE CAREER OPPORTUNITIES

Readers who have computer merchandise or services to sell, buy, or trade and who want to be included as a classified advertiser in UNIX/WORLD Magazine should write to: Advertising Department, Tech Valley Publishing, 444 Castro Street, Suite 1220, Mountain View, CA 94041. 415/964-0900. The rate for the classified section is \$12 per line. The deadline for ads is the 20th of the 2nd month prior to publication. Please include complete name and address in every ad.

**SENIOR SYSTEMS PROGRAMMER**  
—DEPT. OF PSYCHOLOGY AT NYU.  
Position involves software maintenance and development on several PDP-11 and VAX systems. Desired skills include thorough knowledge of UNIX, operating systems internal, realtime laboratory

programming and training users. Work involves installing, maintaining and developing scientific systems software including realtime control of experiments. Dr. Michael Tandy, 6 Washington Pl., Rm. 961, New York, NY 10003.

**WMZ Consulting Group**—System Consultants for total implementation of information systems. WMZ provides design, implementation, training, and ongoing support. We have experts in UNIX on staff and we are not committed to any software or hardware. We sell solutions not iron. Call (415) 945-2070, or write WMZ Consulting Group, 1483 Ashwood Drive, Martinez, CA 94553.

## TRAINING CALENDAR

Exercises include using shell scripts in applications, executing programs under the Unix system, employing Unix system piping and filtering facilities, using files and directories, and sending and receiving electronic mail. Contact Ruth Dordick, Integrated Computer Systems, 6305 Arizona Place, Los Angeles, CA 90045; 800/421-8166.

### UNIX: DESKTOP DIRECTIONS

May 1, 1985  
San Jose, Calif.

This one-day seminar emphasizes how AT&T and other key multi-user desktop manufacturers will respond to the challenge posed by IBM. Specifically, marketing and distribution strategies for Unix systems and supermicros will be emphasized. Contact Glen Chase, Yates Ventures Inc., 3350 W. Bayshore Rd., Suite 201, Palo Alto, CA 94303; 415/424-8844. □

# dyalog APL™

Version 3.0 Available Now!  
**The Reliable High Performance APL  
for UNIX\* Systems**

**Dyalog APL is fast!**  
Version 3.0 is up to 10 times faster than previous versions!

**Dyalog APL is functional!**  
Nested Arrays  
Full Screen Editor  
Full Screen Data Manager  
Event Trapping  
Interface to all UNIX\* Facilities  
Optional Graphics

**Dyalog APL is reliable!**  
Dyalog APL has been in commercial use for over two years and is available NOW for most UNIX\* Systems so call or write today.

**MIPS Software Development, INC.**  
31555 W. 14 Mile Rd. #104  
Farmington Hills, MI 48018  
(313) 855-3552

\* Improvements are a function of system and usage  
\* UNIX is a trademark of AT&T Bell Laboratories

### POSITIONS FOR UNIX™ & 'C' INSTRUCTORS

UNIX is a trademark of Bell Laboratories

Full and part-time positions available throughout the U.S. Must have taught and worked with UNIX. Communications skills critical. Willingness to travel necessary; however, relocation is not required. Please send resume, including salary history, to:

Carrel Schulke  
**COMPUTER TECHNOLOGY GROUP**  
The UNIX Training Company  
310 S. Michigan Ave., Chicago, IL 60604  
(312) 987-4084

**COMPUTER  
TECHNOLOGY  
GROUP**  
Telemedia, Inc.

Please circle Ad No. 98 on inquiry card.

Continued from page 128

particular film. Although there have indeed been some false alarms in the U.S. defense system, some of which were computer-related problems, the *Wargames* scenarios are so insipid as to be totally disgusting.

The really sad part is that, after the release of this film, there were numerous newspaper columns, television news reports, and other discussions of "Could the *Wargames* plot really happen?" The "man on the street," already largely distrustful of computers, was pretty fast to accept the film's premise in an amazing number of surveys, even after it was made clear that the *Wargames* computer scenarios were purely and totally fictional. In any case, the media had firmly planted another wedge of distrust against computers in the public consciousness.

## ROMANTIC ADVICE

You can't blame it all on Hal, I guess. Hal wasn't the first computer to insist that he was a friend while secretly plotting behind the programmers' backs. Even poor Wally Cox was stung once. In the "Twilight Zone" episode "From Agnes—With Love," the office computer, Agnes, starts giving romantic advice to her lonely programmer, Wally.

Wally follows the advice and promptly loses the girl. Agnes, you see, was giving him advice calculated to drive the girl he desired away from him because Agnes wanted Wally for herself. Poor Wally. . . .

Interestingly, it's in a different "Twilight Zone" episode that we find one of the relatively few examples of a truly trustworthy computer, though even that machine comes to a bad end. In "The Old Man in the Cave," a small group survives after a nuclear war because the advice of

a mysterious "old man in the cave" helps them avoid contaminated food. The "old man" communicates through only one member of the community—nobody else has ever seen him.

When outsiders enter the community and question the authority of the "old man," everyone heads out for a confrontation with the mysterious figure. He (it) turns out to be a computer left over from before the war. In a fit of rage, the people become a mob and destroy the computer. They then feel free to start making all their own decisions again. Within 24 hours all (except for the one man who refused to go along) are dead from eating contaminated food.

Yes, there are other examples of "good" computers in the media as well. Overall, though, I find that the media have favored the portrayal of the computer in an evil role whenever possible. Perhaps this is because evil sells better.

## MISTRUST AND MISUNDERSTANDING

I strongly suspect, however, that much mistrust is caused by the public's genuine, deep-seated misunderstanding of computers and of the people who work with them—even in our current highly computerized society! We have to assume that part of the problem is our own fault—the result of the ways we represent ourselves and our work: as highly esoteric and incomprehensible to the "average" person.

OK, OK, I'll admit that much of it is incomprehensible and esoteric to most people, but we should still try to shed the public's negative image of the computer industry and its personnel. Television and films reflect not just fantasy and reality, but

the underlying fears of our culture. It might be well worth our while to try improving our image a bit, both in the media and, by extension, in the real world. □

--Lauren--

```
uucp: {decvax, ihnp4,
      seismo, clyde,
      allegra}!vortex!
      lauren
```

*Lauren Weinstein is a computer/telecommunications consultant who lives in Los Angeles. He has particular expertise in the fields of computer networking, the Unix system, microcomputer technology, and telecommunications systems.*

To Change Your Address: Please affix your current mailing label (or print your name exactly as it appears on your mailing label) in the space directly below and enter your new address at the bottom of this page. Allow 4-6 weeks.

# MOVING?


Name \_\_\_\_\_  
Address \_\_\_\_\_  
City/State/Zip \_\_\_\_\_

MAIL TO:  
**UNIX/WORLD**

P.O. BOX 1165  
DOVER, N.J. 07801

## THE CELLULOID COMPUTERS

BY LAUREN WEINSTEIN



Greetings. You can tell a great deal about the popular views of technology and technologists from the way those subjects

are treated in the mass media, particularly in television and the movies. Given a society in which many people honestly have trouble distinguishing between actors and their roles, it behooves us to discuss some of the ways the media portray us and our field.

Think about it for a minute. When you tell people that you "work with computers," more often than not the picture that forms in their minds probably comes, not from reality, but from the mass of fictional films and television programs they've seen over the years.

It would be impossible to comprehensively cover the topic here in this column—whole books could be written on the subject. To keep the issue to manageable size, I've chosen only to consider some popular portrayals of "pure" computers, and not hybrids of computers and other technologies such as robots or androids. Even within this limited range, we find, with only a few exceptions, that the overwhelming view the entertainment media have given of computers has been negative from the very start. I've chosen some of the more classic examples to illustrate my point.

## HAL AND THE MAN-MADE MONSTER

The theme of the man-made monster that turns on its creator appears again and again. To film buffs of the last decade or so, the Hal 9000, originally seen in *2001: A Space Odyssey* (1968), has set the standard for the "untrustworthy" computer. In that landmark film, Hal, who speaks pleasantly at all times, systematically murders all but one crew member of the spaceship *Discovery*. Never mind the fact that the murders aren't really his fault (conflicting instructions are later blamed), or that in the sequel, *2010* (1984), he manages to redeem himself to a certain extent—the damage has been done.

Even in *2010*, the overwhelming attitude toward Hal is one of deep mistrust by almost all parties at all times. Hal is probably the real star of *2001*. In fact, for years after the film's release many people referred to troublesome computers (including the IBM 360/91 at UCLA that generated our class programs) as Hal. (Our class schedules had the printed notice "Greetings from Hal. . .")

Another computer that has caused problems in space is the infamous "M5," from the "Star Trek" episode "The Ultimate Computer." When asked why the computer is called the "M5" and not the "M1," its builder/programmer replies, "Multitronic units Number One through Four were not entirely successful. This one is." Uh-huh.

Supposedly capable of running an entire starship by itself, the M5 proves its "true" abilities by attacking friendly ships and by killing innocent people. The M5, by the

way, is eventually foiled through one of the "linguistic burnout" tricks that "Star Trek" was so fond of. They manage to convince the M5 that it is a bad boy, and because it has been programmed to be punished for bad deeds, it turns itself off and invites its own destruction. Sure. . .

## PEACE THROUGH PROCESSING

While Hal managed to kill a single spacecraft crew, the media have painted other computers as dictators or as the triggering agents of nuclear wars. In *Colossus: The Forbin Project* (1970), the U.S. builds an impenetrable computer to control its defensive and offensive weapon systems, called "Colossus." Much like the Doomsday Machine in Stanley Kubrick's classic *Dr. Strangelove* (1964), Colossus, once activated, cannot be dismantled. (Would you ever do that with a computer you had programmed?)

At the same time, so goes the plot, the Soviet Union implements a similar system, called "Guardian," with the same operational goals. What happens? Do we get world peace? Well, sort of. The two computers demand data links between themselves, and they immediately enforce their own form of peace through dictatorship, using the threatened detonation of nuclear warheads to enforce their decisions.

More recently, we have had the inane (but popular, of course) film *Wargames* (1983), in which a military computer in control of the U.S. defensive/offensive warning and missile systems confuses a game with real life and nearly starts a war. Any of you who have known me for some time know how much I despised this

*Continued on page 127*



# UNIX™ HORSEPOWER!

There are a lot of UNIX based systems on the market today claiming to be "SUPERMICROS". But do they really have what it takes to run multi-user UNIX well? The IBC ENSIGN™ does and here's why:

**FAST MEMORY:** No computer running at **any** clock speed can run faster than it's overall memory design. The ENSIGN has up to 8MB of 120nsec memory with dual bit error correction. With IBC's proprietary memory management, **all** of this memory runs with no wait states as fast as the 68000 CPU will go. Compare this to other systems running only small cache memories at full speed. Other multiple user systems cannot load all their programs into a small cache memory. Their systems slow down considerably under a heavy multi-user load.

**INTELLIGENT SERIAL I/O CONTROLLER:** Even the fastest CPU will slow down when it's trying to handle interruptions from multiple on-line users. The ENSIGN provides slave serial I/O CPU's **and** FIFO buffering for both input and output. The result is the ENSIGN's ability to support up to 32 users, with heavy serial I/O demand, while leaving the main 68000 CPU free to run with little serial I/O overhead.

**INTELLIGENT DISK CONTROLLER AND HIGH PERFORMANCE DISK DRIVES:** The ENSIGN has a slave CPU to handle all disk operations, **plus** 16K of disk buffering. IBC's proprietary disk DMA allows high speed data transfer to main memory without slowing down the main CPU. Further, the ENSIGN

supports SMD type 8" hard disks with much faster seek times and transfer rates than 5¼" hard disks usually found in personal desk top computers.

**THE RESULTS:** The IBC ENSIGN runs multi-user UNIX at performance levels not attainable by other supermicros.

Call IBC and get a copy of IBC's multi-user benchmarks—benchmarks that test 8 users running large CPU programs, with heavy disk I/O **and** heavy serial I/O simultaneously. You'll find that nothing can compare to the ENSIGN.



If you want to run multi-user UNIX on a high performance system with up to 32 users, 8MB memory, and over 1,000MB disk storage, see the IBC ENSIGN.

**IBC** Integrated Business Computers

21621 Nordhoff Street  
Chatsworth, CA 91311  
(818) 882-9007  
Telex No. 215349

UNIX is a trademark of Bell Laboratories

Dealers— Please circle Ad No. 92 on inquiry card.

End Users— Please circle Ad No. 145 on inquiry card.

Just over a year ago, SofTrak Systems introduced MicroTrak scheduling software, and wrote the first chapter of a classic microcomputer industry success story. Now SofTrak has written a whole new plot for the MicroTrak story.

### Announcing PlotTrak.

PlotTrak is the new plotter software from SofTrak that lets you plot your MicroTrak schedule in living color. Using MicroTrak files, PlotTrak generates an easy-to-read schedule with many helpful features.


**Activity Selection.** With PlotTrak, any subset of activities in the overall

schedule can be selected for plotting. And even after subsets have been selected, PlotTrak allows you to plot only items before or after a given date, or items between two dates.

**Plot Dimensions.** PlotTrak lets you choose paper sizes from 8½ x 11" to 34 x 44". Plus you can use the scale you want—daily, weekly or monthly.

So you can generate your plot in practically any size or scope you need.

**Activity Highlighting.** Any part of your MicroTrak schedule—from the critical path to particular groups or dates—can be highlighted with PlotTrak.



And different pen colors can be assigned to specific activities, milestones, highlights and links. So you can emphasize the most important segments of your schedule.

### To Be Continued.

The addition of PlotTrak to MicroTrak begins a new chapter for SofTrak Systems. With a leveler and a high-performance version of MicroTrak just ahead, SofTrak is setting a standard for MS-DOS and Unix-based project management software.

## FREE 2-WEEK TRIAL.

We want you to give PlotTrak (and MicroTrak, if you're not already using it) the acid test. So we'll send you a diskette and give you two weeks to try it out. We think you'll like it. But if not you can send it back with no obligation. Interested? Call us today:

**1-801-531-8550**



# SOFTRAK INTRODUCES AN EXCITING NEW PLOT FOR MICROTRAK.

## SOFTRAK

SofTrak Systems, 1977 West North Temple,  
Salt Lake City, Utah 84122